

Utah Division of Water Quality  
Salt Lake City, Utah

WASTELOAD ANALYSIS [WLA]  
Addendum: Statement of Basis

25-Sep-23  
4:00 PM

Facilities: JSSD WWTP  
Discharging to: Provo River

UPDES No: UT-0025747

I. Introduction

Wasteload analyses are performed to determine point source effluent limitations necessary to maintain designated beneficial uses by evaluating projected effects of discharge concentrations on in-stream water quality. The wasteload analysis also takes into account downstream designated uses [R317-2-8, UAC]. Projected concentrations are compared to numeric water quality standards to determine acceptability. The anti-degradation policy and procedures are also considered. The primary in-stream parameters of concern may include metals (as a function of hardness), total dissolved solids (TDS), total residual chlorine (TRC), un-ionized ammonia (as a function of pH and temperature, measured and evaluated in terms of total ammonia), and dissolved oxygen.

Mathematical water quality modeling is employed to determine stream quality response to point source discharges. Models aid in the effort of anticipating stream quality at future effluent flows at critical environmental conditions (e.g., low stream flow, high temperature, high pH, etc).

The numeric criteria in this wasteload analysis may always be modified by narrative criteria and other conditions determined by staff of the Division of Water Quality.

II. Receiving Water and Stream Classification

Provo River: 1C,2B, 3A, 4  
Antidegradation Review: Level I review completed. Level II review is not required.

III. Numeric Stream Standards for Protection of Aquatic Wildlife

Total Ammonia (TNH3)	Varies as a function of Temperature and pH Rebound. See Water Quality Standards
Chronic Total Residual Chlorine (TRC)	0.011 mg/l (4 Day Average) 0.019 mg/l (1 Hour Average)
Chronic Dissolved Oxygen (DO)	6.50 mg/l (30 Day Average) 9.50 mg/l (7Day Average) 8.00 mg/l (1 Day Average)
Maximum Total Dissolved Solids	1200.0 mg/l

**Utah Division of Water Quality  
Salt Lake City, Utah**

**Acute and Chronic Heavy Metals (Dissolved)**

Parameter	4 Day Average (Chronic) Standard		1 Hour Average (Acute) Standard		
	Concentration	Load*	Concentration		Load*
Aluminum	87.00 ug/l**	0.727 lbs/day	750.00	ug/l	6.266 lbs/day
Arsenic	190.00 ug/l	1.587 lbs/day	340.00	ug/l	2.841 lbs/day
Cadmium	0.45 ug/l	0.004 lbs/day	4.32	ug/l	0.036 lbs/day
Chromium III	152.04 ug/l	1.270 lbs/day	3180.88	ug/l	26.575 lbs/day
ChromiumVI	11.00 ug/l	0.092 lbs/day	16.00	ug/l	0.134 lbs/day
Copper	16.87 ug/l	0.141 lbs/day	26.90	ug/l	0.225 lbs/day
Iron			1000.00	ug/l	8.355 lbs/day
Lead	7.69 ug/l	0.064 lbs/day	197.30	ug/l	1.648 lbs/day
Mercury	0.0120 ug/l	0.000 lbs/day	2.40	ug/l	0.020 lbs/day
Nickel	93.76 ug/l	0.783 lbs/day	843.34	ug/l	7.046 lbs/day
Selenium	4.60 ug/l	0.038 lbs/day	20.00	ug/l	0.167 lbs/day
Silver	N/A ug/l	N/A lbs/day	12.47	ug/l	0.104 lbs/day
Zinc	215.56 ug/l	1.801 lbs/day	215.56	ug/l	1.801 lbs/day

\* Allowed below discharge

\*\*Chronic Aluminum standard applies only to waters with a pH < 7.0 and a Hardness < 50 mg/l as CaCO3

Metals Standards Based upon a Hardness of 200 mg/l as CaCO3

**Organics [Pesticides]**

Parameter	4 Day Average (Chronic) Standard		1 Hour Average (Acute) Standard		
	Concentration	Load*	Concentration		Load*
Aldrin			1.500	ug/l	0.013 lbs/day
Chlordane	0.004 ug/l	0.036 lbs/day	1.200	ug/l	0.010 lbs/day
DDT, DDE	0.001 ug/l	0.008 lbs/day	0.550	ug/l	0.005 lbs/day
Dieldrin	0.002 ug/l	0.016 lbs/day	1.250	ug/l	0.010 lbs/day
Endosulfan	0.056 ug/l	0.467 lbs/day	0.110	ug/l	0.001 lbs/day
Endrin	0.002 ug/l	0.019 lbs/day	0.090	ug/l	0.001 lbs/day
Guthion			0.010	ug/l	0.000 lbs/day
Heptachlor	0.004 ug/l	0.032 lbs/day	0.260	ug/l	0.002 lbs/day
Lindane	0.080 ug/l	0.667 lbs/day	1.000	ug/l	0.008 lbs/day
Methoxychlor			0.030	ug/l	0.000 lbs/day
Mirex			0.010	ug/l	0.000 lbs/day
Parathion			0.040	ug/l	0.000 lbs/day
PCB's	0.014 ug/l	0.117 lbs/day	2.000	ug/l	0.017 lbs/day
Pentachlorophenol	13.00 ug/l	108.399 lbs/day	20.000	ug/l	0.167 lbs/day
Toxephene	0.0002 ug/l	0.002 lbs/day	0.7300	ug/l	0.006 lbs/day

**Utah Division of Water Quality  
Salt Lake City, Utah**

**IV. Numeric Stream Standards for Protection of Agriculture**

	4 Day Average (Chronic) Standard		1 Hour Average (Acute) Standard	
	Concentration	Load*	Concentration	Load*
Arsenic			100.0 ug/l	lbs/day
Boron			750.0 ug/l	lbs/day
Cadmium			10.0 ug/l	0.04 lbs/day
Chromium			100.0 ug/l	lbs/day
Copper			200.0 ug/l	lbs/day
Lead			100.0 ug/l	lbs/day
Selenium			50.0 ug/l	lbs/day
TDS, Summer			1200.0 mg/l	5.01 tons/day

**V. Numeric Stream Standards for Protection of Human Health (Class 1C Waters)**

	4 Day Average (Chronic) Standard		1 Hour Average (Acute) Standard	
	Concentration	Load*	Concentration	Load*
<b>Metals</b>				
Arsenic			ug/l	lbs/day
Barium			ug/l	lbs/day
Cadmium			ug/l	lbs/day
Chromium			ug/l	lbs/day
Lead			ug/l	lbs/day
Mercury			ug/l	lbs/day
Selenium			ug/l	lbs/day
Silver			ug/l	lbs/day
Fluoride (3)			ug/l	lbs/day
to			ug/l	lbs/day
Nitrates as N			ug/l	lbs/day
<b>Chlorophenoxy Herbicides</b>				
2,4-D			ug/l	lbs/day
2,4,5-TP			ug/l	lbs/day
Endrin			ug/l	lbs/day
xachlorocyclohexane (Lindane)			ug/l	lbs/day
Methoxychlor			ug/l	lbs/day
Toxaphene			ug/l	lbs/day

**VI. Numeric Stream Standards the Protection of Human Health from Water & Fish Consumption [Toxics]**

	Maximum Conc., ug/l - Acute Standards			
	Class 1C		Class 3A, 3B	
	[2 Liters/Day for 70 Kg Person over 70 Yr.]		[6.5 g for 70 Kg Person over 70 Yr.]	
<b>Toxic Organics</b>				
Acenaphthene	ug/l	lbs/day	2700.0 ug/l	22.51 lbs/day
Acrolein	ug/l	lbs/day	780.0 ug/l	6.50 lbs/day
Acrylonitrile	ug/l	lbs/day	0.7 ug/l	0.01 lbs/day
Benzene	ug/l	lbs/day	71.0 ug/l	0.59 lbs/day
Benzidine	ug/l	lbs/day	0.0 ug/l	0.00 lbs/day
Carbon tetrachloride	ug/l	lbs/day	4.4 ug/l	0.04 lbs/day
Chlorobenzene	ug/l	lbs/day	21000.0 ug/l	175.11 lbs/day
1,2,4-Trichlorobenzene				
Hexachlorobenzene	ug/l	lbs/day	0.0 ug/l	0.00 lbs/day
1,2-Dichloroethane	ug/l	lbs/day	99.0 ug/l	0.83 lbs/day
1,1,1-Trichloroethane				
Hexachloroethane	ug/l	lbs/day	8.9 ug/l	0.07 lbs/day
1,1-Dichloroethane				
1,1,2-Trichloroethane	ug/l	lbs/day	42.0 ug/l	0.35 lbs/day
1,1,2,2-Tetrachloroethane	ug/l	lbs/day	11.0 ug/l	0.09 lbs/day
Chloroethane			0.0 ug/l	0.00 lbs/day
Bis(2-chloroethyl) ether	ug/l	lbs/day	1.4 ug/l	0.01 lbs/day
2-Chloroethyl vinyl ether	ug/l	lbs/day	0.0 ug/l	0.00 lbs/day
2-Chloronaphthalene	ug/l	lbs/day	4300.0 ug/l	35.86 lbs/day
2,4,6-Trichlorophenol	ug/l	lbs/day	6.5 ug/l	0.05 lbs/day
p-Chloro-m-cresol			0.0 ug/l	0.00 lbs/day
Chloroform (HM)	ug/l	lbs/day	470.0 ug/l	3.92 lbs/day
2-Chlorophenol	ug/l	lbs/day	400.0 ug/l	3.34 lbs/day
1,2-Dichlorobenzene	ug/l	lbs/day	17000.0 ug/l	141.75 lbs/day
1,3-Dichlorobenzene	ug/l	lbs/day	2600.0 ug/l	21.68 lbs/day
1,4-Dichlorobenzene	ug/l	lbs/day	2600.0 ug/l	21.68 lbs/day
3,3'-Dichlorobenzidine	ug/l	lbs/day	0.1 ug/l	0.00 lbs/day
1,1-Dichloroethylene	ug/l	lbs/day	3.2 ug/l	0.03 lbs/day
1,2-trans-Dichloroethylene <sup>1</sup>	ug/l	lbs/day	0.0 ug/l	0.00 lbs/day

**Utah Division of Water Quality  
Salt Lake City, Utah**

2,4-Dichlorophenol	ug/l	lbs/day	790.0 ug/l	6.59 lbs/day
1,2-Dichloropropane	ug/l	lbs/day	39.0 ug/l	0.33 lbs/day
1,3-Dichloropropylene	ug/l	lbs/day	1700.0 ug/l	14.18 lbs/day
2,4-Dimethylphenol	ug/l	lbs/day	2300.0 ug/l	19.18 lbs/day
2,4-Dinitrotoluene	ug/l	lbs/day	9.1 ug/l	0.08 lbs/day
2,6-Dinitrotoluene	ug/l	lbs/day	0.0 ug/l	0.00 lbs/day
1,2-Diphenylhydrazine	ug/l	lbs/day	0.5 ug/l	0.00 lbs/day
Ethylbenzene	ug/l	lbs/day	29000.0 ug/l	241.81 lbs/day
Fluoranthene	ug/l	lbs/day	370.0 ug/l	3.09 lbs/day
4-Chlorophenyl phenyl ether				
4-Bromophenyl phenyl ether				
Bis(2-chloroisopropyl) ether	ug/l	lbs/day	170000.0 ug/l	1.42E+03 lbs/day
Bis(2-chloroethoxy) methane	ug/l	lbs/day	0.0 ug/l	0.00 lbs/day
Methylene chloride (HM)	ug/l	lbs/day	1600.0 ug/l	13.34 lbs/day
Methyl chloride (HM)	ug/l	lbs/day	0.0 ug/l	0.00 lbs/day
Methyl bromide (HM)	ug/l	lbs/day	0.0 ug/l	0.00 lbs/day
Bromoform (HM)	ug/l	lbs/day	360.0 ug/l	3.00 lbs/day
Dichlorobromomethane(HM)	ug/l	lbs/day	22.0 ug/l	0.18 lbs/day
Chlorodibromomethane (HM)	ug/l	lbs/day	34.0 ug/l	0.28 lbs/day
Hexachlorobutadiene(c)	ug/l	lbs/day	50.0 ug/l	0.42 lbs/day
Hexachlorocyclopentadiene	ug/l	lbs/day	17000.0 ug/l	141.75 lbs/day
Isophorone	ug/l	lbs/day	600.0 ug/l	5.00 lbs/day
Naphthalene				
Nitrobenzene	ug/l	lbs/day	1900.0 ug/l	15.84 lbs/day
2-Nitrophenol	ug/l	lbs/day	0.0 ug/l	0.00 lbs/day
4-Nitrophenol	ug/l	lbs/day	0.0 ug/l	0.00 lbs/day
2,4-Dinitrophenol	ug/l	lbs/day	14000.0 ug/l	116.74 lbs/day
4,6-Dinitro-o-cresol	ug/l	lbs/day	765.0 ug/l	6.38 lbs/day
N-Nitrosodimethylamine	ug/l	lbs/day	8.1 ug/l	0.07 lbs/day
N-Nitrosodiphenylamine	ug/l	lbs/day	16.0 ug/l	0.13 lbs/day
N-Nitrosodi-n-propylamine	ug/l	lbs/day	1.4 ug/l	0.01 lbs/day
Pentachlorophenol	ug/l	lbs/day	8.2 ug/l	0.07 lbs/day
Phenol	ug/l	lbs/day	4.6E+06 ug/l	3.84E+04 lbs/day
Bis(2-ethylhexyl)phthalate	ug/l	lbs/day	5.9 ug/l	0.05 lbs/day
Butyl benzyl phthalate	ug/l	lbs/day	5200.0 ug/l	43.36 lbs/day
Di-n-butyl phthalate	ug/l	lbs/day	12000.0 ug/l	100.06 lbs/day
Di-n-octyl phthlate				
Diethyl phthalate	ug/l	lbs/day	120000.0 ug/l	1000.61 lbs/day
Dimethyl phthlate	ug/l	lbs/day	2.9E+06 ug/l	2.42E+04 lbs/day
Benzo(a)anthracene (PAH)	ug/l	lbs/day	0.0 ug/l	0.00 lbs/day
Benzo(a)pyrene (PAH)	ug/l	lbs/day	0.0 ug/l	0.00 lbs/day
Benzo(b)fluoranthene (PAH)	ug/l	lbs/day	0.0 ug/l	0.00 lbs/day
Benzo(k)fluoranthene (PAH)	ug/l	lbs/day	0.0 ug/l	0.00 lbs/day
Chrysene (PAH)	ug/l	lbs/day	0.0 ug/l	0.00 lbs/day
Acenaphthylene (PAH)				
Anthracene (PAH)	ug/l	lbs/day	0.0 ug/l	0.00 lbs/day
Dibenzo(a,h)anthracene (PAH)	ug/l	lbs/day	0.0 ug/l	0.00 lbs/day
Indeno(1,2,3-cd)pyrene (PAH)	ug/l	lbs/day	0.0 ug/l	0.00 lbs/day
Pyrene (PAH)	ug/l	lbs/day	11000.0 ug/l	91.72 lbs/day
Tetrachloroethylene	ug/l	lbs/day	8.9 ug/l	0.07 lbs/day
Toluene	ug/l	lbs/day	200000 ug/l	1667.68 lbs/day
Trichloroethylene	ug/l	lbs/day	81.0 ug/l	0.68 lbs/day
Vinyl chloride	ug/l	lbs/day	525.0 ug/l	4.38 lbs/day
				lbs/day
				lbs/day
<b>Pesticides</b>				
Aldrin	ug/l	lbs/day	0.0 ug/l	0.00 lbs/day
Dieldrin	ug/l	lbs/day	0.0 ug/l	0.00 lbs/day
Chlordane	ug/l	lbs/day	0.0 ug/l	0.00 lbs/day
4,4'-DDT	ug/l	lbs/day	0.0 ug/l	0.00 lbs/day
4,4'-DDE	ug/l	lbs/day	0.0 ug/l	0.00 lbs/day
4,4'-DDD	ug/l	lbs/day	0.0 ug/l	0.00 lbs/day
alpha-Endosulfan	ug/l	lbs/day	2.0 ug/l	0.02 lbs/day
beta-Endosulfan	ug/l	lbs/day	2.0 ug/l	0.02 lbs/day
Endosulfan sulfate	ug/l	lbs/day	2.0 ug/l	0.02 lbs/day
Endrin	ug/l	lbs/day	0.8 ug/l	0.01 lbs/day
Endrin aldehyde	ug/l	lbs/day	0.8 ug/l	0.01 lbs/day
Heptachlor	ug/l	lbs/day	0.0 ug/l	0.00 lbs/day
Heptachlor epoxide				

**Utah Division of Water Quality  
Salt Lake City, Utah**

**PCB's**

PCB 1242 (Arochlor 1242)	ug/l	lbs/day	0.0 ug/l	0.00 lbs/day
PCB-1254 (Arochlor 1254)	ug/l	lbs/day	0.0 ug/l	0.00 lbs/day
PCB-1221 (Arochlor 1221)	ug/l	lbs/day	0.0 ug/l	0.00 lbs/day
PCB-1232 (Arochlor 1232)	ug/l	lbs/day	0.0 ug/l	0.00 lbs/day
PCB-1248 (Arochlor 1248)	ug/l	lbs/day	0.0 ug/l	0.00 lbs/day
PCB-1260 (Arochlor 1260)	ug/l	lbs/day	0.0 ug/l	0.00 lbs/day
PCB-1016 (Arochlor 1016)	ug/l	lbs/day	0.0 ug/l	0.00 lbs/day

**Pesticide**

Toxaphene	ug/l		0.0 ug/l	0.00 lbs/day
-----------	------	--	----------	--------------

**Dioxin**

Dioxin (2,3,7,8-TCDD)	ug/l	lbs/day		
-----------------------	------	---------	--	--

**Metals**

Antimony	ug/l	lbs/day		
Arsenic	ug/l	lbs/day	4300.00 ug/l	35.86 lbs/day
Asbestos	ug/l	lbs/day		
Beryllium				
Cadmium				
Chromium (III)				
Chromium (VI)				
Copper				
Cyanide	ug/l	lbs/day	2.2E+05 ug/l	1834.44 lbs/day
Lead	ug/l	lbs/day		
Mercury			0.15 ug/l	0.00 lbs/day
Nickel			4600.00 ug/l	38.36 lbs/day
Selenium	ug/l	lbs/day		
Silver	ug/l	lbs/day		
Thallium			6.30 ug/l	0.05 lbs/day
Zinc				

**There are additional standards that apply to this receiving water, but were not considered in this modeling/waste load allocation analysis.**

**VII. Mathematical Modeling of Stream Quality**

Model configuration was accomplished utilizing standard modeling procedures. Data points were plotted and coefficients adjusted as required to match observed data as closely as possible.

The modeling approach used in this analysis included one or a combination of the following models.

(1) The Utah River Model, Utah Division of Water Quality, 1992. Based upon STREAMDO IV (Region VIII) and Supplemental Ammonia Toxicity Models; EPA Region VIII, Sept. 1990 and QUAL2E (EPA, Athens, GA).

(2) Utah Ammonia/Chlorine Model, Utah Division of Water Quality, 1992.

(3) AMMTOX Model, University of Colorado, Center of Limnology, and EPA Region 8

(4) Principles of Surface Water Quality Modeling and Control. Robert V. Thomann, et.al. Harper Collins Publisher, Inc. 1987, pp. 644.

Coefficients used in the model were based, in part, upon the following references:

(1) Rates, Constants, and Kinetics Formulations in Surface Water Quality Modeling. Environmental Research Laboratory, Office of Research and Development, U.S. Environmental Protection Agency, Athens Georgia. EPA/600/3-85/040 June 1985.

(2) Principles of Surface Water Quality Modeling and Control. Robert V. Thomann, et.al. Harper Collins Publisher, Inc. 1987, pp. 644.

**Utah Division of Water Quality  
Salt Lake City, Utah**

**VIII. Modeling Information**

The required information for the model may include the following information for both the upstream conditions at low flow and the effluent conditions:

Flow, Q, (cfs or MGD)	D.O. mg/l
Temperature, Deg. C.	Total Residual Chlorine (TRC), mg/l
pH	Total NH3-N, mg/l
BOD5, mg/l	Total Dissolved Solids (TDS), mg/l
Metals, ug/l	Toxic Organics of Concern, ug/l

**Other Conditions**

In addition to the upstream and effluent conditions, the models require a variety of physical and biological coefficients and other technical information. In the process of actually establishing the permit limits for an effluent, values are used based upon the available data, model calibration, literature values, site visits and best professional judgement.

**Model Inputs**

The following is upstream and discharge information that was utilized as inputs for the analysis. Dry washes are considered to have an upstream flow equal to the flow of the discharge.

**Current Upstream Information**

	<b>Stream Critical</b>								
	<b>Low Flow</b>	<b>Temp.</b>	<b>pH</b>	<b>T-NH3</b>	<b>BOD5</b>	<b>DO</b>	<b>TRC</b>	<b>TDS</b>	
	<b>cfs</b>	<b>Deg. C</b>		<b>mg/l as N</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>
Summer (Irrig. Season)	0.00	11.6	7.9	0.30	0.10	10.63	0.00	101.5	
Fall	0.00	7.4	8.1	0.10	0.10	---	0.00	117.6	
Winter	0.00	4.0	8.2	0.09	0.10	---	0.00	148.8	
Spring	0.00	7.9	8.0	0.10	0.10	---	0.00	124.7	
Dissolved	Al	As	Cd	CrIII	CrVI	Copper	Fe	Pb	
Metals	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	
All Seasons	0.97	0.03	0.0795*	0.05	3.975*	0.05	1.2	0.795*	
Dissolved	Hg	Ni	Se	Ag	Zn	Boron			
Metals	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l			
All Seasons	0.0000	0.14	1.59*	0.01	0.27	0.9			

\* ~80% MDL

**Utah Division of Water Quality  
Salt Lake City, Utah**

**Projected Discharge Information**

Season	Flow, MGD	Temp.
Summer	1.00000	8.0
Fall	1.00000	8.0
Winter	1.00000	8.0
Spring	1.00000	8.0

All model numerical inputs, intermediate calculations, outputs and graphs are available for discussion, inspection and copy at the Division of Water Quality.

**IX. Effluent Limitations**

Current State water quality standards are required to be met under a variety of conditions including in-stream flows targeted to the 7-day, 10-year low flow (R317-2-9).

Other conditions used in the modeling effort coincide with the environmental conditions expected at low stream flows.

**Effluent Limitation for Flow based upon Water Quality Standards**

In-stream criteria of downstream segments will be met with an effluent flow maximum value as follows:

Season	Daily Average	
Summer	1.000 MGD	1.547 cfs
Fall	1.000 MGD	1.547 cfs
Winter	1.000 MGD	1.547 cfs
Spring	1.000 MGD	1.547 cfs

**Flow Requirement or Loading Requirement**

The calculations in this wasteload analysis utilize the maximum effluent discharge flow of 1 MGD. If the discharger is allowed to have a flow greater than 1 MGD during 7Q10 conditions, and effluent limit concentrations as indicated, then water quality standards will be violated. In order to prevent this from occurring, the permit writers must include the discharge flow limitation as indicated above; or, include loading effluent limits in the permit.

**Effluent Limitation for Whole Effluent Toxicity (WET) based upon WET Policy**

Effluent Toxicity will not occur in downstream segments if the values below are met.

WET Requirements	LC50 >	100.0% Effluent	[Acute]
	IC25 >	100.0% Effluent	[Chronic]

**Utah Division of Water Quality  
Salt Lake City, Utah**

**Effluent Limitation for Dissolved Oxygen (DO) based upon Water Quality Standards**

In-stream criteria of downstream segments for Dissolved Oxygen will be met with an effluent D.O. limitation as follows:

<b>Season</b>	<b>Concentration</b>
Summer	6.50
Fall	6.50
Winter	6.50
Spring	6.50

**Effluent Limitation for Total Ammonia based upon Water Quality Standards**

In-stream criteria of downstream segments for Total Ammonia will be met with an effluent limitation (expressed as Total Ammonia as N) as follows:

<b>Season</b>		<b>Concentration</b>	<b>Load</b>	
Summer	4 Day Avg. - Chronic	4.58 mg/l as N	38.2	lbs/day
	1 Hour Avg. - Acute	11.1 mg/l as N	93.0	lbs/day
Fall	4 Day Avg. - Chronic	4.6 mg/l as N	38.2	lbs/day
	1 Hour Avg. - Acute	10.8 mg/l as N	89.8	lbs/day
Winter	4 Day Avg. - Chronic	4.5 mg/l as N	37.7	lbs/day
	1 Hour Avg. - Acute	8.7 mg/l as N	72.8	lbs/day
Spring	4 Day Avg. - Chronic	4.6 mg/l as N	38.2	lbs/day
	1 Hour Avg. - Acute	9.4 mg/l as N	78.3	lbs/day

Acute limit calculated with an Acute Zone of Initial Dilution (ZID) to be equal to 100.%.



**Utah Division of Water Quality  
Salt Lake City, Utah**

**Effluent Limitations for Total Dissolved Solids based upon Water Quality Standards**

Season		Concentration		Load	
Summer	Maximum, Acute	1200.0	mg/l	5.00	tons/day
Fall	Maximum, Acute	1200.0	mg/l	5.00	tons/day
Winter	Maximum, Acute	1200.0	mg/l	5.00	tons/day
Spring	Maximum, Acute	1200.0	mg/l	5.00	tons/day
Colorado Salinity Forum Limits		Determined by Permitting Section			

**Effluent Limitations for Total Recoverable Metals based upon Water Quality Standards**

In-stream criteria of downstream segments for Dissolved Metals will be met with an effluent limitation as follows (based upon a hardness of 200 mg/l):

	4 Day Average		1 Hour Average		
	Concentration	Load	Concentration		Load
Aluminum*	N/A	N/A	750.0	ug/l	6.3 lbs/day
Arsenic*	190.00 ug/l	1.0 lbs/day	340.0	ug/l	2.8 lbs/day
Cadmium	0.45 ug/l	0.0 lbs/day	4.3	ug/l	0.0 lbs/day
Chromium III	152.04 ug/l	0.8 lbs/day	3,180.9	ug/l	26.6 lbs/day
Chromium VI*	11.00 ug/l	0.1 lbs/day	16.0	ug/l	0.1 lbs/day
Copper	16.87 ug/l	0.1 lbs/day	26.9	ug/l	0.2 lbs/day
Iron*	N/A	N/A	1,547.0	ug/l	12.9 lbs/day
Lead	7.69 ug/l	0.0 lbs/day	197.3	ug/l	1.6 lbs/day
Mercury*	0.01 ug/l	0.0 lbs/day	2.4	ug/l	0.0 lbs/day
Nickel	93.76 ug/l	0.5 lbs/day	843.3	ug/l	7.0 lbs/day
Selenium*	4.60 ug/l	0.0 lbs/day	20.0	ug/l	0.2 lbs/day
Silver	N/A ug/l	N/A lbs/day	12.5	ug/l	0.1 lbs/day
Zinc	215.57 ug/l	1.2 lbs/day	215.6	ug/l	1.8 lbs/day
Cyanide*	5.20 ug/l	0.0 lbs/day	22.0	ug/l	0.2 lbs/day

\*Limits for these metals are based on the dissolved standard.

**Effluent Limitations for Heat/Temperature based upon Water Quality Standards**

Summer	13.6 Deg. C.	56.4 Deg. F
Fall	9.4 Deg. C.	48.9 Deg. F
Winter	6.0 Deg. C.	42.9 Deg. F
Spring	9.9 Deg. C.	49.8 Deg. F

**Utah Division of Water Quality  
Salt Lake City, Utah**

**Effluent Limitations for Organics [Pesticides]  
Based upon Water Quality Standards**

In-stream criteria of downstream segments for Organics [Pesticides] will be met with an effluent limit as follows:

	4 Day Average		1 Hour Average		
	Concentration	Load	Concentration		Load
Aldrin			1.5E+00	ug/l	1.94E-02 lbs/day
Chlordane	4.30E-03 ug/l	3.59E-02 lbs/day	1.2E+00	ug/l	1.55E-02 lbs/day
DDT, DDE	1.00E-03 ug/l	8.34E-03 lbs/day	5.5E-01	ug/l	7.11E-03 lbs/day
Dieldrin	1.90E-03 ug/l	1.58E-02 lbs/day	1.3E+00	ug/l	1.62E-02 lbs/day
Endosulfan	5.60E-02 ug/l	4.67E-01 lbs/day	1.1E-01	ug/l	1.42E-03 lbs/day
Endrin	2.30E-03 ug/l	1.92E-02 lbs/day	9.0E-02	ug/l	1.16E-03 lbs/day
Guthion	0.00E+00 ug/l	0.00E+00 lbs/day	1.0E-02	ug/l	1.29E-04 lbs/day
Heptachlor	3.80E-03 ug/l	3.17E-02 lbs/day	2.6E-01	ug/l	3.36E-03 lbs/day
Lindane	8.00E-02 ug/l	6.67E-01 lbs/day	1.0E+00	ug/l	1.29E-02 lbs/day
Methoxychlor	0.00E+00 ug/l	0.00E+00 lbs/day	3.0E-02	ug/l	3.88E-04 lbs/day
Mirex	0.00E+00 ug/l	0.00E+00 lbs/day	1.0E-02	ug/l	1.29E-04 lbs/day
Parathion	0.00E+00 ug/l	0.00E+00 lbs/day	4.0E-02	ug/l	5.17E-04 lbs/day
PCB's	1.40E-02 ug/l	1.17E-01 lbs/day	2.0E+00	ug/l	2.58E-02 lbs/day
Pentachlorophenol	1.30E+01 ug/l	1.08E+02 lbs/day	2.0E+01	ug/l	2.58E-01 lbs/day
Toxephene	2.00E-04 ug/l	1.67E-03 lbs/day	7.3E-01	ug/l	9.43E-03 lbs/day

**Utah Division of Water Quality  
Salt Lake City, Utah**

**Effluent Limitations for Protection of Human Health [Toxics Rule]  
Based upon Water Quality Standards (Most stringent of 1C or 3A & 3B as appropriate.)**

In-stream criteria of downstream segments for Protection of Human Health [Toxics] will be met with an effluent limit as follows:

<b>Toxic Organics</b>	<b>Concentration</b>	<b>Maximum Concentration Load</b>
Acenaphthene	2.70E+03 ug/l	2.25E+01 lbs/day
Acrolein	7.80E+02 ug/l	6.50E+00 lbs/day
Acrylonitrile	6.60E-01 ug/l	5.50E-03 lbs/day
Benzene	7.10E+01 ug/l	5.92E-01 lbs/day
Benzidine	ug/l	lbs/day
Carbon tetrachloride	4.40E+00 ug/l	3.67E-02 lbs/day
Chlorobenzene	2.10E+04 ug/l	1.75E+02 lbs/day
1,2,4-Trichlorobenzene		
Hexachlorobenzene	7.70E-04 ug/l	6.42E-06 lbs/day
1,2-Dichloroethane	9.90E+01 ug/l	8.26E-01 lbs/day
1,1,1-Trichloroethane		
Hexachloroethane	8.90E+00 ug/l	7.42E-02 lbs/day
1,1-Dichloroethane		
1,1,2-Trichloroethane	4.20E+01 ug/l	3.50E-01 lbs/day
1,1,2,2-Tetrachloroethane	1.10E+01 ug/l	9.17E-02 lbs/day
Chloroethane		
Bis(2-chloroethyl) ether	1.40E+00 ug/l	1.17E-02 lbs/day
2-Chloroethyl vinyl ether		
2-Chloronaphthalene	4.30E+03 ug/l	3.59E+01 lbs/day
2,4,6-Trichlorophenol	6.50E+00 ug/l	5.42E-02 lbs/day
p-Chloro-m-cresol		
Chloroform (HM)	4.70E+02 ug/l	3.92E+00 lbs/day
2-Chlorophenol	4.00E+02 ug/l	3.34E+00 lbs/day
1,2-Dichlorobenzene	1.70E+04 ug/l	1.42E+02 lbs/day
1,3-Dichlorobenzene	2.60E+03 ug/l	2.17E+01 lbs/day
1,4-Dichlorobenzene	2.60E+03 ug/l	2.17E+01 lbs/day
3,3'-Dichlorobenzidine	7.70E-02 ug/l	6.42E-04 lbs/day
1,1-Dichloroethylene	3.20E+00 ug/l	2.67E-02 lbs/day
1,2-trans-Dichloroethylene1		
2,4-Dichlorophenol	7.90E+02 ug/l	6.59E+00 lbs/day
1,2-Dichloropropane	3.90E+01 ug/l	3.25E-01 lbs/day
1,3-Dichloropropylene	1.70E+03 ug/l	1.42E+01 lbs/day
2,4-Dimethylphenol	2.30E+03 ug/l	1.92E+01 lbs/day
2,4-Dinitrotoluene	9.10E+00 ug/l	7.59E-02 lbs/day
2,6-Dinitrotoluene		
1,2-Diphenylhydrazine	5.40E-01 ug/l	4.50E-03 lbs/day
Ethylbenzene	2.90E+04 ug/l	2.42E+02 lbs/day
Fluoranthene	3.70E+02 ug/l	3.09E+00 lbs/day
4-Chlorophenyl phenyl ether		
4-Bromophenyl phenyl ether		
Bis(2-chloroisopropyl) ether	1.70E+05 ug/l	1.42E+03 lbs/day
Bis(2-chloroethoxy) methane		
Methylene chloride (HM)	1.60E+03 ug/l	1.33E+01 lbs/day
Methyl chloride (HM)		
Methyl bromide (HM)		
Bromoform (HM)	3.60E+02 ug/l	3.00E+00 lbs/day
Dichlorobromomethane(HM)	2.20E+01 ug/l	1.83E-01 lbs/day
Chlorodibromomethane (HM)	3.40E+01 ug/l	2.84E-01 lbs/day
Hexachlorocyclopentadiene	1.70E+04 ug/l	1.42E+02 lbs/day
Isophorone	6.00E+02 ug/l	5.00E+00 lbs/day
Naphthalene		
Nitrobenzene	1.90E+03 ug/l	1.58E+01 lbs/day
2-Nitrophenol		
4-Nitrophenol		
2,4-Dinitrophenol	1.40E+04 ug/l	1.17E+02 lbs/day
4,6-Dinitro-o-cresol	7.65E+02 ug/l	6.38E+00 lbs/day
N-Nitrosodimethylamine	8.10E+00 ug/l	6.75E-02 lbs/day
N-Nitrosodiphenylamine	1.60E+01 ug/l	1.33E-01 lbs/day
N-Nitrosodi-n-propylamine	1.40E+00 ug/l	1.17E-02 lbs/day
Pentachlorophenol	8.20E+00 ug/l	6.84E-02 lbs/day

**Utah Division of Water Quality  
Salt Lake City, Utah**

Phenol	4.60E+06 ug/l	3.84E+04 lbs/day
Bis(2-ethylhexyl)phthalate	5.90E+00 ug/l	4.92E-02 lbs/day
Butyl benzyl phthalate	5.20E+03 ug/l	4.34E+01 lbs/day
Di-n-butyl phthalate	1.20E+04 ug/l	1.00E+02 lbs/day
Di-n-octyl phthalate		
Diethyl phthalate	1.20E+05 ug/l	1.00E+03 lbs/day
Dimethyl phthalate	2.90E+06 ug/l	2.42E+04 lbs/day
Benzo(a)anthracene (PAH)	3.10E-02 ug/l	2.58E-04 lbs/day
Benzo(a)pyrene (PAH)	3.10E-02 ug/l	2.58E-04 lbs/day
Benzo(b)fluoranthene (PAH)	3.10E-02 ug/l	2.58E-04 lbs/day
Benzo(k)fluoranthene (PAH)	3.10E-02 ug/l	2.58E-04 lbs/day
Chrysene (PAH)	3.10E-02 ug/l	2.58E-04 lbs/day
Acenaphthylene (PAH)		
Anthracene (PAH)		
Dibenzo(a,h)anthracene (PAH)	3.10E-02 ug/l	2.58E-04 lbs/day
Indeno(1,2,3-cd)pyrene (PAH)	3.10E-02 ug/l	2.58E-04 lbs/day
Pyrene (PAH)	1.10E+04 ug/l	9.17E+01 lbs/day
Tetrachloroethylene	8.90E+00 ug/l	7.42E-02 lbs/day
Toluene	2.00E+05 ug/l	1.67E+03 lbs/day
Trichloroethylene	8.10E+01 ug/l	6.75E-01 lbs/day
Vinyl chloride	5.25E+02 ug/l	4.38E+00 lbs/day
<b>Pesticides</b>		
Aldrin	1.40E-04 ug/l	1.17E-06 lbs/day
Dieldrin	1.40E-04 ug/l	1.17E-06 lbs/day
Chlordane	5.90E-04 ug/l	4.92E-06 lbs/day
4,4'-DDT	5.90E-04 ug/l	4.92E-06 lbs/day
4,4'-DDE	5.90E-04 ug/l	4.92E-06 lbs/day
4,4'-DDD	8.40E-04 ug/l	7.00E-06 lbs/day
alpha-Endosulfan	2.00E+00 ug/l	1.67E-02 lbs/day
beta-Endosulfan	2.00E+00 ug/l	1.67E-02 lbs/day
Endosulfan sulfate	2.00E+00 ug/l	1.67E-02 lbs/day
Endrin	8.10E-01 ug/l	6.75E-03 lbs/day
Endrin aldehyde	8.10E-01 ug/l	6.75E-03 lbs/day
Heptachlor	2.10E-04 ug/l	1.75E-06 lbs/day
Heptachlor epoxide		
<b>PCB's</b>		
PCB 1242 (Arochlor 1242)	4.50E-05 ug/l	3.75E-07 lbs/day
PCB-1254 (Arochlor 1254)	4.50E-05 ug/l	3.75E-07 lbs/day
PCB-1221 (Arochlor 1221)	4.50E-05 ug/l	3.75E-07 lbs/day
PCB-1232 (Arochlor 1232)	4.50E-05 ug/l	3.75E-07 lbs/day
PCB-1248 (Arochlor 1248)	4.50E-05 ug/l	3.75E-07 lbs/day
PCB-1260 (Arochlor 1260)	4.50E-05 ug/l	3.75E-07 lbs/day
PCB-1016 (Arochlor 1016)	4.50E-05 ug/l	3.75E-07 lbs/day
<b>Pesticide</b>		
Toxaphene	7.50E-04 ug/l	6.25E-06 lbs/day

**Utah Division of Water Quality  
Salt Lake City, Utah**

<b>Metals</b>		
Antimony	ug/l	lbs/day
Arsenic	ug/l	lbs/day
Asbestos	ug/l	lbs/day
Beryllium		
Cadmium		
Chromium (III)		
Chromium (VI)		
Copper	ug/l	lbs/day
Cyanide	ug/l	lbs/day
Lead		
Mercury	ug/l	lbs/day
Nickel	ug/l	lbs/day
Selenium		
Silver		
Thallium	ug/l	lbs/day
Zinc		
<b>Dioxin</b>		
Dioxin (2,3,7,8-TCDD)	1.40E-08 ug/l	1.17E-10 lbs/day

**Metals Effluent Limitations for Protection of All Beneficial Uses  
Based upon Water Quality Standards and Toxics Rule**

	<b>Class 4 Acute Agricultural ug/l</b>	<b>Class 3 Acute Aquatic Wildlife ug/l</b>	<b>Acute Toxics Drinking Water Source ug/l</b>	<b>Acute Toxics Wildlife ug/l</b>	<b>1C Acute Health Criteria ug/l</b>	<b>Acute Most Stringent ug/l</b>	<b>Class 3 Chronic Aquatic Wildlife ug/l</b>
Aluminum		750.0				750.0	N/A
Antimony				4300.0		4300.0	
Arsenic	100.0	340.0				100.0	190.0
Barium							
Beryllium						0.0	
Cadmium	10.0	4.3				4.3	0.5
Chromium (III)		3180.9				3180.9	152.0
Chromium (VI)	100.0	16.0				16.00	11.00
Copper	200.0	26.9				26.9	16.9
Cyanide		22.0	220001.4			22.0	5.2
Iron		1547.0				1547.0	
Lead	100.0	197.3				100.0	7.7
Mercury		2.40		0.15		0.15	0.012
Nickel		843.3		4600.0		843.3	93.8
Selenium	50.0	20.0				20.0	4.6
Silver		12.5				12.5	
Thallium				6.3		6.3	
Zinc		215.6				215.6	215.6
Boron	750.0					750.0	
Sulfate	2000.0					2000.0	

**Utah Division of Water Quality  
Salt Lake City, Utah**

**Summary Effluent Limitations for Metals [Wasteload Allocation, TMDL]**

[If Acute is more stringent than Chronic, then the Chronic takes on the Acute value.]

	<b>WLA Acute ug/l</b>	<b>WLA Chronic ug/l</b>	
Aluminum	750.0	N/A	
Antimony	4300.03		
Arsenic	100.0	190.0	Acute Controls
Asbestos			
Barium			
Beryllium			
Cadmium	4.3	0.5	
Chromium (III)	3180.9	152	
Chromium (VI)	16.0	11.0	
Copper	26.9	16.9	
Cyanide	22.0	5.2	
Iron	1547.0		
Lead	100.0	7.7	
Mercury	0.150	0.012	
Nickel	843.3	94	
Selenium	20.0	4.6	
Silver	12.5	N/A	
Thallium	6.3		
Zinc	215.6	215.6	
Boron	750.00		
Sulfate	2000.0		N/A at this Waterbody

Other Effluent Limitations are based upon R317-1.

E. coli 126.0 organisms per 100 ml

**X. Antidegradation Considerations**

The Utah Antidegradation Policy allows for degradation of existing quality where it is determined that such lowering of water quality is necessary to accommodate important economic or social development in the area in which the waters are protected [R317-2-3]. It has been determined that certain chemical parameters introduced by this discharge will cause an increase of the concentration of said parameters in the receiving waters. Under no conditions will the increase in concentration be allowed to interfere with existing instream water uses.

An Antidegradation Level I Review was conducted on this discharge and its effect on the receiving water. Based upon that review, it has been determined that an Antidegradation Level II Review is not required. The proposed permit is not an increase in flow or concentration.

**XI. Colorado River Salinity Forum Considerations**

Discharges in the Colorado River Basin are required to have their discharge at a TDS loading of less than 1.00 tons/day unless certain exemptions apply. Refer to the Forum's Guidelines for additional information allowing for an exceedence of this value. This doesn't apply to facilities that do not discharge to the Colorado River Basin.

**XII. Summary Comments**

The mathematical modeling and best professional judgement indicate that violations of receiving water beneficial uses with their associated water quality standards, including important downstream segments, will not occur for the evaluated parameters of concern as discussed above if the effluent limitations indicated above are met.