

Official Draft Public Notice Version **March 31, 2026.**

The findings, determinations, and assertions contained in this document are not final and subject to change following the public comment period.

FACT SHEET

GENERAL PERMIT FOR DISCHARGES FROM SMALL MUNICIPAL SEPARATE STORM SEWER SYSTEMS

UPDES PERMIT NUMBER UTR090000

GENERAL PERMIT RENEWAL

BACKGROUND

The Federal Clean Water Act requires that storm water discharges from certain types of facilities be authorized under stormwater discharge permits. *See* 40 C.F.R. § 122.26. The goal of the stormwater permits program is to reduce the amount of pollutants entering streams, lakes and rivers as a result of runoff from residential, commercial and industrial areas. The original 1990 regulations (“Phase I”) covered publicly owned storm sewer systems for municipalities (“MS4s”) with a population over 100,000 people. The regulations were expanded in 1999 to also include smaller municipalities (“Small MS4s”). This expansion of the program to include Small MS4s is referred to as Phase II. This Permit covers new or existing discharges composed entirely of stormwater from Phase II, or Small MS4 Permittees, statewide.

In 1987, the U.S. Environmental Protection Agency (“EPA”) granted primacy to the state of Utah to implement the National Pollutant Discharge Elimination System program. Utah’s program is known as the Utah Pollutant Discharge Elimination System (“UPDES”) Program. In Utah, stormwater discharge permits are issued by the Director (“Director”) of the Division of Water Quality (“Division”). This Permit requires Permittee’s to reduce the discharge of pollutants to the maximum extent practicable to meet water quality standards through the development and implementation of a Storm Water Management Program (“SWMP”).

This Permit renews the previous General Permit for Discharges from Small Municipal Separate Storm Sewer Systems, UTR090000, originally issued on May 12, 2021, and modified on August 16, 2023, and March 11, 2025. This Permit is covers new or existing discharges composed entirely of stormwater from Small MS4s required by the State to obtain a Permit, of which there are 93 at the time of this Permit Renewal.

PERMIT REQUIREMENT SYNOPSIS

All Permittees must develop, implement, and enforce a SWMP designed to reduce the discharge of pollutants to the maximum extent practicable from the MS4, protect the water quality, and satisfy the appropriate water quality requirements of the Utah Water Quality Act and associated rules in the Utah Admin. Code. The SWMP must include six (6) minimum control measures (“MCMs”). Permittees covered under the previous General Permit for Storm Water Discharges from Small Municipal Separate Storm Sewer Systems are expected to have fully implemented the six (6) MCMs included in the previous Permit. Permittees that were newly designated during the previous Permit term, or will be newly designated during this Permit term, have five (5) years from the date of their submitted Notice of Intent

(“NOI”) to fully implement and enforce their SWMP. The six (6) MCMs are listed below, with a brief, but not all-encompassing synopsis provided.

Public Education and Outreach on Storm Water Impacts

The public education and outreach MCM requires Permittees to implement a public education and outreach program to promote behavior change by the public to reduce impacts associated with pollutants in stormwater runoff and illicit discharges. The program must target a variety of audiences, including: residents; institutions, industrial, and commercial facilities; developers and contractors (construction); and MS4 owned or operated facilities. The training should touch on topics including, but not limited to, the prevention of illicit discharges and improper waste disposal. All provided education must be well documented and available to the Director upon request.

Public Involvement/Participation

The public involvement/participation for MCM requires Permittees to implement a program that complies with applicable state and local public notice requirements. Renewal Permittees must allow for public input on the SWMP document and make it publicly available for review 180 days from the effective date of this Permit and a current version shall be made available for public review for the life of this Permit. New Applicants shall make its SWMP available to the public for review and input within 180 days of receiving notification from the Director of the requirement for Permit coverage. The SWMP shall include ongoing opportunities for public involvement and participation.

Illicit Discharge Detection and Elimination (“IDDE”)

The IDDE MCM requires Permittees to implement and enforce an IDDE program to systematically find and eliminate sources of non-stormwater discharges from the MS4 and implement procedures to prevent illicit connections and discharges. Permittees must have a program that consists of a variety of documents, which may include ordinances or other regulatory mechanism, Standard Operating Procedures (“SOPs”), plans, and/or procedures that target the prohibition, identification, prevention, and remediation of illicit discharges and improper disposal of waste. Permittees must have adequate legal authority to detect, investigate, eliminate, and enforce against non-stormwater discharges.

Construction Site Storm Water Runoff Control

The construction site stormwater runoff control MCM requires Permittees to implement and enforce a program to reduce pollutants in stormwater runoff to the MS4 from construction sites with land disturbance greater than, or equal to one acre, including projects less than one acre that are part of a larger common plan of development or sale which collectively disturbs land greater than, or equal to one acre. Permittees must have a regulatory mechanism in place that requires operators to prepare a Storm Water Pollution Prevention Plan (“SWPPP”) and apply any sediment and erosion control Best Management Practices (“BMPs”), as necessary to protect water quality. Permittees must have a written enforcement strategy that includes appropriate escalating enforcement procedures and an appeals process. The MCM also lists specific inspection and project review requirements.

Long-Term Storm Water Management in New Development and Redevelopment (Post-Construction Storm Water Management)

The post-construction stormwater management MCM requires Permittees to implement and enforce a program to address post-construction stormwater runoff to the MS4 from private and public new

development and redevelopment construction sites with land disturbance greater than, or equal to one acre, including projects less than one acre that are part of a larger common plan of development or sale which collectively disturbs land greater than, or equal to one acre. Permittees must require the retention of the 80th percentile rainfall event or the achievement of pre-development hydrologic conditions for new development. The program must include a process which requires the evaluation of a Low Impact Development (“LID”) approach.

Pollution Prevention and Good Housekeeping for Municipal Operations

The pollution prevention and good housekeeping MCM requires all Permittees to implement a program for Permittee-owned or operated facilities, operations, and structural stormwater controls. All components of the program must be included in the SWMP and identify the department responsible for performing any activities required by this MCM. Permittees are required to maintain an inventory of “high priority” facilities that are owned or operated by the Permittee and any associated stormwater controls. The program must include training, inspection procedures and frequencies, and SOPs designed to protect water quality at each of the facilities owned or operated by the Permittee, among other items.

NOTABLE CHANGES MADE SINCE THE LAST PERMIT RENEWAL

The last Permit renewal was issued on May 12, 2021. On August 16, 2023, the Permit was modified with significant changes in regard to the Special Conditions section. This section was updated to include requirements of MS4s under the *Jordan River Watershed Wide Escherichia coli (E. coli) TMDL*. On March 11, 2025, the Permit was modified with significant changes to the construction site stormwater runoff control MCM section and reporting requirement sections. These were made as a result of legislation which impacted procedures for MS4 oversight authority and inspections. See Utah Code § 19-5-108.3. NOI and annual report submittal requirements were also updated to reflect the implementation of EPA’s NPDES eReporting Tool (“NeT”) for MS4 Permittees.

This Permit renewal includes significant changes to all components of the Permit. The Permit was reorganized and revised to correct spelling and grammar errors, sentencing restructuring, and formatting. URL links were updated in instances where the links had broken. These changes were made to improve readability and clarify the requirements of this Permit. Only changes that update/add requirements, or have the potential to impact how the Permittee may implement its program, are identified below. The notable changes are identified below and are broken down by Permit Part.

1.0 Coverage Under this Permit

Part 1.4 was renamed to “Prohibited Discharges” from “Limitations on Coverage” to be consistent with the other UPDES permits.

Part 1.4.4 was broadened to encompass any discharges covered under another UPDES Permit as opposed to only storm water discharges.

2.0 Notice of Intent Requirements for New Applicants and Renewal Permittees

Part 2.0 was renamed to “Notice of Intent Requirements for New Applicants and Renewal Permittees.”

Previous Permit Parts 2.1, 2.2, and 2.3 (including all subsections) were reorganized to break out specific requirements for New Applicants, specific requirements for Renewal Permittees, and NOI Contents and Submittal requirements. The Permit was reorganized to fit existing Permit requirements into those three categories to clarify submission requirements based on Permittee type.

Part 2.1 was renamed to “Requirements for New Applicants” to better clarify requirements for “New Applicants” and “Renewal Permittees.”

Part 2.1.1 was updated to include a definition “New Applicants.” NOI requirements. SWMP submission requirements were moved to Part 2.1.3.

Previous Part 2.1.4 was moved to Part 2.1.2 to better group SWMP submission requirements. Previous Parts 2.1.5-2.1.7 were renumbered accordingly.

Part 2.1.6.1 was reorganized as a subpart of 2.1.6 as it references specific conditions only applying to 2.1.6. Part 2.1.6.1 was also updated to clarify that New Applicants have 5 years from NOI submittal to fully implement their SWMP program. This requirement was previously found in Part 4.0.

Part 2.1.7 was added to specify that a New Applicant’s SWMP shall be signed in accordance with Part 6.8.

Part 2.2 was renamed to “Requirements for Renewal Permittees” to better clarify requirements for “New Applicants” and “Renewal Permittees.” Previous Part 2.2 requirements were moved to Part 2.3 and renumbered accordingly.

Previous Part 2.3.2.6 was split into two requirements to clarify documentation needed for unchanged Permit requirements (Part 2.2.2.6) in addition to documentation for any new requirements (Part 2.2.2.7). Parts 2.2.2.8-2.2.2.9 were renumbered accordingly.

Previous Part 2.3.2.9 was moved to 2.2.2.6 and 2.2.2.7 to avoid duplication of Permit requirements.

Parts 2.2.3, 2.2.4, and 2.2.5 were created from existing requirements in Part 4.0 to better organize all renewal requirements in one section.

Part 2.2.2.8 was created from existing requirements in 4.1.3.3 to better organize all renewal requirements in one section.

Part 2.3 was renamed to “Notice of Intent Contents and Submittal” to better clarify NOI requirements for “New Applicants” and “Renewal Permittees.” Previous Part 2.3 requirements were moved to Part 2.2 and renumbered accordingly.

Previous Part 2.1.2 was moved to Part 2.3.1 as it referenced NOI submission requirements.

Previous Part 2.1’s NOI submission requirements for Renewal Permittees were moved to Part 2.3.2 as it referenced NOI submission requirements.

Previous Part 2.1.3 was moved to Part 2.3.3 as it referenced NOI submission requirements.

Previous Parts 2.2.1-2.2.8 were moved to Parts 2.3.4.1-2.3.4.8 as they became a subpart of Part 2.3.4. Part 2.3.4 was added to organize NOI content requirements and separate them from submission deadlines identified in Parts 2.3.1-2.3.3.

3.0 Special Conditions

Part 3.1.1.1 was updated to add a biennial review of the 303(d) list, and, if necessary, a SWMP update within 180 after the Division's Integrated Report is released, if there were any new impairments added for the Permittee's receiving waters.

Parts 3.2.1. and 3.2.2 were updated to remove past deadlines.

Previous Parts 3.2.1 and 3.2.2 were combined into one requirement. Previous Parts 3.2.2-3.2.3, including subparts, were renumbered accordingly.

Part 3.2.1.2.3 was updated to change "should" to "shall" to confirm that this is a requirement rather than a suggestion.

Part 3.3.1 was updated to clarify that the Permittee shall specifically address the water quality impacts associated with nitrogen and phosphorus in discharges from the MS4.

4.0 Storm Water Management Program

Part 4.0 renewal and new applicant requirements were moved to Parts 2.1 and 2.2 to better organize those topics.

Part 4.1.2.3 was created based on requirements in 4.1.2 to better organize the existing requirements.

4.1.3.4 was created based on requirements in 4.1.3.3 to better organize the existing requirements.

4.2 Minimum Control Measures

4.2 renewal and new applicant requirements were moved to Parts 2.1 and 2.2 to better organize those topics.

4.2.1 Public Education and Outreach on Storm Water Impacts

- Part 4.2.1.2 was updated to add an annual frequency and documentation requirements. This defines the measurable expectations required by this Permit Part.
- Part 4.2.1.2.1 was created to better organize existing requirements within 4.2.1. "Other relevant topics" was added to ensure the MS4 is tailoring educational effort to the relevant concerns of their community.
- Part 4.2.1.3 was updated to add documentation requirements. This defines the measurable expectations required by this Permit Part.
- Part 4.2.1.3.1 was created to better organize existing requirements within 4.3.1. "Other relevant topics" was added to ensure the MS4 is tailoring educational effort to the relevant concerns of their community.
- Part 4.2.1.4 was updated to add an annual frequency and documentation requirements. This defines the measurable expectations required by this Permit Part.
- Part 4.2.1.5 was removed, and the requirements were incorporated into Part 4.2.6.10, as this requirement was duplicative. This was moved to distinguish education and outreach efforts to parties/people outside of MS4 staff from the education and training of MS4 staff.
- Part 4.2.1.6 was removed, and the requirements were incorporated into Part 4.2.5.6, as this requirement was duplicative. This was moved to distinguish education and outreach efforts to parties/people outside of MS4 staff from the education and training of MS4 staff.
- Parts 4.2.1.7-4.2.1.8 were removed and incorporated into Permit Part 4.2.1.

4.2.2 Public Involvement/Participation

- 4.2.2.2 was updated to remove the 180-day deadline for Renewal Permittees and New Applicants as that was duplicative of what is required in Part 2.3. This requirement was clarified that the SWMP shall be made available for public review prior to submission to the Division.

4.2.3 Illicit Discharge Detection and Elimination (IDDE)

- 4.2.3.1 was updated to include MS4 storm water treatment structures.
- Parts 4.2.3.2, 4.2.3.2.1, 4.2.3.3 were updated to reference the definition of “non-storm water discharge” in Part 7.0.
- Part 4.2.3.3 was reworded to “prepare and implement a written plan” as implementation of the plan would occur after the plan has been created.
- Previous parts 4.2.3.7-4.2.3.9 were moved to 4.2.3.3.5-4.2.3.3.7 to group these with requirements of the IDDE plan, and group all required SOPs together. Parts 4.2.3.4-4.2.3.9 were renumbered accordingly.
- Part 4.2.3.4 was created to group all required SOPs together. Previous Parts 4.2.3.4-4.2.3.6 & 4.2.3.9-4.2.3.10 were renumbered as subsections of this requirement.
- Previous Part 4.2.3.5.1 was moved to 4.2.3.4.1.1 to group this requirement with the “Tracing Illicit Discharges SOP.”
- Part 4.2.3.4.1.2 was added to clarify documentation requirements for when an investigated illicit discharge has not impacted the MS4 system.
- Part 4.2.3.4.3 was updated to clarify that illicit discharges to the MS4 remain in violation of the MS4 Permit until they are eliminated.
- Part 4.2.3.4.3.1 was updated to clarify that the Permittee shall take all necessary steps to cease the illicit discharge even if the responsible party is unknown.
- Part 4.2.3.5 was updated to remove the requirement that the Permittee immediately notify the Division if they are unable to meet the IDDE MCM. This was removed because the Permittee should have a fully implemented program at this time.
- Part 4.2.3.6 was reorganized with three subparts created to clarify training requirements.
- Previous part 4.2.3.7 was removed because it was duplicative of Parts 4.2.1.2-4.2.1.5.
- Previous part 4.2.3.6.2 was removed because it conflicts with Utah Code § 19-5-115(2).

Numbering, reorganizing, and minor formatting changes were made to improve clarity in Part 4.2.3.

4.2.4 Construction Site Storm Water Runoff Control

- Parts 4.2.4, 4.2.4.1, 4.2.4.4.2, 4.2.4.4.4, and 4.2.4.6 were updated to reference the definition of “qualifying construction sites” in Part 7.0.
- Part 4.2.4.1 was updated to remove the requirement that the regulatory mechanism shall require installation of sediment and erosion controls as that is included in the requirement of the most current UPDES Storm Water General Permit for Construction Activities which the Permittee must already ensure compliance with.
- Part 4.2.4.1.2 was updated to better clarify requirements regarding “duration of the project.”
- Parts 4.2.4.1.3, 4.2.4.4.2, 4.2.4.4.3, and 4.2.4.4.4 were updated to reference the definition of “qualified person” in Part 7.0.
- Part 4.2.4.2 was updated to clarify that the written enforcement strategy shall be implemented.
- Part 4.2.4.2.1 was updated to clarify requirements to be included in the Construction Enforcement SOP. All existing enforcement procedure requirements were organized into this section.

- Part 4.2.4.3 was updated to include provisions that the pre-construction SWPPP review may occur during the first onsite inspection. The provision for record retention was removed as it was duplicative of Part 4.2.4.6.
- Part 4.2.4.3.1 was updated to include a review of the Permittee's enforcement policy which was previously a requirement of Part 4.2.4.4.2.
- Part 4.2.4.4 was created to organize all inspection-related requirements as subparts of section 4.2.4.4. Previous Parts 4.2.4.4.1-4.2.4.4.5 were renumbered accordingly.
- Part 4.2.4.4.1 was updated to clarify requirements to be included in the Construction Inspection SOP. All existing inspection procedure requirements were organized into this section.
- Part 4.2.4.4.2.1 was created to allow for a reduced oversight inspection frequency if the site is not a priority site, and the site has demonstrated an adequate compliance history. A definition of "adequate compliance history" was added to Part 7.0.
- Part 4.2.4.4.2.2 was created to allow for a reduced oversight inspection frequency if the construction site has suspended operations due to "frozen conditions" as defined in Part 7.0.
- Part 4.2.4.4.2.3 was created to allow for a reduced oversight inspection frequency if the construction site was located within an "arid location" and within the "seasonally dry period" as defined in Part 7.0.
- Part 4.2.4.4.3 was updated to reduce the inspection frequency for priority construction sites to monthly.
- Part 4.2.4.4.4 was updated to include inspections of any construction sites annually, where the MS4 has received complaints, and to require inspections be documented on an inspection form.
- Part 4.2.4.5 was updated to clarify requirements for training including organizing requirements into subparts 4.2.4.5.1-4.2.4.5.3.

Numbering, reorganizing, and minor formatting changes were made to improve clarity in Part 4.2.4.

4.2.5 Long-Term Storm Water Management in New Development and Redevelopment (Post-Construction Storm Water Management)

- Parts 4.2.5, 4.2.5.1.2, 4.2.5.1.3, 4.2.5.2, 4.2.5.3.2, and 4.2.5.5 were updated to reference the definition of "qualifying construction sites" in Part 7.0.
- Part 4.2.5.1.1 was updated to replace "should" with "shall" to clarify that this is a Permit requirement and not a suggestion.
- Part 4.2.5.1.2 was updated to split out the size threshold for new development and redevelopment sites referencing "qualifying construction sites as defined in Part 7.0." This Part was also updated to remove LID requirements as they are already captured in Part 4.2.5.1.3. This avoids duplication and clarifies requirements for these projects.
- Part 4.2.5.1.4 was updated to clarify that alternative design criteria shall include implementation of storm water controls that provide equivalent water quality benefits to LID controls.
- Previous Part 4.2.5.2.2 was moved to 4.2.5.2.4 to better organize regulatory mechanism requirements. SOP requirements of this Part were moved to Part 4.2.5.4 to group them with the inspection requirements of this Permit. Parts 4.2.5.2.2-4.2.5.2.4 were renumbered accordingly.
- Part 4.2.5.2.3 was split from Part 4.2.5.2.2 to clarify that maintenance agreements are separate from Permit conditions for access to private properties. This Part was updated to remove the annual frequency for private certification of storm water controls because it conflicted with inspection/maintenance requirements of Part 4.2.5.4.2. This Part was updated to specify procedures if the private entity neglects maintenance.
- Previous Parts 4.2.5.2.4 & 4.2.5.2.5 were moved to Part 4.2.5.4, 4.2.5.4.1 and 4.2.5.4.2 to clarify

that these are requirements relating to inspections, not regulatory authority.

- Part 4.2.5.4 was created to organize inspection requirements of Part 4.2.5; including grouping requirements for SOPs, verification inspections, and maintenance inspections. Previous Part 4.2.5.4 was moved to 4.2.5.5 and the subparts renumbered accordingly. Previous Part 4.2.5.5 was moved to 4.2.5.6 as a result of this change.
- Part 4.2.5.4.1 was updated was updated to require that inspections are documented.
- Part 4.2.5.4.2.1 was created from existing requirements to better organize the Permit.
- Part 4.2.5.6 was updated to clarify requirements for training including organizing requirements into subparts 4.2.5.6.1-4.2.5.6.3.

Numbering, reorganizing, and minor formatting changes were made to improve clarity in Part 4.2.5.

4.2.6 Pollution Prevention and Good Housekeeping for Municipal Operations

- Part 4.2.6.1 was updated to replace “should” with “shall” to clarify that this is a Permit requirement and not a suggestion.
- Part 4.2.6.3.1 and 4.2.6.3.2 were created from Part 4.2.6.3 and previous Part 4.2.6.4 to clarify the requirements for facilities that are identified as “High Priority.” Previous Permit Parts 4.2.6.4-4.2.6.11 were updated due to this addition.
- Part 4.2.6.4.1 was updated to require inspection records be stored or referenced within the facility’s SWPPP, and that any identified issues be corrected.
- Part 4.2.6.4.2 was updated to require inspection records be stored or referenced within the facility’s SWPPP, and that any identified issues be corrected. This Part was also updated to include a review of the previous monthly inspections and facility SWPPP during this inspection.
- Part 4.2.6.4.3 was updated to change the location where inspection records should be kept. It was changed to have the records stored or referenced within the facility’s SWPPP.
- Part 4.2.6.5.4 was changed to split out requirements for developing SOPs associated with snow disposal and melt into its own requirement numbered Part 4.2.6.5.5. Previous Parts 4.2.6.5.5-4.2.6.5.6 were renumbered accordingly.
- Previous Part 4.2.6.6.6 was renumbered as 4.2.6.6 to better organize requirements as it was previously grouped under SOPs.
- Part 4.2.6.8.1 was updated to replace “should” with “shall” to clarify that this is a Permit requirement and not a suggestion.
- Part 4.2.6.10 was updated to clarify requirements for training including organizing requirements into subparts 4.2.6.10.1-4.2.6.10.3.

Numbering, reorganizing, and minor formatting changes were made to improve clarity in Part 4.2.6.

4.3 Sharing Responsibility

- Previous Parts 4.3.2-4.3.5 were organized as subparts of 4.3.1 for clarity.
- Part 4.3.1 was updated in all instances to replace “entity” with “Person.” A definition of “Person” was included in Part 7.0 which is consistent with Utah Code 19-1-103(4). The definition of “Entity” in Part 7.0 was removed. This was change in all instances where “entity” was previously written, but most notably in this Part.

4.4 Reviewing and Updating Storm Water Management Programs

- Part 4.4.1 was updated to require that the annual review must be conducted and documented on an annual basis.

- Part 4.4.2.1 was updated to clarify allowable changes to BMPs with the SWMP. Changes that reduce or replace any component, control, or requirement of the SWMP is not authorized, unless it meets requirements outlined in Part 4.5.2.2.
- Previous Parts 4.4.2.2.1-4.4.2.2.3 were incorporated into Part 4.4.2.2.
- Part 4.4.2.2.1 was moved from previous part 4.4.3 to clarify that Permittees shall not implement changes until written approval has been given by the Director. Parts 4.4.3-4.4.5 were renumbered accordingly.

5.0 Narrative Standard, Monitoring, Recordkeeping and Reporting

Part 5.6 Legal Authority was added to be consistent with the other UPDES MS4 Permits and Utah Admin. Code R317-8-11(11.3)(3)(b)(1).

6.0 Standard Permit Conditions

Parts 6.1-6.22 were added, organized, and updated to be in compliance with 40 C.F.R. § 122.41. Previous Parts 6.9 and 6.14 were removed to be in compliance with 40 C.F.R. § 122.41.

Numbering and minor formatting changes were made as a result of the above changes.

7.0 Definitions

The following terms were added to the definitions section:

- *“80th percentile rainfall event”*
- *“Adequate compliance history”*
- *“Arid location”*
- *“Frozen conditions”*
- *“Non-storm water discharges”*
- *“Permittee”*
- *“Person”*
- *“Qualified person”*
- *“Qualifying Construction Sites”*
- *“Seasonally dry period”*
- *“Thawing conditions”*

Basis for Permit Changes

This Permit renewal reorganizes and clarifies requirements for Permittee. The Permit was reorganized and revised to correct spelling and grammar errors, sentencng restructuring, and formatting. URL links were updated in instances where the links had broken. These changes were made to improve readability and clarify the requirements of this Permit.

This Permit renewal also notably updates the construction oversight inspection frequency to a frequency that is based off of potential impacts to water quality and operator history of compliance. This allows MS4s to target resources and inspections based on water quality concerns and operators that need more assistance.

PERMIT DURATION

Per Utah Admin. Code R317-8-5(5.1)(1), UPDES Permits shall be effective for a fixed term not to exceed five (5) years. Therefore, this Permit shall expire on May 11, 2031, five years after the effective date of reissuance.

DRAFTED BY

Kelsee York, MS4 Coordinator
Jeanne Riley, General Permitting Section Manager

REMAND RULE

The State of Utah, Depart of Environmental Quality, Division of Water Quality has established the terms and conditions to meet the requirements of 40 C.F.R. § 122.28(d) using the Comprehensive (Traditional) approach, where all required Permit terms and conditions are established in the Small MS4 Storm Water Permit.

PUBLIC NOTICE

1st Public Notice Period Began: **March 31, 2026**

1st Public Notice Period Ended: **April 30, 2026**

Comments will be received at: 195 North 1950 West
PO Box 144870
Salt Lake City, UT 84114-4870

The Public Notice of the draft Permit was published on the Department Website.

Per Utah Admin. Code R317-8-6(6.5), any interested person may submit written comments on the draft Permit during the public comment period and may request a public hearing, if no hearing has already been scheduled. A request for a public hearing shall be in writing and shall state the nature of the issues proposed to be raised in the hearing. All comments will be considered in making the final decision and shall be answered as provided in Utah Admin. Code R317-8-6(6.12).

ADDENDUM TO FSSOB

RESPONSIVENESS SUMMARY