ESI Engineering, Inc.
3500 South Main, Suite 206
Salt Lake City, Utah
Phone (801) 263-1752
Fax (801) 263-1780
Consulting Engineers & Land Surveyors

Project:	**Mutton Hollow - West** Fairfield to Thornfield		Sheet No. 1 of 1
Owner:	**Davis County Public Works**		
Estimated by: CDP	Date: 4/29/19		Project No. 17-049
Checked by:	Date:		

Bid Schedule

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS	UNIT PRICE	AMOUNT
1	Remove and haul away existing asphalt (approx. 6" thick)	3,740	CY	$14.00	$52,360.00
2	Remove and haul away existing base material (approx 8" thick)	6,240	CY	$12.00	$74,880.00
3	Install untreated base course, including compaction (8" thick)	9,480	TN	$17.00	$161,160.00
4	Install bituminous pavement (4" thick)	4,440	TN	$75.00	$333,000.00
5	Remove and replace curb and gutter	5,700	LF	$30.00	$171,000.00
6	Remove and replace drive approach (6" thick)	5,800	SF	$10.00	$58,000.00
7	Relocate existing storm drain inlet box	6	EA	$4,000.00	$24,000.00
8	Raise manhole to grade with concrete collar	25	EA	$700.00	$17,500.00
9	Raise valve box to grade with concrete collar	25	EA	$600.00	$15,000.00
10	Remove and replace soft spot (approx 12" deep)	1,500	TN	$22.00	$33,000.00
11	Striping lines and messages	1	LS	$9,500.00	$9,500.00
12	Pedestrian access ramp	10	EA	$2,500.00	$25,000.00
13	Concrete sidewalk	29,000	SF	$6.00	$174,000.00
14	Stabilization/separation geo-textile fabric	22,400	SY	$4.00	$89,600.00
15	Remove and replace driveway	2,800	SF	$8.00	$22,400.00
16	Remove and replace mailbox	29	EA	$500.00	$14,500.00
17	Restore landscape	1	LS	$10,000.00	$10,000.00
18	Raise monument to grade	1	EA	$1,500.00	$1,500.00
19	Mobilization and traffic control	1	LS	$60,000.00	$60,000.00
20	Testing and quality control	1	LS	$10,000.00	$10,000.00
21	Construction staking	1	LS	$12,000.00	$12,000.00
	SubTotal				**$1,368,400.00**
	Contingency	10%			$136,840.00
	Total Construction Project				**$1,505,240.00**

I. **INTRODUCTION.** Davis County is in need of reconstructing Mutton Hollow Road From Thornfield Rd to Fairfield Rd. in the Mutton Hollow Township. The project will include replacement of asphalt, 8 inches of road base, some storm drain modification, pedestrian ramp replacements, replacement of select sections of curb and gutter, installation of sidewalk and drive approaches on the south side of the road and replacement of drive approaches as needed on the north side of the road. The Mutton Hollow Road section to be replaced is approximately 5200 feet long by 40 feet wide. Construction on the project will take place this June – August. We will be following Mutton Hollow Water District's replacement of their water line.

II. **SCOPE OF WORK.** Davis County is seeking a licensed and bonded contractor to provide the materials and perform the services to satisfy the plans and specifications attached hereto as Exhibit A and incorporated herein by this reference regarding the Mutton Hollow Road Phase II street rebuild.

III. **COSTS/FEES.** The maximum fee for the materials and services sought through this RFP will be the selected Vendor's proposal price. Fees for the requested materials and services shall be reimbursed on a material and time not-to-exceed basis. Vendors shall submit a Proposal Schedule, similar to the Proposal Schedules below, that identifies the total cost/price for each of the line items set forth in the Proposal Schedules below as well as the total cost/price for all of the line items in each of the Proposal Schedules below.

BID SCHEDULE

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS	UNIT PRICE	AMOUNT
1	Remove and haul away existing asphalt (approx. 6" thick)	3,740	CY	19 00	71060 00
2	Remove and haul away existing base material (approx 8" thick)	6,240	CY	18 00	112320 00
3	Install untreated base course, including compaction (8" thick)	9,480	TN	23 00	218040 00
4	Install bituminous pavement (4" thick)	4,440	TN	67 00	297480 00
5	Remove and replace curb and gutter	5,700	LF	29 00	165300 00
6	Remove and replace drive approach (6" thick)	5,800	SF	12 00	69600 00
7	Relocate existing storm drain inlet box	6	EA	4800 00	28800 00
8	Raise manhole to grade with concrete collar	25	EA	1100 00	27500 00
9	Raise valve box to grade with concrete collar	25	EA	750 00	18750 00
10	Remove and replace soft spot (approx 12" deep)	1,500	TN	35 00	52,500 00
11	Striping lines and messages	1	LS	6500 00	6500 00
12	Pedestrian access ramp	10	EA	1400 00	14000 00
13	Concrete sidewalk	29,000	SF	6.75	195,750 00
14	Stabilization/separation geo-textile fabric	22,400	SY	4 00	89600 00
15	Remove and replace driveway	2,800	SF	10 00	28000 00

16	Remove and replace mailbox	29	EA	850 00	24650 00
17	Restore landscape	1	LS	85,000 00	85,000 00
18	Raise monument to grade	1	EA	750 00	750 00
19	Mobilization and traffic control	1	LS	160,000 00	160,000 00
20	Testing and quality control	1	LS	10,000 00	10,000 00
21	Construction staking	1	LS	6500 00	6500 00
	Total				1,682,100 00

If Vendors anticipate that they will use the services of one or more subcontractors to perform any of the requested services sought through this RFP, Vendors shall provide a Subcontractor Schedule, similar to the Subcontractor Schedule below.

SUBCONTRACTOR SCHEDULE		
Name and Address of Subcontractor	State License No.	Anticipated Services
SEE ATTACHED LIST		

IV. **PROPOSAL SUBMISSION REQUIREMENTS.** All submitted proposals shall include at least the following.:

A. As page 1 of the Vendor's submitted proposal, a completed and signed "Davis County RFP Form," which form is attached hereto as Exhibit B and incorporated herein by this reference;
B. A description of the Vendor's proposed approach and schedule regarding the materials and services sought by Davis County through this RFP;
C. A description of the Vendor's relevant experience;
D. An explanation establishing why the Vendor is capable of successfully providing the materials and services sought through this RFP;
E. A list and explanation of each project performed by the Vendor that is similar to the materials and services sought through this RFP (If the Vendor has performed more than ten similar projects, the Vendor should pick the ten projects that it believes are the most similar to this project);
F. A list of at least three references, which sets forth the name(s), mailing address(es), telephone number(s), and email address(es) of each reference;
G. If the Vendor is required to submit a Subcontractor Schedule, a list of at least three references, which sets forth the name(s), mailing address(es), telephone number(s), and email address(es) of each reference for all subcontractors; and
H. A completed and fully executed Bid Bond for 5% of the total amount of the proposal, a form of which is attached hereto as Exhibit C and incorporated herein by this reference.

V. **DAVIS COUNTY'S REQUEST FOR PROPOSALS POLICY.** Each Vendor who submits a proposal in response to this RFP agrees to comply with and be bound by Davis County's Request for Proposals policy that is in place at the time that this RFP is issued. Each Vendor may request and receive a copy of Davis County's Request for Proposals policy by sending an email to dteuscher@co.davis.ut.us.

I. **INTRODUCTION.** Davis County is in need of reconstructing Mutton Hollow Road From Thornfield Rd to Fairfield Rd. in the Mutton Hollow Township. The project will include replacement of asphalt, 8 inches of road base, some storm drain modification, pedestrian ramp replacements, replacement of select sections of curb and gutter, installation of sidewalk and drive approaches on the south side of the road and replacement of drive approaches as needed on the north side of the road. The Mutton Hollow Road section to be replaced is approximately 5200 feet long by 40 feet wide. Construction on the project will take place this June – August. We will be following Mutton Hollow Water District's replacement of their water line.

II. **SCOPE OF WORK.** Davis County is seeking a licensed and bonded contractor to provide the materials and perform the services to satisfy the plans and specifications attached hereto as Exhibit A and incorporated herein by this reference regarding the Mutton Hollow Road Phase II street rebuild.

III. **COSTS/FEES.** The maximum fee for the materials and services sought through this RFP will be the selected Vendor's proposal price. Fees for the requested materials and services shall be reimbursed on a material and time not-to-exceed basis. Vendors shall submit a Proposal Schedule, similar to the Proposal Schedules below, that identifies the total cost/price for each of the line items set forth in the Proposal Schedules below as well as the total cost/price for all of the line items in each of the Proposal Schedules below.

BID SCHEDULE

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS	UNIT PRICE	AMOUNT
1	Remove and haul away existing asphalt (approx. 6" thick)	3,740	CY	15.50	57,970.00
2	Remove and haul away existing base material (approx 8" thick)	6,240	CY	11.00	68,640.00
3	Install untreated base course, including compaction (8" thick)	9,480	TN	24.50	232,260.00
4	Install bituminous pavement (4" thick)	4,440	TN	63.00	279,720.00
5	Remove and replace curb and gutter	5,700	LF	18.00	102,600.00
6	Remove and replace drive approach (6" thick)	5,800	SF	6.68	38,744.00
7	Relocate existing storm drain inlet box	6	EA	2,450.00	14,700.00
8	Raise manhole to grade with concrete collar	25	EA	750.00	18,750.00
9	Raise valve box to grade with concrete collar	25	EA	530.00	13,250.00
10	Remove and replace soft spot (approx 12" deep)	1,500	TN	31.50	47,250.00
11	Striping lines and messages	1	LS	5,400.00	5,400.00
12	Pedestrian access ramp	10	EA	2,125.00	21,250.00
13	Concrete sidewalk	29,000	SF	3.75	108,750.00
14	Stabilization/separation geo-textile fabric	22,400	SY	2.75	61,600.00
15	Remove and replace driveway	2,800	SF	5.25	14,700.00

16	Remove and replace mailbox	29	EA	530.00	15,370.00
17	Restore landscape	1	LS	26,900.00	26,900.00
18	Raise monument to grade	1	EA	975.00	975.00
19	Mobilization and traffic control	1	LS	75,000.00	75,000.00
20	Testing and quality control	1	LS	7,425.00	7,425.00
21	Construction staking	1	LS	4,775.00	4,775.00
	Total				1,216,029.00

If Vendors anticipate that they will use the services of one or more subcontractors to perform any of the requested services sought through this RFP, Vendors shall provide a Subcontractor Schedule, similar to the Subcontractor Schedule below.

SUBCONTRACTOR SCHEDULE		
Name and Address of Subcontractor	State License No.	Anticipated Services
LONE BULL CONCRETE	7916872-5501	CONCRETE WORK
EC LANDSCAPING	11064622-5501	LAND SCAPING
MAVERIK MILLING	273181-5501	MILLING
CENTERLINE DEVELOPMENT	7628996-5501	MANHOLES, VALVE BOX, ETC.

IV. **PROPOSAL SUBMISSION REQUIREMENTS.** All submitted proposals shall include at least the following.:

A. As page 1 of the Vendor's submitted proposal, a completed and signed "Davis County RFP Form," which form is attached hereto as Exhibit B and incorporated herein by this reference;
B. A description of the Vendor's proposed approach and schedule regarding the materials and services sought by Davis County through this RFP;
C. A description of the Vendor's relevant experience;
D. An explanation establishing why the Vendor is capable of successfully providing the materials and services sought through this RFP;
E. A list and explanation of each project performed by the Vendor that is similar to the materials and services sought through this RFP (If the Vendor has performed more than ten similar projects, the Vendor should pick the ten projects that it believes are the most similar to this project);
F. A list of at least three references, which sets forth the name(s), mailing address(es), telephone number(s), and email address(es) of each reference;
G. If the Vendor is required to submit a Subcontractor Schedule, a list of at least three references, which sets forth the name(s), mailing address(es), telephone number(s), and email address(es) of each reference for all subcontractors; and
H. A completed and fully executed Bid Bond for 5% of the total amount of the proposal, a form of which is attached hereto as Exhibit C and incorporated herein by this reference.

V. **DAVIS COUNTY'S REQUEST FOR PROPOSALS POLICY.** Each Vendor who submits a proposal in response to this RFP agrees to comply with and be bound by Davis County's Request for Proposals policy that is in place at the time that this RFP is issued. Each Vendor may request and receive a copy of Davis County's Request for Proposals policy by sending an email to dteuscher@co.davis.ut.us.

I. **INTRODUCTION.** Davis County is in need of reconstructing Mutton Hollow Road From Thornfield Rd to Fairfield Rd. in the Mutton Hollow Township. The project will include replacement of asphalt, 8 inches of road base, some storm drain modification, pedestrian ramp replacements, replacement of select sections of curb and gutter, installation of sidewalk and drive approaches on the south side of the road and replacement of drive approaches as needed on the north side of the road. The Mutton Hollow Road section to be replaced is approximately 5200 feet long by 40 feet wide. Construction on the project will take place this June – August. We will be following Mutton Hollow Water District's replacement of their water line.

II. **SCOPE OF WORK.** Davis County is seeking a licensed and bonded contractor to provide the materials and perform the services to satisfy the plans and specifications attached hereto as Exhibit A and incorporated herein by this reference regarding the Mutton Hollow Road Phase II street rebuild.

III. **COSTS/FEES.** The maximum fee for the materials and services sought through this RFP will be the selected Vendor's proposal price. Fees for the requested materials and services shall be reimbursed on a material and time not-to-exceed basis. Vendors shall submit a Proposal Schedule, similar to the Proposal Schedules below, that identifies the total cost/price for each of the line items set forth in the Proposal Schedules below as well as the total cost/price for all of the line items in each of the Proposal Schedules below.

BID SCHEDULE

ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNITS	UNIT PRICE	AMOUNT
1	Remove and haul away existing asphalt (approx. 6" thick)	3,740	CY	16.00	59,840.00
2	Remove and haul away existing base material (approx 8" thick)	6,240	CY	17.20	107,328.00
3	Install untreated base course, including compaction (8" thick)	9,480	TN	30.00	284,400.00
4	Install bituminous pavement (4" thick)	4,440	TN	64.00	284,160.00
5	Remove and replace curb and gutter	5,700	LF	18.00	102,600.00
6	Remove and replace drive approach (6" thick)	5,800	SF	7.00	40,600.00
7	Relocate existing storm drain inlet box	6	EA	4,900.00	29,400.00
8	Raise manhole to grade with concrete collar	25	EA	434.00	10,850.00
9	Raise valve box to grade with concrete collar	25	EA	283.00	7,075.00
10	Remove and replace soft spot (approx 12" deep)	1,500	TN	30.00	45,000.00
11	Striping lines and messages	1	LS	8900.00	8,900.00
12	Pedestrian access ramp	10	EA	930.00	9,300.00
13	Concrete sidewalk	29,000	SF	3.95	114,550.00
14	Stabilization/separation geo-textile fabric	22,400	SY	2.36	52,864.00
15	Remove and replace driveway	2,800	SF	6.90	19,320.00

16	Remove and replace mailbox	29	EA	328.00	9,512.00
17	Restore landscape	1	LS	7,700.00	7,700.00
18	Raise monument to grade	1	EA	680.00	680.00
19	Mobilization and traffic control	1	LS	51,459.00	51,459.00
20	Testing and quality control	1	LS	7,000.00	7,000.00
21	Construction staking	1	LS	8,200.00	8,200.00
	Total				

$1,260,738.00

If Vendors anticipate that they will use the services of one or more subcontractors to perform any of the requested services sought through this RFP, Vendors shall provide a Subcontractor Schedule, similar to the Subcontractor Schedule below.

SUBCONTRACTOR SCHEDULE		
Name and Address of Subcontractor	State License No.	Anticipated Services
SEE ATTACHED PROPOSAL FOR SUB SCHEDULE		

IV. **PROPOSAL SUBMISSION REQUIREMENTS.** All submitted proposals shall include at least the following.:

A. As page 1 of the Vendor's submitted proposal, a completed and signed "Davis County RFP Form," which form is attached hereto as Exhibit B and incorporated herein by this reference;
B. A description of the Vendor's proposed approach and schedule regarding the materials and services sought by Davis County through this RFP;
C. A description of the Vendor's relevant experience;
D. An explanation establishing why the Vendor is capable of successfully providing the materials and services sought through this RFP;
E. A list and explanation of each project performed by the Vendor that is similar to the materials and services sought through this RFP (If the Vendor has performed more than ten similar projects, the Vendor should pick the ten projects that it believes are the most similar to this project);
F. A list of at least three references, which sets forth the name(s), mailing address(es), telephone number(s), and email address(es) of each reference;
G. If the Vendor is required to submit a Subcontractor Schedule, a list of at least three references, which sets forth the name(s), mailing address(es), telephone number(s), and email address(es) of each reference for all subcontractors; and
H. A completed and fully executed Bid Bond for 5% of the total amount of the proposal, a form of which is attached hereto as Exhibit C and incorporated herein by this reference.

V. **DAVIS COUNTY'S REQUEST FOR PROPOSALS POLICY.** Each Vendor who submits a proposal in response to this RFP agrees to comply with and be bound by Davis County's Request for Proposals policy that is in place at the time that this RFP is issued. Each Vendor may request and receive a copy of Davis County's Request for Proposals policy by sending an email to dteuscher@co.davis.ut.us.