

Town of Rockville

BUILDING PERMIT APPLICATION BECOMES PERMIT WHEN APPROVED AND PAID

Phone (435) 772-0992

PO Box 630206 Rockville, UT 84763

Fax (435) 772-0992

Owner holding legal title to property LUCI FRANCIS / EMC	BRANTO	App. Fe	e 125,00 F	Rept No.	Permit No			
Mailing P.O. Boy 630156			Home Ph.			Date		
City/State/POCKVICE UT 84763			Work Ph Business Name		Approximate Start-Date			
Date of Application			Business			City/ Zip		
Site 760 E 2305	Lot#	Blk	Subdiv	vision				
REPERTY TAX 10H R-152-A-1-D	Acres /	Zone	os Propo	sed				
Architect or Engineer Schraut	MA	1 K	_			Phone 435 - 772 - 3223		
General Contractor OWNER BUI						Phone		
Business Address						License #		
Electrical Contractor JAYCEE ECEC	TRIC ([RA]	CHATW	in)	Phone 701 629 060 1			
Business Address					License	# 505 4	1428-55	
Plumbing Contractor DAVE BROOK	<u></u>		proglemantsky distribute operprografisky v halednika semby my my medicin		License # 505 4458 -550 Phone 435 - 669 - 2250			
Business Address		ik Austrian M. n. manife von ser groupen konstruktiva serijen generalmen skop glasse silmen.	They have party and in the communication and the materials defending the Communication and the Communication a		License #			
Permit for: Sign [] Building [] Ren	model 🗹	Addition □	Repair 🗆	Convert Use	Demo	lish 🗆 O	ther []	
1	ee Schedu	le (For Of	ficial Use)					
□ Rough Basement		A A SHARE THE PARTY OF THE PART	Sq. Ft. of Building Building Fees		Value			
□ Carport sq. ft.			Plan Check Fees					
☐ Garage sq. ft.			Electrical Fees					
# Buildings			Plumbing Fees					
# Stories			Demolish/Moving fee					
# Bedrooms			Excavation Fee					
# Dwellings R Values		Other	Other					
Type of Construction								
	□ Other							
Frame Brick Block Conc. Steel	LI Other							
# Max. Occupancy		· HCP fee	HCP fee002 of value					
# Fire Sprinklers			Planning					
# Water Connection # Sewer Connection			1% Surcharage Tax TOTAL			***************************************		
Approvals Required I	Date Recv'd		Anna formatiques waster residence	s Requir	ed I	Date Rec'd	Not Req'd	
Planning Commission Fire Department		'	Flood			***************************************	**************************************	
Fire Department Water/Sewer	. 5		Soils Town Engin	aar				
Building Official			Town Engin Other				.,,	
This application becomes a permit when signe	d below and	the applicat	A real of the separate of the second	it are classified as	publie de	cuments.		
Signature of Approval						nte:		
Signature of Contractor					Da	te:		

BUILDING PERMIT APPLICATION REQUIREMENTS FOR THE TOWN OF ROCKVILLE

GENERAL INFORMATION

A complete Building Permit application with application fee must be received in the Office of the Town Clerk twenty-one (21) calendar days prior to the scheduled Planning Commission meeting where the application is to be considered. Representation by the applicant or his/her designated agent at the meeting is required.

Building Permits must be purchased within six (6) months of Planning Commission approval. Building Permits expire one hundred eighty (180) days after issuance if work has not commenced on the structure.

	A dumpster and restroom facilities are required on the building site.
14/A	I understand that not all sites are buildable.
IONIT SEED	I will require the use of a self-contained travel trailer/RV as a temporary residence on the building site. I understand this use is allowed for up to six months as part of the building permit process.
4	PLEASE NOTE: It is the responsibility of the applicant to present a complete application. Incomplete applications will not be addressed by the Planning Commission.
	Following is the application process. Each block must be checked or marked n/a (non-applicable). The checklist must be signed and dated.
]	tems that must accompany the application:
MK	 A legal description of the property (this is on the Washington County Property Tax notice). □ Owner's signature on the Fire Suppression Information for Rockville, Utah. □ If the owner is also the builder, a notarized Owner/Builder Certification must be completed. □ Provide proof of ownership in the Rockville Pipeline Company system for culinary water or proof of compliance with the Utah State Division of Drinking Water and the Southwest Utah Health Department. Note: All culinary water sources must originate with Rockville per ordinance. □ Proof of approval for connection to the Springdale Sewer System or an approved septic system permit from Southwest Utah Health Department. □ Six (6) 11" x 17"copies of the construction plans which are clear and easy to read and understand. New plans may be required and the application delayed until the next Planning Commission meeting if they are not clear.
	Site Plan
	Drawn to scale with the scale indicated North arrow Lot dimensions on all sides
N/	Size and location of easements on the property / SEE 120AD EASEMENT Name and location of adjacent streets
	Location and dimensions of existing and proposed buildings/structures or additions with distance between all structures indicated on plans
N/A	Location of septic system or sewer access Setback dimensions on all sides
	Page 1 of 3

N/A -	Drainage plan indicating five foot contours
	Benchmark (See Elevations, Item 3 below)
	Distance to nearest fire hydrant - UNKNOWN
N/A [If an access (crossover) is required across the ditch on SR-9 to the property, a permit is required from the Utah Department of Transportation. Contact the Town Clerk for more information.
Ele	vations
	All building elevation drawings and building section drawings shall show both existing, pre-
LOT IS ALLIUM	excavated grade and finish grade, the building height, the lowest point of contact and the benchmark. Elevation drawings shall include views of all sides of the structure.
GRANGO AND	Diago Note:
SLAB POUMEN 1	Please Note
NO CHANGES	1. No building may exceed twenty-five feet (25') in height excluding chimney, vents or other equipment.
10001614790	7 2. The building height will be measured from the structure's lowest point of contact with the existing pre-excavated level or from the finished grade whichever is lower.
	7 3. To ensure this requirement is met, a benchmark shall be placed by the architect or building contractor and the Town Building Inspector at the onset of the building process. The benchmark will provide a static elevation point of reference that will remain unmoved throughout the construction process. The building height will be checked against this marker throughout the construction process by the Building Inspector.
	 The builder may not circumvent this requirement in order to build a taller building by adding fill to raise the apparent finished grade or by digging below the pre-excavated level.
Floo	or Plans
☑ I	ndicate the use of all rooms including possible future uses of unfinished areas.
Buildin	g Plans
One	possession of the manufactors and the same the contraction of the first being the first of the same of the same
the appl	3) full sets of 24" x 36" plans to be provided to the Planning Commission at the time the ion is to be considered. All information on the six sets of 11" x 17" plans submitted with ication regarding site plan, benchmark, elevations and floor plans must also be included three larger sets, as well as the following:
	ite Plan must include location of driveway access or driveway location. Slevations
	Benchmark
NA 🗆 L	imits of Disturbance Fence (See Land Use Code Chapter 16) loor Plan
	ooting and Foundation Plan (continuous and spot footings and reinforcing steel located) EXISTIN
	imensions for overall length, height and width of building(s) and total square footage
☑ C	omplete dimensions of all rooms, decks, porches, stairs, garage, etc.
_ (Page 2 of 3
	September 13, 2011

				KN
	V	Size and types of all doors and windows (safety glazing and	egreco) N	Cy.
	NA 🗆	Fire rated door for separation between house and garage	h.	
- 010	1000	Crees section during separation between house and garage	UNKNOWN	
	CHILIT	Cross section drawn specifically for this structure, showing	footing size depth below fros	t
PALE !	1	line, reinforcing, sill plates and bolting, wall material, stud s	ize and spacing, wall sheetin	g,
		interior finish, weather barrier, exterior finish and roofing m	aterial NMMW W	
The state of the s	1	Framing details showing rafter size and spacing, spans, ties	or truss layout, joist size, spa-	n
	1	and spacing. Size and material of all beams, headers and col	lumns. Bearing wall	
	1	construction and location. Braced wall panel details, materia	als connections, hold downs	
4	2 1	and locations	9	
	1	Indicate "R" value of insulation for walls, attics, and floors a		
) 1		Electrical information indicating all receptacle and switch lo	cations; all light and fan	
P. W		locations; GFCIs located interior; WP GFCIs exterior; all sm	loke detector locations;	
E E		electrical panel size and location - Mres		
V V	JA L	Plumbing information indicating the location of all plumbing	g fixtures, including: layout	
V.	_/	for future fixtures; floor drains; water heater; clothes washer	and dryer EXISTING	
1	7 1	Mechanical information indicating: furnace location; combus	stion air location(s); working	1)
14		platform and catwalk if indicated on plans; attic access; poles	s or other barriers if	MIN) V
IAN		equipment is located in garage		5
		If required by the building official/inspector, an engineer's w	et stamp	
	? 0	If required by the building official/inspector, a geotechnical s	study	
		Total and a second seco	, tady	
	I have	read and understand the General Information section and to the	he best of my knowledge all	
	require	ed items have been furnished.	are obstructing knowledge, and	
	-			
		7		
	Applie	ant's Signature Date		
	F	Fue Bar		
		I am the	wner or agent	
	Print N	ame		
			**	•
	DI '			
	Physica	al Address: 510 W 250 S Mailing Address:	P.O BOX 430156	
		ROCKVICLE UT	ROCKYIUE UT	
		84763	84763	
	Phone	949 , 220 222		
	F-Mail.	949-370-7279 advanced autorefe sbcg lobal. net		
	L-iviaii.	garunce autoret e socgiobal. Net		