

Administrative rule R657-65

Urban deer control

KEY: wildlife

Date of Enactment or Last Substantive Amendment: August 7, 2015

Notice of Continuation: July 31, 2018

Authorizing, and Implementing or Interpreted Law: 23-14-3; 23-14-18; 23-14-19

R657-65-1. Authority and Purpose.

(1) This rule is promulgated under authority of Sections 23-14-3, 23-14-18, and 23-14-19.

(2) The purpose of this rule is to enable a city to design and administer a control plan for the lethal or non-lethal removal of resident deer damaging private property or threatening public safety within the city.

R657-65-2. Definitions.

(1) Terms used in this rule are defined in Section 23-13-2. (2) In addition:

(a) "Deer" means wild deer (*Odocoileus hemionus* or *Odocoileus virginianus*) living in nature and does not include privately owned, captive deer.

(b) "Division" means the Utah Division of Wildlife Resources.

(c) "City" means an incorporated municipality with greater than 1,000 residents.

(d) "Resident deer" means a deer that lives within city boundaries year-around.

(e) "Urban deer control plan" means a document designed, created, and administered by a city that establishes the protocols and methodologies it will pursue to control and mitigate private property damage or public safety threats caused by deer within its incorporated boundaries.

R657-65-3. Authorization to Create and Administer an Urban Deer Control Plan.

- (1) A city with a resident deer population that is significantly damaging private property or threatening public safety within its boundaries may request the Division for a certificate of registration ("COR") to design, create, and administer an urban deer control plan.
- (2) The Division may issue an urban deer control plan COR to a city, provided:
 - (a) the application is filed by a city;
 - (b) resident deer are collectively causing significant damage to private property or threatening public safety within the city's incorporated boundaries;
 - (c) it has enacted an ordinance prohibiting the feeding of deer, elk, and moose;
 - (d) it has general liability insurance in the amount of \$1,000,000.00 or more that covers liability claims that may arise from designing, creating, and administering an urban deer control plan;
 - (e) it agrees, without waiving immunity or any other limitation or provision in the Utah Governmental Immunity Act, Utah Code §§ 63G-7-101 through 63G-7-904, to hold harmless and indemnify the Division against any claims or damages arising from its deer removal activities undertaken pursuant to the urban deer control plan COR, except for any allocated share of fault and damages attributable to the Division's actual involvement in deer removal activities on the ground; and
 - (f) it submits with its application the estimated population of resident deer in the city and the final target population number it seeks to achieve through deer removal.

R657-65-4. COR Authorities and Limitations.

- (1) An urban deer control plan COR issued to a city will:
 - (a) specify for each year of the COR term:
 - (i) the seasonal time period when deer may be removed;
 - (ii) the total number of deer that may be removed; and
 - (iii) the number of deer by gender that may be removed; and
 - (b) authorize it to design, create, and administer an urban deer control plan consistent with the season and number limitations imposed in the COR and the following authorities and limitations.

(2) The COR authorizes the city to:

(a) prescribe and employ lethal methods of take to control deer, provided the methods are otherwise in compliance with state and federal law;

(b) utilize baiting to facilitate safe and effective deer removal activities;

(c) select and supervise individuals to perform specified deer removal activities, provided the city:

(i) issues to each individual authorized to remove deer a written authorization and tag that:

(A) is on a form prescribed by the Division;

(B) is signed by the city manager and recipient;

(C) identifies the recipient's name, address, date of birth, gender, height, weight, and eye color;

(D) describes the locations, time periods, methods of take, and related activities authorized by the city; and

(E) includes a detachable tag consistent with the requirements in Section 23-20-30;

(d) allow a single individual to take more than one deer;

(e) permit spotlighting to facilitate non-lethal deer removal or carcass recovery

efforts; and

(f) remove deer consistent with the annual buck and doe take prescriptions and season limitations set forth in the COR.

(3) The city will:

(a) require individuals authorized to lethally remove deer to:

(i) tag the carcass consistent with Section 23-20-30; and

(ii) comply with all federal, state, and local laws pertaining to the possession, use, and discharge of a dangerous weapon; and

(b) take measures to ensure that:

- (i) deer carcasses are salvaged consistent with Section 23-20-8 (Waste of Wildlife) and disposed of as provided by law;
- (ii) viscera is removed from the kill site and disposed of as provided by law; (iii) antlers of lethally removed deer are promptly surrendered to the Division and not retained by the city or the person that takes the animal: and
- (iv) submit an annual report to the Division by March 1 on lethal removal activities, including the following information for each permit issued:
 - (A) name of shooter/permit holder;
 - (B) sex of the animal;
 - (C) date of harvest; and
 - (D) disposition of carcass, ie, retained by hunter, donated, etc.
- (4) The city will not:
 - (a)(i) capture a deer for release outside municipal boundaries without a written capture and relocation plan prepared in coordination with and approved by the Division;
 - (ii) capture or relocate a deer in violation of the approved capture and relocation plan; or
 - (iii) allow an employee, officer, agent, licensee, or contractor who has not been certified and approved according to the written capture and relocation plan to capture or release a deer.
 - (b) sell or barter a deer carcass or otherwise use it for pecuniary gain without prior written approval from the Division;
 - (c) collect a fee or compensation from a person or entity it authorizes to remove deer from its incorporated boundaries, unless the fee or compensation is:
 - (i) \$50 or less;
 - (ii) used exclusively to recoup the actual costs incurred by the city in:
 - (A) selecting and qualifying the person; or
 - (B) butchering and processing lethally removed deer for donation; and

- (iii) approved by the Division in writing;
- (d) undertake or authorize deer removal activities outside:
 - (i) incorporated city boundaries or any unincorporated areas approved by the Division and the county; or
 - (ii) the the season time frame prescribed in the COR;
- (e) remove more deer, collectively or by gender, than authorized in the COR; or
- (f) authorize the discharge of firearms or archery equipment for deer removal:
 - (i) between one half hour after official sunset and one half hour before official sunrise; or
 - (ii) in violation of federal, state, or local laws.

R657-65-5. Urban Deer Control Plan.

- (1) Upon receipt of an urban deer control plan COR, the city must prepare an urban deer control plan consistent with this Subsection and the COR prior to undertaking any deer removal activities.
- (2) The urban deer control plan will address and prescribe, at a minimum, the:
 - (a) lethal methods of take that may be used to remove deer and the conditions under which each may be employed;
 - (b) conditions and restrictions under which baiting and spotlighting may be used to facilitate deer removal;
 - (c) persons eligible to perform deer removal activities and the requirements imposed on them;
 - (d) locations and time periods where specified types of deer removal activities may be employed or authorized;
 - (e) requirements for tagging deer carcasses;
 - (f) protocols for carcass removal and disposal;
 - (g) procedures for promptly returning to the Division all antlers of lethally removed deer;
 - (h) procedures for obtaining Division input and approval on live capture and relocation projects; and

(i) the estimated population of resident deer in the city and the final target population number the city seeks to achieve through deer removal.

(3) All aspects of the plan must be consistent with the authorizations and limitations imposed in this rule and the COR.

(4) If the city desires to capture and relocate resident deer, it must petition the Division to include a capture and relocation component in its urban deer control plan.

(a) The Division shall have sole discretion to authorize or prohibit capture and relocation as part of an urban deer control plan.

(5)(a) The city will solicit and consider input in the formulation and development of the urban deer control plan from:

(i) the Division;

(ii) the public;

(iii) interested businesses and organizations; and

(iv) local, state, and federal governments.

(b) The Division may provide technical assistance to the city in preparing the urban deer control plan.

(c) After formulating a draft plan, the city will hold a public meeting to take and consider input on the draft before finalizing or implementing it.

(6) The city will assume full responsibility for:

(a) all costs associated with designing, establishing, implementing, and operating the urban deer control plan and all its associated activities; and

(b) for the acts and omissions of its officers, employees, agents, contractors, and licensees in designing, preparing, and implementing its urban deer control plan and undertaking the activities authorized thereunder.

R657-65-6. COR Term, Termination, Renewal, and Amendment.

(1) An urban deer control plan COR issued under this rule will remain valid for three years from the date of issuance .

(2)(a) The Division and the city shall each have the right to unilaterally terminate an urban deer control plan COR with or without cause upon 7 days advance written notice to the other.

(b) Upon termination or expiration of the COR, the city and its officers, employees, agents, contractors, and licensees must cease all deer removal activities formally authorized by the COR.

(3) Upon application by a city, the Division may renew an urban deer control plan COR for an additional three year term, provided:

(a) the city complies with the conditions in R657-65-3(2); and

(b) the application for renewal is presented at a public meeting for comment and approved by the city council.

(4) A urban deer control plan may be amended upon mutual written agreement of the city and Division, provided the amendment is consistent with the authorizations and limitations in this rule.

R657-65-7. Violations.

Pursuant to Section 23-19-9, the Division may suspend, restrict, or deny an urban deer control plan COR for any intentional, knowing, or reckless violation of the Wildlife Code, this rule, or the terms of the COR.

Attachment B



State of Utah

GARY R. HERBERT
Governor

SPENCER J. COX
Lieutenant Governor

Department of Environmental Quality

L. Scott Buld
Executive Director

DIVISION OF DRINKING WATER
Marie E. Owens, P.E.
Director

October 16, 2019

BRYAN VAUGHN GOODSELL
CLARKSTON TOWN WATER SYSTEM
P.O. BOX 181
CLARKSTON, UT 84305

Subject: IPS Rule Revision and Your System's Impact

Dear Water System Representative:

The Drinking Water Board is scheduled to consider proposed revisions to the IPS Rule on November 5, 2019. Please see the attached Fact Sheet on IPS2020 for a review of these proposed changes.

If the revisions are approved then on January 1, 2020 your system total IPS points will be 185. This level of IPS points will cause a Not Approved rating for your system. A Not Approved rating requires public notice and potential further enforcement actions.

Please review the attached IPS and IPS2020 reports for your system and begin to resolve these deficiencies now. Division staff is available to provide technical assistance in resolving the deficiencies and/or violations on your system's IPS report. The attached Fact Sheet outlines compliance options, including requesting a Compliance Action Plan.

Strict compliance with Drinking Water requirements is critical to providing safe and reliable drinking water. The deficiencies and violations on your system pose a risk to public health. We invite you to contact us using the Fact Sheet staff list. You are advised to address all deficiencies and violations prior to January 1, 2020 in order to avoid a Not Approved rating and potential further enforcement action.

Sincerely,

Marie E. Owens P.E., Director
Division of Drinking Water

Enclosures:

IPS Report
IPS2020 Report
IPS2020 Fact Sheet
DDW Contact Sheet

Utah Department Of Environmental Quality

Division Of Drinking Water

CLARKSTON TOWN WATER SYSTEM	PWS ID: UTAH03004	Rating: Approved	11/01/1986	Active
------------------------------------	--------------------------	-------------------------	-------------------	---------------

Legal Contact	Site Updates	Consumptive Use Zone
CALDERWOOD, RICHIE	Last Inventory Update: 07/01/2019	Irrigation Zone: 4
BRYAN VAUGHN GOODSELL	Last Surveyor Update: 09/12/2018	Date: 02/15/2013
P.O. BOX 181	Surveyor: JULIE JENNIFER COBLEIGH	
CLARKSTON, UT 84305	Operating Period: 1/1 - 12/31	
Phone: 435-994-1067	Last IPS Update: 10/15/2019 07:00:00	
County: CACHE COUNTY		
System Type: Community		
Population: 750		

Admin Contacts

Name	Title	Office	Emergency	Email
GOODSELL, BRYAN VAUGHN		435-563-9684		clarkstonpz@comcast.net

IPS Report

IPS Summary		Total IPS Pts: 41
Admin & Physical Facilities	Quality & Monitoring	Significant Deficiency
31	10	0

Physical Facility Points					Total Pts: 31	
Code	Description	Severity	Point Effective			
M001	CURRENT EMERGENCY RESPONSE PROGRAM	REC	-10			
	Facility	Comments	Status	Determined	Point Not Assessed	Point Assessed
				10/01/2014		-10
SS01	LACKS A PERMANENT DEVICE FOR MEASURING SPRING FLOW	MIN	5			
	Facility	Comments	Status	Determined	Point Not Assessed	Point Assessed
	WS001 NORTH FORK SPRING		Active	05/31/2012		5
	WS002 BIG BIRCH SPRING		Active	05/31/2012		5
	WS003 LITTLE BIRCH SPRING		Active	05/31/2012		5
	WS004 MYLER SPRING		Active	05/31/2012		5
	WS005 CITY CREEK SPRING		Active	05/31/2012		5
SS07	DEEP ROOTED VEGETATION IN SPRING COLLECTION AREA	MIN	10			
	Facility	Comments	Status	Determined	Point Not Assessed	Point Assessed
	WS004 MYLER SPRING	deep rooted vegetation in collection lines and infiltrating the collection box	Active	09/12/2018		10
SS08	ROOTS IN SPRING COLLECTION PIPES	MIN	10			
	Facility	Comments	Status	Determined	Point Not Assessed	Point Assessed
	WS004 MYLER SPRING	Roots evident in the collection box. Highly recommend taking investigative samples to evaluate the contamination potential of the roots.	Active	09/12/2018		10
TD01	CONTINUOUS DISINFECTION IS REQUIRED BUT CHLORINATOR LACKS AUTOMATIC SWITCHOVER	MIN	2			
	Facility	Comments	Status	Determined	Point Not Assessed	Point Assessed
	TP001 NORTH FORK CHLORINATOR	PERFORMED MANUALLY	Active	10/01/2014		2
TD04	150-POUND CYLINDER FACILITY LACKS IMMEDIATE ACCESS TO NIOSH RESPIRATOR	REC	0			
	Facility	Comments	Status	Determined	Point Not Assessed	Point Assessed
	TP001 NORTH FORK CHLORINATOR	RECOMMEND SHARING A KIT WITH NEWTON AND TRENTON	Active	05/25/2006		0
TD13	CHLORINE VENT LINE NOT DISCHARTED OUTSIDE ABOVE GRADE OR LACKS NO. 14 SCREEN	MIN	2			
	Facility	Comments	Status	Determined	Point Not Assessed	Point Assessed
	TP001 NORTH FORK CHLORINATOR	NEEDS #14 SCREEN	Active	10/01/2014		2
TG02	SOLUTION FEEDER LACKS BACKFLOW PROTECTION	MIN	2			

Facility	Comments	Status	Determined	Point Not Assessed	Point Assessed
TP001 NORTH FORK CHLORINATOR		Active	05/25/2006		2

V003

WATER PONDING ON STORAGE TANK ROOF
OR TANK ROOF NOT SLOPED TO DRAIN MIN

10

Facility	Comments	Status	Determined	Point Not Assessed	Point Assessed
ST002 STORAGE FACILITY ST002	SLIGHT CRACK THAT HAS BEEN PREVIOUSLY REPAIRED. RECOMMEND ADDITIONAL REPAIR	Active	10/01/2014		10

V020

STORAGE FACILITY SHOWS MILD
DETERIORATION REC

0

Facility	Comments	Status	Determined	Point Not Assessed	Point Assessed
	THE CRACKS IN THE TOP OF THE 150,000 GALLON RESERVOIR (EAST SIDE, NEARVENT) MUST BE REPAIRED		10/07/2003		0

Consumer Confidence Report

Total Pts: 10

Violation No.	Period	Code	Description/Name	Point Effective
2019-4029595	07/01/2019 -	71	CCR REPORT	10

Operator Certification

Type	Level Required	Highest Certificate
Distribution	Dist 1	Dist 1
Treatment		

Open Compliance Schedule

Type	Required Activities	Severity	Created	Due
ERROR:UDI	DEFCY PUBLIC NOTICE		07/27/2015	08/27/2015
LCNT	Submit Lead/Copper Certification Notice to DDW		06/01/2016	12/29/2016
CCR Schedules	Submit Consumer Confidence Report		01/01/2019	07/01/2019
CCR Schedules	Submit CCR Certification Letter		01/01/2019	10/01/2019
LCNT	Submit Lead/Copper Certification Notice to DDW		06/01/2019	12/29/2019

Utah Department Of Environmental Quality

Division Of Drinking Water

CLARKSTON TOWN WATER SYSTEM	PWS ID: UTAH03004	Rating: Approved	11/01/1986	Active
------------------------------------	--------------------------	-------------------------	-------------------	---------------

Legal Contact	Site Updates	Consumptive Use Zone
CALDERWOOD, RICHIE	Last Inventory Update: 07/01/2019	Irrigation Zone: 4
BRYAN VAUGHN GOODSELL	Last Surveyor Update: 09/12/2018	Date: 02/15/2013
P.O. BOX 181	Surveyor: JULIE JENNIFER COBLEIGH	
CLARKSTON, UT 84305	Operating Period: 1/1 - 12/31	
Phone: 435-994-1067	Last IPS Update: 10/15/2019 12:00:00	
County: CACHE COUNTY		
System Type: Community		
Population: 750		

Admin Contacts

Name	Title	Office	Emergency	Email
GOODSELL, BRYAN VAUGHN		435-563-9684		clarkstonpz@comcast.net

IPS 2020 Report

IPS 2020 Summary		Total IPS Pts: 185
Admin & Physical Facilities	Quality & Monitoring	Significant Deficiency
170	15	0

Physical Facility Points 2020	Total Pts: 170
-------------------------------	----------------

Facility	Facility Name	Status	Points Effective																																		
DS001	DISTRIBUTION SYSTEM	A	15.0																																		
	<table><tr><th>Code</th><th>Description</th><th>Severity</th><th>Comments</th><th>Determined Date</th><th>Not Assessed</th><th>Assessed</th></tr><tr><td>M001</td><td>CURRENT EMERGENCY RESPONSE PROGRAM</td><td>REC</td><td></td><td>10/01/2014</td><td></td><td>0</td></tr><tr><td>V020</td><td>STORAGE FACILITY SHOWS MILD DETERIORATION</td><td>REC</td><td>THE CRACKS IN THE TOP OF THE 150,000 GALLON RESERVOIR (EAST SIDE, NEARVENT) MUST BE REPAIRED</td><td>10/07/2003</td><td></td><td>15</td></tr></table>	Code	Description	Severity	Comments	Determined Date	Not Assessed	Assessed	M001	CURRENT EMERGENCY RESPONSE PROGRAM	REC		10/01/2014		0	V020	STORAGE FACILITY SHOWS MILD DETERIORATION	REC	THE CRACKS IN THE TOP OF THE 150,000 GALLON RESERVOIR (EAST SIDE, NEARVENT) MUST BE REPAIRED	10/07/2003		15															
Code	Description	Severity	Comments	Determined Date	Not Assessed	Assessed																															
M001	CURRENT EMERGENCY RESPONSE PROGRAM	REC		10/01/2014		0																															
V020	STORAGE FACILITY SHOWS MILD DETERIORATION	REC	THE CRACKS IN THE TOP OF THE 150,000 GALLON RESERVOIR (EAST SIDE, NEARVENT) MUST BE REPAIRED	10/07/2003		15																															
ST002	STORAGE FACILITY ST002	A	15.0																																		
	<table><tr><th>Code</th><th>Description</th><th>Severity</th><th>Comments</th><th>Determined Date</th><th>Not Assessed</th><th>Assessed</th></tr><tr><td>V003</td><td>WATER PONDING ON STORAGE TANK ROOF OR TANK ROOF NOT SLOPED TO DRAIN</td><td>MIN</td><td>SLIGHT CRACK THAT HAS BEEN PREVIOUSLY REPAIRED. RECOMMEND ADDITIONAL REPAIR</td><td>10/01/2014</td><td></td><td>15</td></tr></table>	Code	Description	Severity	Comments	Determined Date	Not Assessed	Assessed	V003	WATER PONDING ON STORAGE TANK ROOF OR TANK ROOF NOT SLOPED TO DRAIN	MIN	SLIGHT CRACK THAT HAS BEEN PREVIOUSLY REPAIRED. RECOMMEND ADDITIONAL REPAIR	10/01/2014		15																						
Code	Description	Severity	Comments	Determined Date	Not Assessed	Assessed																															
V003	WATER PONDING ON STORAGE TANK ROOF OR TANK ROOF NOT SLOPED TO DRAIN	MIN	SLIGHT CRACK THAT HAS BEEN PREVIOUSLY REPAIRED. RECOMMEND ADDITIONAL REPAIR	10/01/2014		15																															
TP001	NORTH FORK CHLORINATOR	A	65.0																																		
	<table><tr><th>Code</th><th>Description</th><th>Severity</th><th>Comments</th><th>Determined Date</th><th>Not Assessed</th><th>Assessed</th></tr><tr><td>TG02</td><td>SOLUTION FEEDER LACKS BACKFLOW PROTECTION</td><td>MIN</td><td></td><td>05/25/2006</td><td></td><td>0</td></tr><tr><td>TD01</td><td>CONTINUOUS DISINFECTION IS REQUIRED BUT CHLORINATOR LACKS AUTOMATIC SWITCHOVER</td><td>MIN</td><td>PERFORMED MANUALLY</td><td>10/01/2014</td><td></td><td>15</td></tr><tr><td>TD13</td><td>CHLORINE VENT LINE NOT DISCHARTED OUTSIDE ABOVE GRADE OR LACKS NO. 14 SCREEN</td><td>MIN</td><td>NEEDS #14 SCREEN</td><td>10/01/2014</td><td></td><td>25</td></tr><tr><td>TD04</td><td>150-POUND CYLINDER FACILITY LACKS IMMEDIATE ACCESS TO NIOSH RESPIRATOR</td><td>REC</td><td>REFOMMEND SHARING A KIT WITH NEWTON AND TRENTON</td><td>05/25/2006</td><td></td><td>25</td></tr></table>	Code	Description	Severity	Comments	Determined Date	Not Assessed	Assessed	TG02	SOLUTION FEEDER LACKS BACKFLOW PROTECTION	MIN		05/25/2006		0	TD01	CONTINUOUS DISINFECTION IS REQUIRED BUT CHLORINATOR LACKS AUTOMATIC SWITCHOVER	MIN	PERFORMED MANUALLY	10/01/2014		15	TD13	CHLORINE VENT LINE NOT DISCHARTED OUTSIDE ABOVE GRADE OR LACKS NO. 14 SCREEN	MIN	NEEDS #14 SCREEN	10/01/2014		25	TD04	150-POUND CYLINDER FACILITY LACKS IMMEDIATE ACCESS TO NIOSH RESPIRATOR	REC	REFOMMEND SHARING A KIT WITH NEWTON AND TRENTON	05/25/2006		25	
Code	Description	Severity	Comments	Determined Date	Not Assessed	Assessed																															
TG02	SOLUTION FEEDER LACKS BACKFLOW PROTECTION	MIN		05/25/2006		0																															
TD01	CONTINUOUS DISINFECTION IS REQUIRED BUT CHLORINATOR LACKS AUTOMATIC SWITCHOVER	MIN	PERFORMED MANUALLY	10/01/2014		15																															
TD13	CHLORINE VENT LINE NOT DISCHARTED OUTSIDE ABOVE GRADE OR LACKS NO. 14 SCREEN	MIN	NEEDS #14 SCREEN	10/01/2014		25																															
TD04	150-POUND CYLINDER FACILITY LACKS IMMEDIATE ACCESS TO NIOSH RESPIRATOR	REC	REFOMMEND SHARING A KIT WITH NEWTON AND TRENTON	05/25/2006		25																															
WS001	NORTH FORK SPRING	A	5.0																																		
	<table><tr><th>Code</th><th>Description</th><th>Severity</th><th>Comments</th><th>Determined Date</th><th>Not Assessed</th><th>Assessed</th></tr><tr><td>SS01</td><td>LACKS A PERMANENT DEVICE FOR MEASURING SPRING FLOW</td><td>MIN</td><td></td><td>05/31/2012</td><td></td><td>5</td></tr></table>	Code	Description	Severity	Comments	Determined Date	Not Assessed	Assessed	SS01	LACKS A PERMANENT DEVICE FOR MEASURING SPRING FLOW	MIN		05/31/2012		5																						
Code	Description	Severity	Comments	Determined Date	Not Assessed	Assessed																															
SS01	LACKS A PERMANENT DEVICE FOR MEASURING SPRING FLOW	MIN		05/31/2012		5																															
WS002	BIG BIRCH SPRING	A	5.0																																		
	<table><tr><th>Code</th><th>Description</th><th>Severity</th><th>Comments</th><th>Determined Date</th><th>Not Assessed</th><th>Assessed</th></tr><tr><td>SS01</td><td>LACKS A PERMANENT DEVICE FOR MEASURING SPRING FLOW</td><td>MIN</td><td></td><td>05/31/2012</td><td></td><td>5</td></tr></table>	Code	Description	Severity	Comments	Determined Date	Not Assessed	Assessed	SS01	LACKS A PERMANENT DEVICE FOR MEASURING SPRING FLOW	MIN		05/31/2012		5																						
Code	Description	Severity	Comments	Determined Date	Not Assessed	Assessed																															
SS01	LACKS A PERMANENT DEVICE FOR MEASURING SPRING FLOW	MIN		05/31/2012		5																															
WS003	LITTLE BIRCH SPRING	A	5.0																																		

Code	Description	Severity	Comments	Determined Date	Not Assessed	Assessed
SS01	LACKS A PERMANENT DEVICE FOR MEASURING SPRING FLOW	MIN		05/31/2012		5

WS004 MYLER SPRING

A

55.0

Code	Description	Severity	Comments	Determined Date	Not Assessed	Assessed
SS01	LACKS A PERMANENT DEVICE FOR MEASURING SPRING FLOW	MIN		05/31/2012		5
SS08	ROOTS IN SPRING COLLECTION PIPES	MIN	Roots evident in the collection box. Highly recommend taking investigative samples to evaluate the contamination potential of the roots.	09/12/2018		25
SS07	DEEP ROOTED VEGETATION IN SPRING COLLECTION AREA	MIN	deep rooted vegetation in collection lines and infiltrating the collection box	09/12/2018		25

WS005 CITY CREEK SPRING

A

5.0

Code	Description	Severity	Comments	Determined Date	Not Assessed	Assessed
SS01	LACKS A PERMANENT DEVICE FOR MEASURING SPRING FLOW	MIN		05/31/2012		5

Consumer Confidence Report

Total Pts: 15

Violation No.	Period	Code	Description/Name	Point Effective
2019-4029595	07/01/2019 -	71	CCR REPORT	15

Operator Certification

Type	Level Required	Highest Certificate
Distribution	Dist 1	Dist 1
Treatment		

Open Compliance Schedule

Type	Required Activities	Severity	Created	Due
ERROR:UDI	DEFCY PUBLIC NOTICE		07/27/2015	08/27/2015
LCNT	Submit Lead/Copper Certification Notice to DDW		06/01/2016	12/29/2016
CCR Schedules	Submit Consumer Confidence Report		01/01/2019	07/01/2019
CCR Schedules	Submit CCR Certification Letter		01/01/2019	10/01/2019
LCNT	Submit Lead/Copper Certification Notice to DDW		06/01/2019	12/29/2019

Report Criteria:

Invoices with totals above \$0.00 included.

Only paid invoices included.

Vendor	Vendor Name	Invoice Number	Description	Invoice Date	Net Invoice Amount	Amount Paid	Date Paid
GENERAL FUND							
ADMINISTRATION							
10-44-130 EMPLOYEE BENEFITS							
218	UTAH UNEMPLOYMENT COMP	101419	QUARTERLY CONTRIBUTION	10/03/2019	11.58	11.58	10/14/2019
10-44-210 INSURANCE							
215	UTAH LOCAL GOVERNMENTS T	1578173	ANNUAL PROPERTY POLICY	10/23/2019	72.09	72.09	10/23/2019
10-44-220 Mileage							
440	KRISTI HIDALGO	102319	Mileage	10/23/2019	48.08	48.08	10/23/2019
10-44-230 TRAVEL & TRAINING							
198	SAM'S CLUB MC/SYNCB	101419	UMCA FALL CONFERENCE	08/30/2019	285.78	285.78	10/14/2019
10-44-270 UTILITIES							
219	ROCKY MOUNTAIN POWER	102319	UTILITIES	10/11/2019	62.85	62.85	10/23/2019
10-44-280 PLANNING & ZONING							
851	CHRISTINA ATKINSON	102319	MILEAGE	10/23/2019	17.48	17.48	10/23/2019
835	GLADE POULSEN	101419	RESIDENTIAL BOND REFUND	10/14/2019	1,000.00	1,000.00	10/14/2019
838	JERE ORVIN	101419	RESIDENTIAL BUILDING PERMI	10/14/2019	1,000.00	1,000.00	10/14/2019
413	STATE OF UTAH	101419	BUILDING PERMIT FEE SURCH	10/14/2019	22.31	22.31	10/14/2019
10-44-305 LEGAL/PROFESSIONAL							
184	OLSON & HOGGAN, PC	188897	LEGAL SERVICES - DEGRISSELL	08/30/2019	600.00	600.00	10/14/2019
10-44-320 911 FEES							
885	LOGAN CITY	102319	911 FEE	10/21/2019	792.00	792.00	10/23/2019
10-44-330 SANITATION COLLECTION FEES							
885	LOGAN CITY	1023191	SANITATION	10/21/2019	4,887.88	4,887.88	10/23/2019
Total ADMINISTRATION:					8,598.21	8,598.21	
FIRE & RESCUE							
10-53-270 FUEL/OIL & UTILITIES							
246	COMCAST	101419	FIRE DEPT PHONE	08/24/2019	91.28	91.28	10/14/2019
219	ROCKY MOUNTAIN POWER	102319	UTILITIES	10/11/2019	135.82	135.82	10/23/2019
Total FIRE & RESCUE:					226.88	226.88	
ROADS & STREETS DEPARTMENT							
10-60-250 EQUIPMENT - SUPPLY/MAINT							
837	INTERSTATE SIGN COMPANY	128846	STREET SIGNS	10/22/2019	111.88	111.88	10/23/2019
10-60-420 ROAD UTILITIES/STREET LIGHTS							
219	ROCKY MOUNTAIN POWER	102319	UTILITIES	10/11/2019	518.92	518.92	10/23/2019
219	ROCKY MOUNTAIN POWER	102319	UTILITIES	10/11/2019	50.31	50.31	10/23/2019
Total ROADS & STREETS DEPARTMENT:					680.91	680.91	
PARKS & RECREATION							
10-70-260 PARK GENERAL							
219	ROCKY MOUNTAIN POWER	102319	UTILITIES	10/11/2019	18.65	18.65	10/23/2019
10-70-920 CIVIC CENTER UTILITIES							
189	DOMINION ENERGY	101419	UTILITIES	09/24/2019	24.54	24.54	10/14/2019
219	ROCKY MOUNTAIN POWER	102319	UTILITIES	10/11/2019	59.88	59.88	10/23/2019
812	WESTERN MECHANICAL	81218	ANNUAL SERVICE - TOWN HAL	10/08/2019	127.50	127.50	10/14/2019
Total PARKS & RECREATION:					228.55	228.55	
Total GENERAL FUND:					9,734.55	9,734.55	

Vendor	Vendor Name	Invoice Number	Description	Invoice Date	Net Invoice Amount	Amount Paid	Date Paid
WATER UTILITY FUND							
WATER DEPARTMENT							
51-81-240 OFFICE SUPPLIES & EXPENSE							
198	SAM'S CLUB MC/SYNCB	101419	CERTIFIED MAILINGS	09/30/2019	50.40	50.40	10/14/2019
198	SAM'S CLUB MC/SYNCB	101419	STAMPED ENVELOPES	09/30/2019	1,316.90	1,316.90	10/14/2019
51-81-270 UTILITIES							
219	ROCKY MOUNTAIN POWER	102319	UTILITIES	10/11/2019	83.71	83.71	10/23/2019
51-81-370 WATER SAMPLING							
114	BEAR RIVER HEALTH DEPT.	193194	WATER SAMPLING	10/07/2019	20.00	20.00	10/14/2019
129	CHEMTECH-FORD, INC.	1910889	ANNUAL TESTING	09/27/2019	1,331.00	1,331.00	10/14/2019
129	CHEMTECH-FORD, INC.	1910900	ANNUAL TESTING	09/25/2019	280.00	280.00	10/14/2019
Total WATER DEPARTMENT:					3,082.01	3,082.01	
Total WATER UTILITY FUND:					3,082.01	3,082.01	
CEMETERY PERPETUAL CARE FUND							
PERPETUAL CARE DEPARTMENT							
71-40-810 BURIAL FEES							
745	UTAH WILBERT VAULT	57175	STONE REMOVAL - CLOTEEL C	09/24/2019	130.00	130.00	10/14/2019
71-40-710 MAINTENANCE							
834	RANDY SMITH	102319	CEMETERY SUPPLIES REIMBU	10/15/2019	22.32	22.32	10/23/2019
834	RANDY SMITH	102319	MILEAGE	10/15/2019	53.35	53.35	10/23/2019
535	STEVE REGAN COMPANY	10779600	FERTILIZER	10/15/2019	129.44	129.44	10/23/2019
535	STEVE REGAN COMPANY	10786140	FERTILIZER	10/17/2019	64.72	64.72	10/23/2019
Total PERPETUAL CARE DEPARTMENT:					399.83	399.83	
Total CEMETERY PERPETUAL CARE FUND:					399.83	399.83	
Grand Totals:					13,216.39	13,216.39	

Dated: 5 Nov. 2019Mayor: N. Chris Hidalgo

City Council:

Michael Sparks
Elaine Moody
David P. Hickey
RL THOM

City Recorder:

Krista Hidalgo