


BM 350/20-030 Payson Apartment - South Haven Farms Apartments Clubhouse - Central - 2020-2-10 Bm 350.rvt
3/24/2021 11:10:03 AM

A

B

C

D



D2 LEVEL 1 FLOOR PLAN
A101 | SCALE: 1/8" = 1'-0"

△	MARK	REVISION	DATE

SHEET NOTES


1. PAINTED STEEL COLUMN, AESS.
2. STRUCTURAL STEEL COLUMN. SEE STRUCTURAL DRAWINGS.
3. ADA COMPLIANT ELECTRIC DRINKING FOUNTAIN WITH BOTTLE FILLER.
4. ELECTRIC DRINKING FOUNTAIN AND BOTTLE FILLER.
5. MOP SINK. SEE DETAILS ON SHEET A254.
6. GAS FIREPLACE INSERT. INSTALL PER MANUFACTURER'S RECOMMENDATIONS. SEE PLUMBING.
7. 7" STEP.
8. PRE-FINISHED METAL HANDRAIL 36" ABOVE FINISHED FLOOR.
9. FLOOR DRAIN. SEE PLUMBING. *COORDINATE*
10. WATER HEATER. SEE PLUMBING. *COORDINATE*
11. GAS METER LOCATION. *COORDINATE*
12. ELECTRICAL METER LOCATION. *COORDINATE*
13. STAINLESS STEEL CABLE GUARDRAIL SYSTEM, 42" HIGH MINIMUM.
14. PRE-FINISHED METAL WIRE MESH 2" O.C. GUARD 42" MINIMUM ABOVE FINISHED FLOOR OR NOSE OF STAIRS. SEE TYPICAL DETAILS ON SHEET A452. *COORDINATE*
15. GAS FIRE PIT. SEE PLUMBING.
16. ROOM BELOW CAPPED WITH PAINTED 5/8" GYPSUM BOARD OVER WOOD SHEATHING OVER TJI WOOD JOISTS. SEE STRUCTURAL DRAWINGS. *NOT USED*
17. SEMI-RECESSED FIRE EXTINGUISHER CABINET WITH 2A10BC FIRE EXTINGUISHER INSIDE. *NOT USED*
18. BRACKET-MOUNTED 2A10BC FIRE EXTINGUISHER. *NOT USED*
19. RECESSED KNOX HIGH SECURITY HEAVY DUTY KEY BOX. *COORDINATE* WITH CITY FIRE MARSHAL. *NOT USED*
20. ROOF DRAIN VERTICAL PIPE LOCATION. SEE PLUMBING. *NOT USED*
21. PROVIDE 18" X 18" 6" HIGH, 4" MINIMUM CLEAR TO TOP OF DECKING, RAISED CONCRETE BASE WITH 3/4" CHAMFERED EDGE. *NOT USED*
22. ADA COMPLIANT BBQ. TOP OF COUNTERTOP TO BE 34" ABOVE FINISHED FINISHED FLOOR SURFACE.
23. COLUMN SEE STRUCTURAL DRAWINGS *NOT USED*

SEPARATION LEGEND

▼ - DENOTES AIR-TIGHT SEALS AT FLOORS AND CEILINGS

GENERAL NOTES


- A. GENERAL CONTRACTOR SHALL VERIFY ALL CONDITIONS AND DIMENSIONS PRIOR TO CONSTRUCTION. REPORT ANY SIGNIFICANT DISCREPANCIES TO THE ARCHITECT.
- B. COORDINATE INSTALLATIONS OF ALL "AFTER CONTRACT" ASSEMBLIES WITH OWNER PRIOR TO CONSTRUCTION OF ADJOINING OR RELATED STRUCTURES.
- C. SEE SEPARATION LEGEND FOR LOCATIONS OF SHAFT ENCLOSURES.
- D. AN AUTOMATIC FIRE SPRINKLER SYSTEM IS TO BE INSTALLED THROUGHOUT THE ENTIRE BUILDING IN ACCORDANCE WITH NFPA 13.
- E. CONCRETE WALLS RETAINING EARTH TO RECEIVE TWO COATS BITUMINOUS DAMP PROOFING MATERIAL.
- F. MASONRY TO HAVE CONTROL JOINTS PER STRUCTURAL SHEETS.
- G. PROVIDE 3/4" BULLNOSE AT ALL INTERIOR DRYWALL CORNERS.
- H. WALL TYPES SHOWN DO NOT ADDRESS CERAMIC TILE INSTALLATION ON WALL SURFACES AS SHOWN ON THE FLOOR PLANS. REFER TO THE CURRENT EDITION OF THE HANDBOOK FOR CERAMIC TILE INSTALLATION PUBLISHED BY THE TILE COUNCIL OF NORTH AMERICA, INC., FOR PROPER INSTALLATION MATERIALS AND METHODS. TILE TO BE INSTALLED OVER TILE BACKER BOARD.
- I. SEE DETAILS D5/G002 AND E1/G002 FOR TYPICAL FIXTURE MOUNTING HEIGHTS. BLOCK WALLS AS REQUIRED FOR HANGING FIXTURES AND FURNISHINGS.
- J. SEE SHEET A001 FOR FOUNDATION PERIMETER AND SLAB PLAN.

 CURTIS MINER ARCHITECTURE	233 SOUTH PLEASANT GROVE BLVD. SUITE #105 PLEASANT GROVE, UTAH 84062 PHONE: (801) 769-3000 cma@cmautah.com	DATE: MARCH 24, 2021 PROJECT #: CMA 20-030 PROJ. MAN.: MMA CHECKED BY: CNM	THE INFORMATION HEREIN IS THE PROPERTY OF CURTIS MINER ARCHITECTURE AND MAY NOT BE REPRODUCED WITHOUT WRITTEN CONSENT. © 2021 CURTIS MINER ARCHITECTURE, LLC
	PROJECT: SOUTH HAVEN FARMS CLUBHOUSE 2100 WEST HIGHWAY 198 PAYSON, UTAH 84651 LOTS 2 AND 3		
SHEET DESCRIPTION: LEVEL 1 FLOOR PLAN		SHEET: A101	

NOT FOR CONSTRUCTION

PERMIT REVIEW & BID DOCUMENTS

BM 360/20-030 Payson Apartment - South Haven Farms Apartments Clubhouse - Central - 2020-10 Bm 360.rvt
3/24/2021 11:10:06 AM



D2 LEVEL 2 FLOOR PLAN
A102 | SCALE: 1/8" = 1'-0"

△	MARK	REVISION	DATE

SHEET NOTES

1. PAINTED STEEL COLUMN, AESS.
2. STRUCTURAL STEEL COLUMN. SEE STRUCTURAL DRAWINGS.
3. ADA COMPLIANT ELECTRIC DRINKING FOUNTAIN WITH BOTTLE FILLER.
4. ELECTRIC DRINKING FOUNTAIN AND BOTTLE FILLER.
5. MOP SINK. SEE DETAILS ON SHEET A254.
6. GAS FIREPLACE INSERT. INSTALL PER MANUFACTURER'S RECOMMENDATIONS. SEE PLUMBING.
7. 7" STEP.
8. PRE-FINISHED METAL HANDRAIL 36" ABOVE FINISHED FLOOR.
9. FLOOR DRAIN. SEE PLUMBING. *COORDINATE*
10. WATER HEATER. SEE PLUMBING. *COORDINATE*
11. GAS METER LOCATION. *COORDINATE*
12. ELECTRICAL METER LOCATION. *COORDINATE*
13. STAINLESS STEEL CABLE GUARDRAIL SYSTEM, 42" HIGH MINIMUM.
14. PRE-FINISHED METAL WIRE MESH 2" O.C. GUARD 42" MINIMUM ABOVE FINISHED FLOOR OR NOSE OF STAIRS. SEE TYPICAL DETAILS ON SHEET A452. *COORDINATE*
15. GAS FIRE PIT. SEE PLUMBING.
16. ROOM BELOW CAPPED WITH PAINTED 5/8" GYPSUM BOARD OVER WOOD SHEATHING OVER TJI WOOD JOISTS. SEE STRUCTURAL DRAWINGS *NOT USED*
17. SEMI-RECESSED FIRE EXTINGUISHER CABINET WITH 2A10BC FIRE EXTINGUISHER INSIDE. *NOT USED*
18. BRACKET-MOUNTED 2A10BC FIRE EXTINGUISHER. *NOT USED*
19. RECESSED KNOX HIGH SECURITY HEAVY DUTY KEY BOX. *COORDINATE* WITH CITY FIRE MARSHAL. *NOT USED*
20. ROOF DRAIN VERTICAL PIPE LOCATION. SEE PLUMBING. *NOT USED*
21. PROVIDE 18" X 18" 6" HIGH, 4" MINIMUM CLEAR TO TOP OF DECKING, RAISED CONCRETE BASE WITH 3/4" CHAMFERED EDGE. *NOT USED*
22. ADA COMPLIANT BBQ. TOP OF COUNTERTOP TO BE 34" ABOVE FINISHED FLOOR SURFACE.
23. COLUMN SEE STRUCTURAL DRAWINGS *NOT USED*

SEPARATION LEGEND

▼ - DENOTES AIR-TIGHT SEALS AT FLOORS AND CEILINGS

GENERAL NOTES

- A. GENERAL CONTRACTOR SHALL VERIFY ALL CONDITIONS AND DIMENSIONS PRIOR TO CONSTRUCTION. REPORT ANY SIGNIFICANT DISCREPANCIES TO THE ARCHITECT.
- B. COORDINATE INSTALLATIONS OF ALL "AFTER CONTRACT" ASSEMBLIES WITH OWNER PRIOR TO CONSTRUCTION OF ADJOINING OR RELATED STRUCTURES.
- C. SEE SEPARATION LEGEND FOR LOCATIONS OF SHAFT ENCLOSURES.
- D. AN AUTOMATIC FIRE SPRINKLER SYSTEM IS TO BE INSTALLED THROUGHOUT THE ENTIRE BUILDING IN ACCORDANCE WITH NFPA 13.
- E. CONCRETE WALLS RETAINING EARTH TO RECEIVE TWO COATS BITUMINOUS DAMP PROOFING MATERIAL.
- F. MASONRY TO HAVE CONTROL JOINTS PER STRUCTURAL SHEETS.
- G. PROVIDE 3/4" BULLNOSE AT ALL INTERIOR DRYWALL CORNERS.
- H. WALL TYPES SHOWN DO NOT ADDRESS CERAMIC TILE INSTALLATION ON WALL SURFACES AS SHOWN ON THE FLOOR PLANS. REFER TO THE CURRENT EDITION OF THE HANDBOOK FOR CERAMIC TILE INSTALLATION PUBLISHED BY THE TILE COUNCIL OF NORTH AMERICA, INC., FOR PROPER INSTALLATION MATERIALS AND METHODS. TILE TO BE INSTALLED OVER TILE BACKER BOARD.
- I. SEE DETAILS D5/G002 AND E1/G002 FOR TYPICAL FIXTURE MOUNTING HEIGHTS. BLOCK WALLS AS REQUIRED FOR HANGING FIXTURES AND FURNISHINGS.
- J. SEE SHEET A001 FOR FOUNDATION PERIMETER AND SLAB PLAN.

CMA CURTIS MINER ARCHITECTURE 233 SOUTH PLEASANT GROVE BLVD. SUITE #105 PLEASANT GROVE, UTAH 84062 PHONE: (801) 758-3000 cma@cmautah.com		DATE: MARCH 24, 2021 PROJECT #: CMA 20-030 PROJ. MAN.: MMA CHECKED BY: CNM
PROJECT: SOUTH HAVEN FARMS CLUBHOUSE 2100 WEST HIGHWAY 198 PAYSON, UTAH 84051 LOTS 2 AND 3		
SHEET DESCRIPTION: LEVEL 2 FLOOR PLAN		SHEET: A102


NOT FOR CONSTRUCTION

PERMIT REVIEW & BID DOCUMENTS

△	MARK	REVISION	DATE

SHEET NOTES

- PRE-FINISHED METAL CAP WITH DRIP EDGE. SEE DETAIL E4/A701.
- PRE-FINISHED ALUMINUM STOREFRONT ENTRY SYSTEM WITH THERMAL BREAKS. SEE WINDOW SCHEDULE.
- PRE-FINISHED ALUMINUM STOREFRONT WINDOW SYSTEM WITH THERMAL BREAKS.
- PRE-FINISHED CABLE RAIL GUARDRAIL SYSTEM 42" MINIMUM ABOVE FINISHED FLOOR OR NOSE OF STAIRS. SEE TYPICAL DETAILS ON SHEET A452.
- PAINTED STEEL DOOR WITH PAINTED STEEL FRAME.
- GAS METER LOCATION, SEE MECHANICAL DRAWINGS. *STILL EVALUATING*
- PRE-FINISHED STEEL 6' HIGH FENCE.
- ELECTRICAL METER LOCATION. SEE ELECTRICAL. *STILL EVALUATING*
- PRE-FINISHED ALUMINUM SOFFIT AND FASCIA.
- FINISHED GRADE LINE 6" MINIMUM BELOW TOP OF CONCRETE FOUNDATION WALL. SLOPE FINISHED GRADE AWAY FROM THE BUILDING 6 INCHES IN THE FIRST 10 FEET.
- PAINTED FIBER CEMENT BOARD TRIM FEATURE.
- PREFINISHED DECORATIVE METAL CAP FEATURE.
- PRE-CAST CONCRETE STAIRS.
- GAS FIREPLACE INSERT.
- PATIO FURNITURE. OWNER PROVIDED, OWNER INSTALLED.



EXTERIOR MATERIAL LEGEND

EM1		NATURAL STONE VENEER
EM2		BRICK VENEER
EM3		CORRUGATED METAL PANEL.
EM4		PAINTED CEMENT FIBER BOARD, HORIZONTAL LAPPED SIDING.
EM5		PAINTED CEMENT FIBER BOARD, VERTICAL SIDING.
EM6		STANDING SEAM METAL ROOF.


GENERAL NOTES

- GENERAL CONTRACTOR SHALL VERIFY ALL CONDITIONS AND DIMENSIONS PRIOR TO CONSTRUCTION. REPORT ANY SIGNIFICANT DISCREPANCIES TO THE ARCHITECT.
- COORDINATE INSTALLATIONS OF ALL "AFTER CONTRACT" ASSEMBLIES WITH OWNER PRIOR TO CONSTRUCTION OF ADJOINING OR RELATED STRUCTURES.
- SEE SEPARATION LEGEND FOR LOCATIONS OF SHAFT ENCLOSURES.
- AN AUTOMATIC FIRE SPRINKLER SYSTEM IS TO BE INSTALLED THROUGHOUT THE ENTIRE BUILDING IN ACCORDANCE WITH NFPA 13.
- CONCRETE WALLS RETAINING EARTH TO RECEIVE TWO COATS BITUMINOUS DAMP PROOFING MATERIAL.
- MASONRY TO HAVE CONTROL JOINTS PER STRUCTURAL SHEETS.
- PROVIDE 3/4" BULLNOSE AT ALL INTERIOR DRYWALL CORNERS.
- WALL TYPES SHOWN DO NOT ADDRESS CERAMIC TILE INSTALLATION ON WALL SURFACES AS SHOWN ON THE FLOOR PLANS. REFER TO THE CURRENT EDITION OF THE HANDBOOK FOR CERAMIC TILE INSTALLATION PUBLISHED BY THE TILE COUNCIL OF NORTH AMERICA, INC., FOR PROPER INSTALLATION MATERIALS AND METHODS. TILE TO BE INSTALLED OVER TILE BACKER BOARD.
- SEE DETAILS D5/G002 AND E1/G002 FOR TYPICAL FIXTURE MOUNTING HEIGHTS. BLOCK WALLS AS REQUIRED FOR HANGING FIXTURES AND FURNISHINGS.
- SEE SHEET A001 FOR FOUNDATION PERIMETER AND SLAB PLAN.



 CURTIS MINER ARCHITECTURE 233 SOUTH PLEASANT GROVE BLVD. SUITE #105 PLEASANT GROVE, UTAH 84062 PHONE: (801) 789-3000 cma@cmautah.com	DATE: MARCH 24, 2021 PROJECT #: CMA 20-030 PROJ. MAN.: MMA CHECKED BY: CNM
PROJECT: SOUTH HAVEN FARMS CLUBHOUSE 2100 WEST HIGHWAY 198 PAYSON, UTAH 84651 LOTS 2 AND 3	SHEET: A201
SHEET DESCRIPTION: EXTERIOR ELEVATIONS	

NOT FOR CONSTRUCTION



B3 WEST ELEVATION
A202 | SCALE: 1/8" = 1'-0"



D3 EAST ELEVATION
A202 | SCALE: 1/8" = 1'-0"

△	MARK	REVISION	DATE

SHEET NOTES

- PRE-FINISHED METAL CAP WITH DRIP EDGE. SEE DETAIL E4/A701.
- PRE-FINISHED ALUMINUM STOREFRONT ENTRY SYSTEM WITH THERMAL BREAKS. SEE WINDOW SCHEDULE.
- PRE-FINISHED ALUMINUM STOREFRONT WINDOW SYSTEM WITH THERMAL BREAKS.
- PRE-FINISHED CABLE RAIL GUARDRAIL SYSTEM 42" MINIMUM ABOVE FINISHED FLOOR OR NOSE OF STAIRS. SEE TYPICAL DETAILS ON SHEET A452.
- PAINTED STEEL DOOR WITH PAINTED STEEL FRAME.
- GAS METER LOCATION, SEE MECHANICAL DRAWINGS. *STILL EVALUATING*
- PRE-FINISHED STEEL 6' HIGH FENCE.
- ELECTRICAL METER LOCATION. SEE ELECTRICAL. *STILL EVALUATING*
- PRE-FINISHED ALUMINUM SOFFIT AND FASCIA.
- FINISHED GRADE LINE 6" MINIMUM BELOW TOP OF CONCRETE FOUNDATION WALL. SLOPE FINISHED GRADE AWAY FROM THE BUILDING 6 INCHES IN THE FIRST 10 FEET.
- PAINTED FIBER CEMENT BOARD TRIM FEATURE.
- PREFINISHED DECORATIVE METAL CAP FEATURE.
- PRE-CAST CONCRETE STAIRS.
- GAS FIREPLACE INSERT.
- PATIO FURNITURE. OWNER PROVIDED, OWNER INSTALLED.

EXTERIOR MATERIAL LEGEND

EM1		NATURAL STONE VENEER
EM2		BRICK VENEER
EM3		CORRUGATED METAL PANEL.
EM4		PAINTED CEMENT FIBER BOARD, HORIZONTAL LAPPED SIDING.
EM5		PAINTED CEMENT FIBER BOARD, VERTICAL SIDING.
EM6		STANDING SEAM METAL ROOF.

GENERAL NOTES

- GENERAL CONTRACTOR SHALL VERIFY ALL CONDITIONS AND DIMENSIONS PRIOR TO CONSTRUCTION. REPORT ANY SIGNIFICANT DISCREPANCIES TO THE ARCHITECT.
- COORDINATE INSTALLATIONS OF ALL "AFTER CONTRACT" ASSEMBLIES WITH OWNER PRIOR TO CONSTRUCTION OF ADJOINING OR RELATED STRUCTURES.
- SEE SEPARATION LEGEND FOR LOCATIONS OF SHAFT ENCLOSURES.
- AN AUTOMATIC FIRE SPRINKLER SYSTEM IS TO BE INSTALLED THROUGHOUT THE ENTIRE BUILDING IN ACCORDANCE WITH NFPA 13.
- CONCRETE WALLS RETAINING EARTH TO RECEIVE TWO COATS BITUMINOUS DAMP PROOFING MATERIAL.
- MASONRY TO HAVE CONTROL JOINTS PER STRUCTURAL SHEETS.
- PROVIDE 3/4" BULLNOSE AT ALL INTERIOR DRYWALL CORNERS.
- WALL TYPES SHOWN DO NOT ADDRESS CERAMIC TILE INSTALLATION ON WALL SURFACES AS SHOWN ON THE FLOOR PLANS. REFER TO THE CURRENT EDITION OF THE HANDBOOK FOR CERAMIC TILE INSTALLATION PUBLISHED BY THE TILE COUNCIL OF NORTH AMERICA, INC., FOR PROPER INSTALLATION MATERIALS AND METHODS. TILE TO BE INSTALLED OVER TILE BACKER BOARD.
- SEE DETAILS D5/G002 AND E1/G002 FOR TYPICAL FIXTURE MOUNTING HEIGHTS. BLOCK WALLS AS REQUIRED FOR HANGING FIXTURES AND FURNISHINGS.
- SEE SHEET A001 FOR FOUNDATION PERIMETER AND SLAB PLAN.

 233 SOUTH PLEASANT GROVE BLVD. SUITE #105 PLEASANT GROVE, UTAH 84062 PHONE: (801) 789-3000 cma@cmautah.com		DATE: MARCH 24, 2021 PROJECT #: CMA 20-030 PROJ. MAN.: MMA CHECKED BY: CNM
PROJECT: SOUTH HAVEN FARMS CLUBHOUSE 2100 WEST HIGHWAY 198 PAYSON, UTAH 84651 LOTS 2 AND 3		
SHEET DESCRIPTION: EXTERIOR ELEVATIONS		SHEET: A202


NOT FOR CONSTRUCTION

A

B




B1 NORTH-EAST PERSPECTIVE
A203 | SCALE:




B3 NORTH-WEST PERSPECTIVE
A203 | SCALE:

C

D



D1 SOUTH-WEST PERSPECTIVE
A203 | SCALE:




D3 SOUTH-EAST PERSPECTIVE
A203 | SCALE:

△	MARK	REVISION	DATE

SHEET NOTES

1. PRE-FINISHED METAL CAP WITH DRIP EDGE. SEE DETAIL E4/A701.
2. PRE-FINISHED ALUMINUM STOREFRONT ENTRY SYSTEM WITH THERMAL BREAKS. SEE WINDOW SCHEDULE.
3. PRE-FINISHED ALUMINUM STOREFRONT WINDOW SYSTEM WITH THERMAL BREAKS.
4. PRE-FINISHED CABLE RAIL GUARDRAIL SYSTEM 42" MINIMUM ABOVE FINISHED FLOOR OR NOSE OF STAIRS. SEE TYPICAL DETAILS ON SHEET A452.
5. PAINTED STEEL DOOR WITH PAINTED STEEL FRAME.
6. GAS METER LOCATION; SEE MECHANICAL DRAWINGS. *STILL EVALUATING*
7. PRE-FINISHED STEEL 6' HIGH FENCE.
8. ELECTRICAL METER LOCATION. SEE ELECTRICAL. *STILL EVALUATING*
9. PRE-FINISHED ALUMINUM SOFFIT AND FASCIA.
10. FINISHED GRADE LINE 6" MINIMUM BELOW TOP OF CONCRETE FOUNDATION WALL. SLOPE FINISHED GRADE AWAY FROM THE BUILDING 6 INCHES IN THE FIRST 10 FEET.
11. PAINTED FIBER CEMENT BOARD TRIM FEATURE.
12. PREFINISHED DECORATIVE METAL CAP FEATURE.
13. PRE-CAST CONCRETE STAIRS.
14. GAS FIREPLACE INSERT.
15. PATIO FURNITURE. OWNER PROVIDED, OWNER INSTALLED.



233 SOUTH PLEASANT GROVE BLVD.
SUITE #105
PLEASANT GROVE, UTAH 84062
PHONE: (801) 789-3000
cma@cmautah.com

DATE: MARCH 24, 2021
PROJECT #: CMA 20-030
PROJ. MAN.: MMA
CHECKED BY: CNM

PROJECT:
SOUTH HAVEN FARMS CLUBHOUSE

2100 WEST HIGHWAY 198
PAYSON, UTAH 84651
LOTS 2 AND 3

SHEET DESCRIPTION:
EXTERIOR 3D PERSPECTIVES

SHEET:
A203

NOT FOR CONSTRUCTION

BM 350/20/030 Payson Apartment - South Haven/Payson Apartments Clubhouse - Central - 2020-7-10 Bm 350.rvt
3/24/2021 11:10:53 AM

A

B

C

D

1

2

3


4

5


△	MARK	REVISION	DATE

SHEET NOTES

- CONSTRUCTION LIMIT LINE.
- PROPERTY LINE.
- EXISTING ASPHALT TO REMAIN.
- EXISTING CURB AND GUTTER TO REMAIN.
- EXISTING SIDEWALK TO REMAIN.
- EXISTING RETAINING WALL TO REMAIN.
- EXISTING FENCING TO REMAIN.
- EXISTING PARKING TO REMAIN.
- EXISTING POWER TRANSFORMER TO REMAIN.
- NEW CMU DUMPSTER ENCLOSURE. SEE CIVIL.
- NEW 8 YARD DUMPSTER. VERIFY WITH OWNER.
- NEW ASPHALT PAVING PER CIVIL AND SOILS REPORT.
- NEW CURB AND GUTTER. SEE CIVIL.
- NEW CONCRETE SIDEWALK. SEE CIVIL.
- NEW FIRE HYDRANT. SEE CIVIL.
- NEW STORM DRAIN CURB INLET OR BOX. SEE CIVIL.
- NEW CURB INLET GRATE.
- NEW PARKING STRUCTURE.
- NEW OFFICE BUILDING.
- NEW BIKE RACK. SEE CIVIL.
- NEW LANDSCAPING. SEE LANDSCAPING SHEETS.
- NEW CONCRETE FILLED STEEL BOLLARD.
- NEW ADA COMPLIANT SIDEWALK CURB RAMP. SEE DETAILS ON SHEET AS501, AND CIVIL DRAWINGS.
- ADA PARKING SIGN. SEE DETAIL A1/AS501
- ADA VAN PARKING SIGN. SEE DETAIL A2/AS501.
- PAINTED ADA PARKING SYMBOL.
- NEW DRIVE APPROACH. SEE CIVIL DRAWINGS.
- ENTRANCE. SEE ARCHITECTURAL FLOOR PLAN. MAKE TRANSITION FLUSH.
- EXISTING FIRE HYDRANT TO REMAIN.
- NEW TRANSFORMER. SEE ELECTRICAL DRAWINGS. PROVIDE CONCRETE SLAB BASE PER REQUIREMENTS FROM POWER COMPANY.
- NEW ELECTRIC METER LOCATION. SEE ELECTRICAL DRAWINGS.
- ALL PARKING DRAIN LINES TO THIS LOCATION. VERIFY WITH MECHANICAL.
- SAND TRAP. SEE CIVIL.
- EXPANSION JOINT.
- LIGHT POLE LOCATION. SEE ELECTRICAL.
- GAS METER LOCATION. SEE MECHANICAL.
- FD (FIRE DEPARTMENT CONNECTION).
- EXISTING ELECTRONIC FREEWAY SIGN TO REMAIN.
- NEW MONUMENT SIGN BY OWNER. PROVIDE POWER AS REQUIRED.



D2 ENLARGED POOL DECK PLAN
AS401 SCALE: 1/8" = 1'-0"



NOT FOR CONSTRUCTION

GENERAL NOTES

- COORDINATE SITE PLAN WITH LANDSCAPE, ARCHITECTURAL, CIVIL, MECHANICAL, AND ELECTRICAL SITE PLAN. REPORT ANY SIGNIFICANT DISCREPANCIES TO THE ARCHITECT.
- SEE AS501 FOR SITE DETAILS.

 CURTIS MINER ARCHITECTURE 233 SOUTH PLEASANT GROVE BLVD. SUITE #105 PLEASANT GROVE, UTAH 84062 PHONE: (801) 759-3000 cma@cmautah.com	DATE: MARCH 24, 2021 PROJECT #: CMA 20-030 PROJ. MAN.: MMA CHECKED BY: CNM
	PROJECT: SOUTH HAVEN FARMS CLUBHOUSE 2100 WEST HIGHWAY 198 PAYSON, UTAH 84051 LOTS 2 AND 3
SHEET DESCRIPTION: ENLARGED POOL DECK PLAN	SHEET: AS401

PERMIT REVIEW & BID DOCUMENTS