

AGENDA

UNIFORM BUILDING CODE COMMISSION PLUMBING /HEALTH ADVISORY COMMITTEE MEETING

December 2, 2021 9:00 AM

This agenda is subject to change up to 24 hours prior to the meeting.

Anchor Location

North Conference Room
Heber M Wells Building
160 E 300 S
Salt Lake City, UT

Join with Google Meet

meet.google.com/cup-zhsw-nns

Join by phone

(US) +1 617-675-4444 PIN: 448 445 878 3293#

1. Roll call
2. Approval of the November 4, 2021 minutes
3. Review the definition for “swing connection”
4. Review current amendment for IPC Section 608.17.7
5. Do a final review of the 2021 IPC and amendments, the plumbing portion of the 2021 IRC and amendments and the 2021 ISPSC and amendments

Next Scheduled Meeting: January 6, 2022

Please call Sharon at 530-6163 or email ssmalley@utah.gov if you do not plan on attending.



In compliance with the Americans with Disabilities Act, individuals needing special accommodations (including auxiliary communicative aids and services) during this meeting should notify Dave Taylor, ADA Coordinator, at least three working days prior to the meeting. Division of Occupational and Professional Licensing, 160 East 300 South, Salt Lake City UT 84115, Phone 530-6628 or toll-free in Utah only 866-275-3675.

MINUTES

UNIFORM BUILDING CODE COMMISSION
PLUMBING /HEALTH ADVISORY COMMITTEE
MEETING

November 4, 2021 9:00

Meeting

CONVENED: 9:02

ADJOURNED: 10:53

STAFF:

Steve Duncombe, Bureau Manager
Sharon Smalley, Secretary

COMMITTEE MEMBERS:

Nathan Lunstad
Andrea Gamble
Travis Hales (absent)
Jeff Brown
Dean Johnson

Linda Ebert
Jeremy Haslam
Don Simons
Rob Allen (excused)

VISITORS:

Jessie Sharp, Logan City Water & Utah Cross Connection Commission
Gary Rager, Division of Drinking Water & Utah Cross Connection Commission
Chris Bowles,

MINUTES

A motion was made by Jeremy Haslam to approve the minutes from the October 7, 2021 meeting as written. The motion was seconded by Dean Johnson and passed unanimously.

REVIEW PROPOSED
AMENDMENT FOR
15A-3-205(10) FOR
SECTION 2910.5

The committee reviewed a possible new amendment for IPC Section 1301.5.1 and a definition for swing connection. Following the discussion, the following wording was developed: "A system that utilizes nonpotable water (i.e., pressurized irrigation) and installs a connection to the potable water system for backup must install a Reduced Pressure Principle Assembly (RP) directly downstream of the potable water connection (Stop and Waste) and install a "swing connection" directly downstream from the (RP) installed so that either the potable water system or the nonpotable water is connected