# FY 2022 Budget Proposed Budget Amendments - March 2022

# **Water Fund**

Ref	Description	Acct No	Uses	:	Soui	ces:
1W	Wells	51-80-732-00	\$	530,000		
1W	Restricted Repair and Replace Reserve	51-1107-000			\$	530,000
Allocate re	estricted funds for the Lining of the 700 East V	Nell				
2W	Trucks	51-80-761-00	\$	470,000		
2W	Appropriation from Fund Balance	51-2981-000			\$	470,000
Purchase (	of truck mounted hydro excavator to assist w	ith water line re	pairs			
3W	Operating Salaries	51-70-110-00	\$	31,000		
3W	Administrative Salaries	51-70-111-00	\$	22,000		
3W	Benefits	51-70-150-00	\$	25,000		
3W	Cash from Reserves	51-3727-000			\$	78,000
New Tech	and Admin positions. Market Adjustments					



# 700 EAST WELL LINER PROJECT

# **BIDDING DOCUMENTS**


**JANUARY 2022** 



# CITY OF SOUTH SALT LAKE

# 700 EAST WELL LINER

# **BIDDING DOCUMENTS**



**Project Engineer** 

HANSEN, ALLEN, & LUCE, INC. Engineers 859 East South Jordan Parkway Suite 200 South Jordan, Utah 84095 (801) 566-5599

COPY NO.

INSIDE COVER PAGE 00 00 01 - 1

#### **DOCUMENT 00 30 00**

# **BID SCHEDULE**

# 1.01 PROJECT IDENTIFICATION

A. Name: 700 EAST WELL LINER

B. Submitted to: City of South Salt Lake

# 1.02 BID SCHEDULE

ITEM	DESCRIPTION	EST. QUANTITY	UNIT	UNIT COST	TOTAL AMOUNT
A1	Mobilization/Demobilization	1	LS	\$42,000°	\$42,000. <del>°</del>
A2	Brush Existing Well Casing to Remove Scale	16	HRS	\$400.00/42	\$6,400.00
A3	Perform Video Well Log to Inspect Well Casing and Confirm Well Screen Locations	1	LS	·	
A4	Bail Well to Bottom	8	HRS	\$ 400. 00/142	<b>4</b> 3,200. ∞
A5	Furnish and Install 16-inch Diameter Carbon Steel Blank Casing Liner 16" O.D. x 0.25" Wall Thickness and Bottom Plate 14"	667	LF		<sup>4</sup> 112,723. <sup>∞</sup>
A6	Furnish and Install 16-inch Diameter 304 SS Screen 40 Slot Openings	260	LF	710 <sup>22</sup> /FT.	\$184,600 <del>.</del>
A7	Furnish and Install Non- Conductive Well Casing/Well Screen Isolator Centralizers	25	EA	# 1,000°	<sup>₹</sup> 25,000 <u>∞</u>
A8	Perform Video Well Log to Confirm Liner Construction	1	LS	£ 2,000. <sup>20</sup>	
A9	Furnish and Install Artificial Well Filter Behind Liner, 8-16 Silica Sand, Gillibrand or Approved Equal	36 4	CY	# 900. <sup>22</sup> /yo.	132,400 = 22,500.
A10	New Well Head Construction Including Well Liner Top Flange, New Gravel Make Up Tube and Dielectric Gasket as Shown	1	LS	\$ 20,000.°°	<sup>\$</sup> 20,0∞. <sup>∞</sup>


ITEM	DESCRIPTION	EST. QUANTITY	UNIT	UNIT COST	TOTAL AMOUNT
A11	Well Development in Screened Zones	120	HR	# 450. HR	\$54.000.
A12	Furnish, Install and Remove Test Pump Capable of 2,500 GPM from 260 Feet	1	LS	# 18,000 °E	618,000.°
A13	Test Pumping	120	Hrs	\$400.00/HQ	448,000.€
A14	Bail Well to Bottom of Well Liner	8	HRS	400 cm/He	\$ 3,200. <u>~</u>
A15	Disinfect Well	1	LS	\$ 6,500 · ∞	\$6,500.0

Bid Schedule Total \$ \$\frac{650,123.99}{560,023,99} \quad \text{\$\frac{9}{560,023,99}}

Company: _	WIDDISON TURBILE SERVICE UC.
Signed:	M. KYLE WIDDISO
	langee/ Pacture.
Date: (	4 FEB. 2022

# - END OF SECTION -

WE ACKNOWLEDGE THE DECIEPT OF ADDENDUM #1, #2, AO #3









434 E. 56th Ave. Denver, CO 80216 (303) 632-8236



# RAMVAC HX-12 Truck Mounted Hydro Excavator

#### Vacuum System:

4400 CFM Blower 8" Vacuum Hose system

18" HG vacuum rating

Cyclone Separator

Heavy Duty Final Filter Box

Vacuum Enhancer

Directional Discharge System

Hydrostatic Blower Drive via front mount chassis engine pump drive

#### Electrical:

NEMA 4 Control Panel

Wireless Remote Control

Hour Meter

#### **Debris Tank:**

12 cubic yards (2500 gl) Debris Tank

Debris Level Indicator

Hydraulic Dump, 50° Dump Angle (Cylinde

Fold Down Pipe Rack

Hydraulic Powered Open/Close Rear Door

Water System:

1300 gal Duraprolene tank capacity Hydraulic Powered Water Pump Via

Transmission PTO Drive

(0 - 10 gpm @ 2500 psi)

Water Pressure Display

400,000 BTU Water Heater

2.5" Hydrant Fill system w/ 25' hose

Air Purge Valve, Recirculation

System and Wash Station

75' of 3/8" Hose w/ retractable reel

#### Boom:

Powered boom

330° Working Radius

Boom Reach - 17' extendable to 22'

#### Compartment:

Steel shroud encloses all water components

80,000 BTU Compartment Heater

Roll Up Doors

oor Heated Equipment Locker

#### Truck:

Mounting to approved chassis

Alum Toolbox 18"x18"x30"

Alum Toolbox 18"x18"x36" driver

Alum Toolbox 18"x18"x74" passenger

Mud flaps, Bumper

LED D.O.T. approved lighting

#### **Accessories:**

(4) 8" x 6' Extension Tubes

(5) Quick Clamps 8"

(1) 8" x 6' Digging Tube

Kit, Wand, Digging, Hydro-Ex Truck

Wand, Digging, Hydro-Ex Truck

Washdown Gun Kit & Nozzle

(1) Hydrant Wrench

25' Fill Hose

(1) Paper Owner's Manual

BASE UNIT AS OUTLINED ABOVE (200" CHASSIS CT REQUIRED)	\$294,479.06 1	\$294,479.06
	PRICE OF SELECTED OPTIONS:	\$44,606.21
	LESS SOURCEWELL DISCOUNT_	\$ (10,172.56)
	NET PRICE OF UNIT	\$328,912.71
	WESTERN STAR CHASSIS	\$137,047.00
	ESTIMATED FREIGHT:	\$3,500.00
	ESTIMATED TOTAL:	\$469,459.71

#### **STANDARD OPTIONS:**

ENCLOSURE AND TOOL TRAYS:	PRICE	QTY	TOTAL
Insulation of Shrouded Compartment		1	Included
EXCAVATION SYSTEM(S) ATTACHMENTS:		-	
Vacuum Breaker Option (4400 CFM Blower Only)		1	Included
2" Water Fill 'Y' Strainer		1	Included
Debris Inlet Water Misting System		1	Included
Extensions		1	Included
Additional Extension Wand w/ high flow quick connect		2	Included
DEBRIS BOX & BOOM:		-	
Debris Body Pump Off System (3"& 500 gpm) and Accessories		1	Included
Central Lubrication System		1	Included
Liquid Level Audible Alarm (Level Adjustable)		1	Included
Boom Catwalk (Access to Entire Length of Boom, Located on Driver Side, Complete with Tether Tie-Off's)		1	Included
Decant Screen On Rear Door Port (Swing Out Perforated Shield)		1	Included
Debris Tank Bin Meter - Opens Vacuum Relief System Once Debris Tank Reaches Capacity (Requires Vacuum Relief System To Be Ordered)		1	Included
ELECTRICAL & LIGHTING:		-	
Grounding Reel (75') & Spike		1	Included
LED Strobe Light (Factory Standard)		2	Included
LED Arrow Stick (Factory Standard)		1 1	Included

Please return a signed copy to accounting@dawso	onis.com		
SIGNATURE		DATE	
Training - Customer Location (1 Day)		1	Included
USB Operator's Manual		1	Included
Additional Paper Operator's Manual	, i	1	Included
MANUALS & TRAINING:		-	
BOOM: • STD BLACK (FDG-9000)	STANDARD	1	STANDARD
DEBRIS TANK: • STERLING WHITE (FDG91327)	STANDARD	1	STANDARD
SHROUD: • STERLING WHITE (FDG91327)	STANDARD	1	STANDARD
PAINT (SHROUD & DEBRIS TANK):		-	
Six (6) 28" D.O.T. Safety Cones and Holder		1	Included
Rear Back Up Camera System with Blind Spot Cameras (includes color monitor in cab)		1	Included
Air Purge Winterizations System (Powered by Chassis)		1	Included
CHASSIS:		-	
Rear Door Work Lights (2)		1	Included
Body Mounted Work Lights (2) on Shroud		1	Included
Boom Mounted Work Lights w/ Limb Guards (2)		1	Included