



ROLL CALL VOTING:		
	YES	NO
Mayor Brent Winder (tie only)	[]	[]
Council Member Ben Hillyard	[]	[]
Council Member Dorel Kynaston	[X]	[]
Council Member Janet Lunt	[X]	[]
Council Member Kari Malkovich	[X]	[]
Council Member David Pratt	[X]	[]

I move that this Ordinance be adopted.


Council Member

I second the foregoing motion.


Council Member

Ordinance 2022- 20

An ordinance amending the sections 2.8.8 and 2.8.9 of the City Development and Construction Standards for Subdivisions

WHEREAS, the City Council of the City of Woodland Hills has the authority under Utah Code 10-3b-403 to amend the Municipal Code.

NOW THEREFORE, be it ordained by the mayor and City Council of the City of Woodland Hills that the City of Woodland Hills Development and Construction Standards for Subdivisions be amended to read:

2.8.8 - Water Meters and Service Lines


(To be provided and installed by City unless otherwise noted)

Prior to the installation of the water service line, the engineer retained by the developer shall stake out the water meter location and provide the grade at which the lid is to be set. All water service lines shall be a minimum of 1 1/2" 42 in diameter and shall start with a corporation stop at the main and shall be of type "K" copper or SDR-9 CTS 200 PSI Blue Polypropylene Pipe and meter setters of twenty-one (21) inch or taller and are braced and meet height specs in thirty-six (36) inch can with four (4) inch ring lid and shall be used and installed with the top of the setter at a depth of not less than eighteen inches and not more than twenty- two (22) inches from the lid of the meter box. Setters shall have dual check valves. Meter boxes shall be placed in the City right of way within two (2) feet of the property line. All water meter lids shall have holes for the touchpad also known as the pit-pak module. The hole shall be 1 3/4 "to 1 7/8 "in diameter. ~~No meters shall be set in sidewalks or driveways.~~ Meter boxes shall be in good repair and relatively free from obstruction to ensure ease in maintenance and reading, (not full of dirt past the base of the meter, having trash present and being badly bent to create a hazard). Damaged boxes shall be replaced. Meter boxes shall be from level to one inch high from the final grade. See detail. Water meter lids placed within the driveway or driveway approach must be 18" cast iron lids.

2.8.9 - Water Meter Standards

~~Water meters will not be placed in driveways or under sidewalks.~~ If a water meter must be moved out of a driveway, the maximum lateral movement is 24 inches. If it must be moved more than 24 inches, a new service line must be installed, and the old service lines must be shut off and abandoned.

ADOPTED by the City Council of Woodland Hills this 14th day of June 2022.


Brent Winder, Mayor

Attest:


Jody Stones, Recorder

CERTIFICATE OF POSTING ORDINANCE
For the City of Woodland Hills

I, the duly appointed and acting Recorder for the City of Woodland Hills, hereby certify that.

copies of the foregoing Ordinance No. 2022- ~~20~~ were posted at three public places within the

municipality this 15 day of June 2022 which public places are:

1. City Information Bulletin Board, 200 S. Woodland Hills Drive
2. Woodland Hills City Center, 690 S. Woodland Hills Drive
3. Woodland Hills Web Site, www.woodlandhills-ut.gov

Dated this 15 day of June 2022.


Jody Stones, Recorder