

**AMENDED INTERLOCAL AGREEMENT BETWEEN
WEBER COUNTY AND PLEASANT VIEW CITY
FOR THE USE OF SECURITY CAMERAS**

This amended Interlocal Cooperation Agreement, hereinafter "Agreement", is made and entered in accordance with Utah Code Annotated §11-13-101 et seq., 1953 as amended, commonly referred to as the Interlocal Cooperation Act, by and between Weber County, a body politic, corporate and political subdivision of the State of Utah, hereinafter "County", with its main offices located at 2380 Washington Blvd., Ogden, Utah 84401, and Pleasant View City, a municipal corporation, hereinafter "City" with its main office at 520 W Elberta Dr, Pleasant View, UT 84414.

RECITALS

WHEREAS, pursuant to Utah Code Ann. § 20A-5-403.5(1), the County's election officer is required to provide 24-hour video surveillance of each unattended ballot drop box within Weber County; and

WHEREAS, the City owns and maintains a security camera installed at 520 W Elberta Dr, Pleasant View, UT 84414 ("Security Camera"); and

WHEREAS, the County has an election ballot drop box installed at 520 W Elberta Dr, Pleasant View, UT 84414, which is located within the Security Camera's scope of view;

WHEREAS, the County desires to use the City's Security Camera to provide 24-hour video surveillance of the election ballot drop box.

NOW THEREFORE, County and City enter this agreement with the following terms and conditions;

**SECTION ONE
SERVICES PROVIDED AND CONSIDERATION**

- 1.01 The City will maintain the position of the Security Camera so that the County's ballot drop box is under 24-hour video surveillance.
- 1.02 All Security Camera recordings are considered records of The City for purposes of Utah Code Annotated, Title 63G, Chapter 2, Government Records and Access Management Act ("Act"). The City will grant the County access to the Security Camera recordings upon the County's request. Any Security Camera recording provided to the County shall be considered a shared record under Section 63G-2-206 of the Act, unless the City notifies the County in writing that such record is a public record.

- 1.03 The City will maintain ownership and control of the Security Camera and is responsible for the installation, supplies, and maintenance of the Security Camera, as well as the associated costs.
- 1.04 The City will retain the Security Camera video recordings in accordance with applicable Utah State Law and the City's own record retention policies.
- 1.05 In Consideration for the services provided by the City to the County, as described in this Agreement, the County shall provide a one-time reimbursement to the City up to \$1,624.80~~1,200~~ for a new camera, installation of a camera, moving of a camera or other applicable costs. To qualify for reimbursement, such costs must be necessary for the City to fulfill its obligations under this Agreement. The City must submit a reimbursement request to the County Clerk/Auditor by June 1st, 2022, and must include a receipt or invoice for the equipment or services that comply with this agreement.

SECTION TWO MISCELLANEOUS PROVISIONS

- 2.01 Governing Law. The provisions of this Agreement shall be governed by the laws of the State of Utah.
- 2.03 Indemnification. Both parties are governmental entities under the Governmental Immunity Act of Utah, §§ 630-7-101 to -904, as amended (the "Act"). There are no indemnity obligations between these parties. Subject to and consistent with the terms of the Act, the parties shall be liable for their own negligent acts or omissions, or those of their authorized employees, officers, and agents while engaged in the performance of the obligations under this Agreement, and neither party shall have any liability whatsoever for any negligent act or omission of the other party, its employees, officers, or agents. Neither party waives any defenses or limits of liability available under the Act and other applicable law. Both parties maintain all privileges, immunities, and other rights granted by the Act and all other applicable law.
- 2.04 Severability. The declaration by any court or any other binding legal source, that any provision of this Agreement is illegal or void, shall not affect the legality and enforceability of any other provision of this Agreement, unless the provisions are mutually dependent.
- 2.05 Term/Termination. This Agreement shall be effective upon execution of the last party to sign this Agreement. The term of this Agreement shall not exceed fifty (50) years pursuant to §11-13- 216 of the Interlocal Cooperation Act. The parties reserve the right to terminate this Agreement, in whole or in part, at any time during the term or any additional terms whenever the terminating party determines, in its sole discretion that it is in the terminating party's interest to do so. If a party elects to exercise this right, the terminating party shall provide written notice to the other party at least 30 (thirty) days

prior to the date of termination for convenience. The parties agree that termination for convenience will not be deemed a termination for default nor will it entitle either party to any rights or remedies provided by law or this Agreement for breach of contract or any other claim or cause of action.

- 2.06 Entirety. This Agreement constitutes the entire integrated understanding between the parties, and that there are no other terms, conditions, representations or understanding, whether written or oral, concerning the rights and obligations of the parties to this Agreement except as set forth in this Agreement. This Agreement may not be enlarged, modified or altered, except in writing, signed by the parties.

IN WITNESS WHEREOF, the County and the City have executed this Agreement to be effective upon proper execution by both parties.

DATED this ____ day of _____, 2022.

BOARD OF COUNTY COMMISSIONERS
OF WEBER COUNTY

By _____
Scott K. Jenkins, Chair

Commissioner Froerer voted _____
Commissioner Harvey voted _____
Commissioner Jenkins voted _____

ATTEST:

Ricky Hatch, CPA
Weber County Clerk/Auditor

Pleasant View City

By _____

Name: _____

Title: _____



Young Automotive Group
fleet@youngchev.com

Pleasant View

Prepared For: James

[Fleet] 2022 Ford F-150 (W1E) XLT 4WD SuperCrew 6.5' Box (20)



Out of Inventory Government Price \$40,471.00

Bed Liner \$500.00

Running Boards \$695.00

Total Cost - \$41,666.00

Cost on Both Trucks



[Fleet] 2022 Ford F-150 (W1E) XLT 4WD SuperCrew 6.5' Box (20) ( Complete)

Price Summary

PRICE SUMMARY

	MSRP
Base Price	\$50,800.00
Total Options	\$2,245.00
Vehicle Subtotal	\$53,045.00
Destination Charge	\$1,795.00
Grand Total	\$54,840.00

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 16888. Data Updated: Jul 7, 2022 6:51:00 PM PDT.



Young Automotive Group

fleet@youngchev.com

[Fleet] 2022 Ford F-150 (W1E) XLT 4WD SuperCrew 6.5' Box (20) ( Complete)

Selected Model and Options

MODEL

CODE	MODEL	MSRP
W1E	2022 Ford F-150 XLT 4WD SuperCrew 6.5' Box	\$50,800.00

COLORS

CODE	DESCRIPTION
M7	Carbonized Gray Metallic

ENGINE

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
998	Engine: 3.5L V6 EcoBoost -inc: auto start-stop technology	-87.00 lbs	68.00 lbs	\$740.00

TRANSMISSION

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
44G	Transmission: Electronic 10-Speed Automatic -inc: selectable drive modes: normal, ECO, sport, tow/haul, slippery, deep snow/sand and mud/rut (STD)	0.00 lbs	0.00 lbs	\$0.00

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 16888. Data Updated: Jul 7, 2022 6:51:00 PM PDT.



MSRP

Page 4



[Fleet] 2022 Ford F-150 (W1E) XLT 4WD SuperCrew 6.5' Box (20) (Complete)

301A	Equipment Group 301A Mid -inc: Class IV Trailer Hitch Receiver, towing capability up to TBD lbs, on 3.3L V6 PFDI engine (99B) and 2.7L EcoBoost engine (99P) or up to TBD lbs, on 3.5L EcoBoost engine (998) and 5.0L V8 engine (995), 7/4-pin connector, class IV trailer hitch receiver, smart trailer tow connector (BLIS w/trailer tow coverage where BLIS is available), Leather-Wrapped Steering Wheel, Dual Zone Electronic Automatic Temperature Control, SecuriCode Drivers Side Keyless-Entry Keypad, 8" Productivity Screen in Instrument Cluster, SYNC 4 w/Enhanced Voice Recognition, 8" LCD capacitive touchscreen w/swipe capability, wireless phone connection, cloud connected, AppLink w/App catalog, 911 Assist, Apple CarPlay and Android Auto compatibility, digital owners manual, conversational voice command recognition and connected navigation, Note: Navigation services require SYNC 4 and FordPass Connect (optional on select vehicles), complimentary connect service and the FordPass app (see FordPass Terms for details), Eligible vehicles receive a complimentary 90-day trial of navigation services that begins on the new vehicle warranty start date, Customers must unlock the navigation service trial by activating the eligible vehicle w/a FordPass member account, If not subscribed by the end of the complimentary period, the navigation service will terminate, Connected service and features depend on compatible AT&T network availability, Evolving technology/cellular networks/vehicle capability may limit functionality and prevent operation of connected features, FordPass App, compatible w/select smartphone platforms, is available via a download, Message and data rates may apply, Radio: AM/FM SiriusXM w/360L, 7 speakers and a three (3)-month prepaid subscription, Service is not available in Alaska and Hawaii Trial length and service availability may vary by model, model year or trim, Details: SiriusXM audio and data services each require a subscription sold separately, or as a package, by Sirius XM Radio Inc, Your SiriusXM service will automatically stop at the end of your trial unless you decide to subscribe, If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then- current rates, Fees and taxes apply, To cancel you must call SiriusXM at 1-866-635-2349, See SiriusXM Customer Agreement for complete terms at www.siriusxm.com, All fees and programming subject to change, Not all vehicles or devices are capable of receiving all services offered by SiriusXM, Current information and features may not be available in all locations, or on all receivers, Satellite and streaming lineups vary slightly, 2020 Sirius XM Radio Inc, Sirius, XM, SiriusXM and all related marks and logos are trademarks of Sirius XM Radio Inc, 8-Way Power Driver's Seat w/Power Lumbar, Auto-Dimming Rearview Mirror, Rear Under-Seat Storage *GROSS*	5.00 lbs	4.00 lbs	\$2,230.00
------	---	----------	----------	------------

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 16888. Data Updated: Jul 7, 2022 6:51:00 PM PDT.



Young Automotive Group

fleet@youngchev.com

[Fleet] 2022 Ford F-150 (W1E) XLT 4WD SuperCrew 6.5' Box (20) (Complete)

AXLE RATIO

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
X27	3.31 Axle Ratio (STD)	0.00 lbs	0.00 lbs	\$0.00

WHEELS

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
64F	Wheels: 17" Silver Painted Aluminum (STD)	0.00 lbs	0.00 lbs	\$0.00

TIRES

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
—	Tires: 265/70R17 BSW A/T (STD)	0.00 lbs	0.00 lbs	\$0.00

PAINT SCHEME

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
—	Monotone Paint Application	0.00 lbs	0.00 lbs	\$0.00

PRIMARY PAINT

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
M7	Carbonized Gray Metallic	0.00 lbs	0.00 lbs	\$0.00

SEAT TYPE

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
MS	Black w/Medium Dark Slate, Cloth 40/20/40 Front Seat -inc: manual driver/passenger lumbar, folding armrest cupholders and storage	0.00 lbs	0.00 lbs	\$0.00

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 16888. Data Updated: Jul 7, 2022 6:51:00 PM PDT.



Young Automotive Group

fleet@youngchev.com

[Fleet] 2022 Ford F-150 (W1E) XLT 4WD SuperCrew 6.5' Box (20) ( Complete)

ADDITIONAL EQUIPMENT - MECHANICAL

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
53B	Class IV Trailer Hitch Receiver -inc: towing capability up to TBD lbs, on 3.3L V6 PFDI engine (99B) and 2.7L EcoBoost engine (99P) or up to TBD lbs, on 3.5L EcoBoost engine (998) and 5.0L V8 engine (995), 7/4-pin connector, class IV trailer hitch receiver, smart trailer tow connector (BLIS w/trailer tow coverage where BLIS is available)	0.00 lbs	0.00 lbs	Inc.
67T	Integrated Trailer Brake Controller	0.00 lbs	0.00 lbs	\$275.00

ADDITIONAL EQUIPMENT - INTERIOR

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
47R	Tray Style Floor Liner	0.00 lbs	0.00 lbs	\$200.00
50X	Connected Navigation & SiriusXM w/360L Removal *CREDIT*	0.00 lbs	0.00 lbs	(\$200.00)
61K	SecuriCode Drivers Side Keyless-Entry Keypad	0.00 lbs	0.00 lbs	Inc.

ADDITIONAL EQUIPMENT - OTHER

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
—	Equipment Group 301A Mid savings *DISCOUNT*	0.00 lbs	0.00 lbs	(\$1,000.00)
Options Total		-82.00 lbs	72.00 lbs	\$2,245.00

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 16888. Data Updated: Jul 7, 2022 6:51:00 PM PDT.



Young Automotive Group

fleet@youngchev.com

[Fleet] 2022 Ford F-150 (W1E) XLT 4WD SuperCrew 6.5' Box (Complete)

Window Sticker

SUMMARY

[Fleet] 2022 Ford F-150 (W1E) XLT 4WD SuperCrew 6.5' Box

MSRP:\$50,800.00

Interior:Black w/Medium Dark Slate, Cloth 40/20/40 Front Seat

Exterior 1:Carbonized Gray Metallic

Exterior 2:No color has been selected.

Engine: 3.5L V6 EcoBoost

Transmission: Electronic 10-Speed Automatic

OPTIONS

CODE	MODEL	MSRP
W1E	[Fleet] 2022 Ford F-150 (W1E) XLT 4WD SuperCrew 6.5' Box	\$50,800.00
OPTIONS		
301A	Equipment Group 301A Mid	\$2,230.00
44G	Transmission: Electronic 10-Speed Automatic	\$0.00
47R	Tray Style Floor Liner	\$200.00
50X	Connected Navigation & SiriusXM w/360L Removal	(\$200.00)
53B	Class IV Trailer Hitch Receiver	Inc.
61K	SecuriCode Drivers Side Keyless-Entry Keypad	Inc.
64F	Wheels: 17" Silver Painted Aluminum	\$0.00
67T	Integrated Trailer Brake Controller	\$275.00
998	Engine: 3.5L V6 EcoBoost	\$740.00
M7	Carbonized Gray Metallic	\$0.00
MS	Black w/Medium Dark Slate, Cloth 40/20/40 Front Seat	\$0.00
X27	3.31 Axle Ratio	\$0.00
—	Tires: 265/70R17 BSW A/T	\$0.00
—	Monotone Paint Application	\$0.00
—	Equipment Group 301A Mid savings	(\$1,000.00)
SUBTOTAL		\$53,045.00
Adjustments Total		\$0.00
Destination Charge		\$1,795.00

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 16888. Data Updated: Jul 7, 2022 6:51:00 PM PDT.



[Fleet] 2022 Ford F-150 (W1E) XLT 4WD SuperCrew 6.5' Box (20) ( Complete)

TOTAL PRICE \$54,840.00

FUEL ECONOMY

Est City:18 MPG
Est Highway:23 MPG
Est Highway Cruising Range:598.00 mi

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 16888. Data Updated: Jul 7, 2022 6:51:00 PM PDT.



Young Automotive Group
fleet@youngchev.com

Pleasant View City

[Fleet] 2022 Ford F-150 (F1E) XL 4WD Reg Cab 6.5' Box (2)



State Contract Order Price \$34,985.00

State Contract #MA3800

This will be a 2023 build Price is correct and there will be no price difference



Young Automotive Group

fleet@youngchev.com

[Fleet] 2022 Ford F-150 (F1E) XL 4WD Reg Cab 6.5' Box (2) ( Complete)

Selected Model and Options

MODEL

CODE	MODEL	MSRP
F1E	2022 Ford F-150 XL 4WD Reg Cab 6.5' Box	\$34,285.00

COLORS

CODE	DESCRIPTION
HX	Antimatter Blue Metallic

ENGINE

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
99B	Engine: 3.3L V6 PFDI -inc: auto start-stop technology and flex-fuel capability (STD)	0.00 lbs	0.00 lbs	\$0.00

TRANSMISSION

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
44G	Transmission: Electronic 10-Speed Automatic -inc: selectable drive modes: normal, ECO, sport, tow/haul, slippery, deep snow/sand and mud/rut (STD)	0.00 lbs	0.00 lbs	\$0.00

OPTION PACKAGE

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
101A	Equipment Group 101A High -inc: Reverse Sensing System, XL Power Equipment Group, Power Door Locks, flip key and integrated key transmitter keyless-entry (includes Autolock), MyKey, Power Glass Sideview Mirrors w/Black Skull Caps, heat and manual-folding, Power Front Windows, Power Tailgate Lock, Illuminated Entry, Perimeter Alarm, Cruise Control *GROSS*	0.00 lbs	0.00 lbs	\$2,080.00

AXLE RATIO

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
X19	3.55 Axle Ratio (STD)	0.00 lbs	0.00 lbs	\$0.00

 At the user's request, prices for this vehicle have been formulated on the basis of Initial Pricing for the vehicle, however GM cannot guarantee that Initial Pricing is available. This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17028. Data Updated: Jul 24, 2022 6:55:00 PM PDT.



Young Automotive Group

fleet@youngchev.com

[Fleet] 2022 Ford F-150 (F1E) XL 4WD Reg Cab 6.5' Box (2) (Complete)

WHEELS

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
64F	Wheels: 17" Silver Painted Aluminum	-10.00 lbs	-9.00 lbs	Inc.

TIRES

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
—	Tires: 265/70R17 BSW A/T (STD)	0.00 lbs	0.00 lbs	\$0.00

PRIMARY PAINT

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
HX	Antimatter Blue Metallic	0.00 lbs	0.00 lbs	\$0.00

SEAT TYPE

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
AS	Black w/Medium Dark Slate, Vinyl 40/20/40 Front Seat	0.00 lbs	0.00 lbs	\$0.00

ADDITIONAL EQUIPMENT - PACKAGE

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
85A	XL Power Equipment Group -inc: Power Door Locks, flip key and integrated key transmitter keyless-entry (includes Autolock), MyKey, Power Glass Sideview Mirrors w/Black Skull Caps, heat and manual-folding, Power Front Windows, Power Tailgate Lock, Illuminated Entry, Perimeter Alarm *GROSS*	0.00 lbs	0.00 lbs	Inc.
86A	XL Chrome Appearance Package -inc: Wheels: 17" Silver Painted Aluminum, Chrome Front & Rear Bumpers *GROSS*	0.00 lbs	0.00 lbs	\$895.00

At the user's request, prices for this vehicle have been formulated on the basis of Initial Pricing for the vehicle, however GM cannot guarantee that Initial Pricing is available. This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17028. Data Updated: Jul 24, 2022 6:55:00 PM PDT.



Young Automotive Group

fleet@youngchev.com

[Fleet] 2022 Ford F-150 (F1E) XL 4WD Reg Cab 6.5' Box (2) (Complete)

ADDITIONAL EQUIPMENT - EXTERIOR

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
17C	Chrome Front & Rear Bumpers	0.00 lbs	0.00 lbs	Inc.
18B	Black Platform Running Boards	14.00 lbs	11.00 lbs	\$250.00
595	Fog Lamps	-4.00 lbs	1.00 lbs	Inc.
96W	Tough Bed Spray-In Bedliner	0.00 lbs	0.00 lbs	\$595.00

ADDITIONAL EQUIPMENT - INTERIOR

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
50M	Interior Work Surface	0.00 lbs	0.00 lbs	\$195.00
50S	Cruise Control	0.00 lbs	0.00 lbs	Inc.
76R	Reverse Sensing System	0.00 lbs	0.00 lbs	Inc.

ADDITIONAL EQUIPMENT - OTHER

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
—	Equipment Group 101A High savings *DISCOUNT*	0.00 lbs	0.00 lbs	(\$750.00)
—	XL Chrome Appearance Package savings *DISCOUNT*	0.00 lbs	0.00 lbs	(\$500.00)
Options Total		0.00 lbs	3.00 lbs	\$2,765.00

At the user's request, prices for this vehicle have been formulated on the basis of Initial Pricing for the vehicle, however GM cannot guarantee that Initial Pricing is available. This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17028. Data Updated: Jul 24, 2022 6:55:00 PM PDT.



[Fleet] 2022 Ford F-150 (F1E) XL 4WD Reg Cab 6.5' Box (2) (Complete)

Window Sticker

SUMMARY

[Fleet] 2022 Ford F-150 (F1E) XL 4WD Reg Cab 6.5' Box	MSRP:\$34,285.00
Interior:Black w/Medium Dark Slate, Vinyl 40/20/40 Front Seat	
Exterior 1:Antimatter Blue Metallic	
Exterior 2:No color has been selected.	
Engine: 3.3L V6 PFDI	
Transmission: Electronic 10-Speed Automatic	

OPTIONS

CODE	MODEL	MSRP
F1E	[Fleet] 2022 Ford F-150 (F1E) XL 4WD Reg Cab 6.5' Box	\$34,285.00
OPTIONS		
101A	Equipment Group 101A High	\$2,080.00
17C	Chrome Front & Rear Bumpers	Inc.
18B	Black Platform Running Boards	\$250.00
44G	Transmission: Electronic 10-Speed Automatic	\$0.00
50M	Interior Work Surface	\$195.00
50S	Cruise Control	Inc.
595	Fog Lamps	Inc.
64F	Wheels: 17" Silver Painted Aluminum	Inc.
76R	Reverse Sensing System	Inc.
85A	XL Power Equipment Group	Inc.
86A	XL Chrome Appearance Package	\$895.00
96W	Tough Bed Spray-In Bedliner	\$595.00
99B	Engine: 3.3L V6 PFDI	\$0.00
AS	Black w/Medium Dark Slate, Vinyl 40/20/40 Front Seat	\$0.00
HX	Antimatter Blue Metallic	\$0.00
X19	3.55 Axle Ratio	\$0.00
—	Tires: 265/70R17 BSW A/T	\$0.00

At the user's request, prices for this vehicle have been formulated on the basis of Initial Pricing for the vehicle, however GM cannot guarantee that Initial Pricing is available. This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 17028. Data Updated: Jul 24, 2022 6:55:00 PM PDT.



[Fleet] 2022 Ford F-150 (F1E) XL 4WD Reg Cab 6.5' Box (2) (Complete)

—	Equipment Group 101A High savings	(\$750.00)
—	XL Chrome Appearance Package savings	(\$500.00)
SUBTOTAL		\$37,050.00
	Adjustments Total	\$0.00
	Destination Charge	\$1,695.00
	TOTAL PRICE	\$38,745.00

FUEL ECONOMY

Est City:19 MPG
Est Highway:22 MPG
Est Highway Cruising Range:506.00 mi

At the user's request, prices for this vehicle have been formulated on the basis of Initial Pricing for the vehicle, however GM cannot guarantee that Initial Pricing is available. This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 17028. Data Updated: Jul 24, 2022 6:55:00 PM PDT.



**TURF EQUIPMENT
& IRRIGATION^{INC}**

Turf Equipment & Irrigation, Inc.
1630 S. Gladiola St. SLC, UT 84104
P.O. Box 26903 SLC, UT 84126-0903
(801) 566-3256

Prepared by:
Austin Petterborg
Commercial Sales
+1 2083514346
austin.petterborg@turfequip.com

Proposal Date: 2022-07-06
Expiration Date: 2022-08-08
Quote ID: Q109360



Tyson Jackson or Bob Shriber
Pleasant View City

UTAH STATE CONTRACT MA2188

All pricing is subject to change without notice.

Availability and time of delivery may vary; please allow 12-15 months for most items.

<u>Qty</u>	<u>Model #</u>	<u>Name</u>	<u>Award</u>	<u>Ext. Award</u>
1	30609	Groundsmaster 4000-D (T4)	\$90,339.16	\$90,339.16
1	108-1450	Atomic Blade Service Pack (7 Blades, 21.75 Inch)	\$171.14	\$171.14
1	30669	Universal Sunshade, White	\$800.35	\$800.35
1	44967	MVP Kit 1000 Hour (PX Hydraulic Fluid - September 12, 2018 And Up)	\$367.75	\$367.75
1	03248	Universal Sunshade Switch Panel	\$256.65	\$256.65
1	31522	4WD Flow Divider Kit	\$524.24	\$524.24
1	03247	Operator Cooling Fan	\$290.71	\$290.71
				\$92,750.00

Equipment Total: \$92,750.00

Does not include Sales Tax, Use Tax, or Personal Property Tax



Pleasant View City
 Attn. Tyson Jackson
 520 Elberta Drive
 Pleasant View, UT 84414
 (801) 668-6989
 tjackson@pleasantviewcity.com

Date: July 20, 2022
 Bid #: UT87281UM

Full Risk Assessment

Precision Concrete Cutting
 3191 North Canyon Rd
 Provo, Utah 84604
 (801) 224-0025 - phone
 (801) 855-7150 - fax
 Federal ID #: 04-3800739
Andi Faulkner
 (801) 310-5101 - cell

Total Ln. Ft.
999.5

Total In. Ft.
521.056

PRECISION CONCRETE CUTTING						
No.	Size	Size	Lineal Feet	Location	Map Pin	Inch Feet
1	0.625	0.250	4.000	2710 N Parkland Blvd		1.750
2	0.750	0.250	4.000	2710 N Parkland Blvd		2.000
3	**Suggested for Replacement			2710 N Parkland Blvd	Cracks	-
4	**Suggested for Replacement			2710 N Parkland Blvd	Cracks	-
5	**Suggested for Replacement			2710 N Parkland Blvd	Cracks	-
6	0.875	1.000	4.500	2710 N Parkland Blvd		4.219
7	0.750	0.375	4.000	2711 N Parkland Blvd		2.250
8	0.875	0.250	9.500	3121 N 1375 W	Handicap Ramp	5.344
9	0.500	0.000	4.000	3121 N 1375 W	Cross Cut	1.000
10	**Suggested for Replacement			3121 N 1375 W	Cracks	-
11	0.500	0.000	4.000	3121 N 1375 W	Cross Cut	1.000
13	0.500	0.000	4.000	2892 N 1000 W	Cross Cut	1.000
14	0.500	0.250	4.000	1003 W Park Springs Cir		1.500
15	0.500	0.125	7.000	1001 W Park Springs Cir	Handicap Ramp	2.188
16	**Suggested for Replacement			1004 W Park Springs Cir handicap ramp	Cracks	-
17	0.625	0.000	4.000	1004 W Park Springs Cir	Cross Cut	1.250
18	1.000	0.000	4.000	1004 W Park Springs Cir	Cross Cut	2.000
19	0.625	0.000	4.000	1004 W Park Springs Cir	Cross Cut	1.250
20	0.750	0.000	4.000	1004 W Park Springs Cir	Cross Cut	1.500
21	**Suggested for Replacement			1004 W Park Springs Cir	Out Of Spec	-
23	0.750	0.000	4.000	1006 W Park Springs Cir recut	Cross Cut	1.500
24	1.250	0.000	4.000	1006 W Park Springs Cir recut	Cross Cut	2.500
25	2.000	0.000	4.000	1006 W Park Springs Cir recut	Cross Cut	4.000
26	**Suggested for Replacement			3011 N 1000 W	Out Of Spec	-
27	**Suggested for Replacement			3069 N 1000 W	Cracks	-
28	0.500	0.000	4.000	3171 N 1000 W	Cross Cut	1.000
29	1.000	0.000	4.000	3171 N 1000 W	Cross Cut	2.000
30	0.750	0.000	4.000	3171 N 1000 W	Cross Cut	1.500
31	0.750	0.500	4.000	3171 N 1000 W		2.500
32	0.750	0.000	4.000	3171 N 1000 W	Cross Cut	1.500
33	0.625	0.000	4.000	3171 N 1000 W	Cross Cut	1.250
34	0.625	0.250	4.000	3223 N 850 W		1.750

35	1.875	0.000	4.000	3223 N 850 W	Cross Cut	3.750
36	1.125	0.000	4.000	3223 N 850 W	Cross Cut	2.250
37	0.500	0.000	4.000	3223 N 850 W	Cross Cut	1.000
38	0.875	0.000	4.000	3223 N 850 W recut	Cross Cut	1.750
39	0.875	0.125	4.000	3223 N 850 W		2.000
40	0.500	0.375	4.000	3223 N 850 W		1.750
41	0.500	0.000	4.000	3223 N 850 W	Cross Cut	1.000
42	1.125	0.125	7.000	3223 N 850 W		4.375
43	0.500	0.125	4.000	3223 N 850 W		1.250
44	0.625	0.125	4.000	3223 N 850 W		1.500
45	0.500	0.375	4.000	3223 N 850 W		1.750
46	0.625	0.500	4.000	881 W 3225 N		2.250
47	0.750	0.000	4.000	3189 N 825 W	Cross Cut	1.500
48	0.625	0.000	4.000	3189 N 825 W	Cross Cut	1.250
49	1.000	0.500	4.000	3189 N 825 W		3.000
50	**Suggested for Replacement			3189 N 825 W	Cracks	-
51	0.625	0.000	4.000	3141 N 700 W	Cross Cut	1.250
52	**Suggested for Replacement			3141 N 700 W	Out Of Spec	-
53	0.875	0.000	4.000	3141 N 700 W	Cross Cut	1.750
54	1.125	0.750	4.000	3141 N 700 W		3.750
55	0.625	0.250	4.000	3141 N 700 W		1.750
56	1.500	0.000	4.000	3141 N 700 W	Cross Cut	3.000
57	1.500	0.000	4.000	3141 N 700 W	Cross Cut	3.000
58	0.500	0.000	4.000	3307 N 700 W	Cross Cut	1.000
59	0.500	0.000	4.000	3307 N 700 W		1.000
60	0.750	0.000	4.000	3307 N 700 W	Cross Cut	1.500
61	0.500	0.000	4.000	3307 N 700 W		1.000
62	**Suggested for Replacement			701 W Pleasant View Dr	Out Of Spec	-
63	0.500	0.375	4.000	3518 N 575 W		1.750
64	**Suggested for Replacement			3518 N 575 W	Cracks	-
65	0.500	0.000	4.000	3518 N 575 W	Cross Cut	1.000
66	0.625	0.000	2.000	3518 N 575 W		0.625
67	0.500	0.000	2.000	3518 N 575 W		0.500
68	0.750	0.250	4.000	3518 N 575 W		2.000
69	0.500	0.125	4.000	3518 N 575 W		1.250
70	0.500	0.250	4.000	3518 N 575 W		1.500
71	1.875	0.000	4.000	555 W 3000 N	Cross Cut	3.750
72	0.875	0.000	4.000	555 W 3000 N		1.750
73	1.750	0.000	4.000	555 W 3000 N	Cross Cut	3.500
74	1.500	0.000	4.000	555 W 3000 N	Cross Cut	3.000
75	1.000	0.250	4.000	541 W 3000 N		2.500
76	**Suggested for Replacement			541 W 3000 N	Cracks	-
77	0.750	0.375	4.000	3004 N 550 W		2.250
78	0.500	0.000	4.000	3004 N 550 W	Cross Cut	1.000
79	0.500	0.000	4.500	3004 N 550 W	Handicap Ramp	1.125
80	0.750	0.000	4.500	3004 N 550 W		1.688
81	1.000	0.625	4.000	3004 N 550 W		3.250
82	0.625	0.000	4.000	3004 N 550 W	Cross Cut	1.250

83	**Suggested for Replacement			3004 N 550 W	Out Of Spec	-
84	1.750	0.750	4.000	3073 N 550 W		5.000
85	1.250	0.625	4.000	3073 N 550 W		3.750
86	0.500	0.250	4.000	3090 N 550 W		1.500
87	1.125	1.125	4.000	3090 N 550 W		4.500
88	0.500	0.125	4.000	3090 N 550 W		1.250
89	1.250	1.000	4.000	3141 N 550 W		4.500
90	1.250	0.750	4.000	3141 N 550 W		4.000
91	1.250	0.500	4.000	3141 N 550 W		3.500
92	0.750	0.000	4.000	3157 N 550 W	Cross Cut	1.500
93	1.375	1.375	4.000	3157 N 550 W		5.500
94	0.750	0.000	4.000	3157 N 550 W	Cross Cut	1.500
95	0.500	0.250	4.000	3247 N 550 W		1.500
96	0.750	0.000	4.000	3247 N 550 W	Cross Cut	1.500
97	0.500	0.000	4.000	3247 N 550 W	Cross Cut	1.000
98	1.250	0.625	4.000	3247 N 550 W		3.750
99	0.750	0.000	4.000	3247 N 550 W	Cross Cut	1.500
100	2.000	0.375	4.000	3247 N 550 W		4.750
101	0.500	0.250	7.000	3247 N 550 W	Handicap Ramp	2.625
102	0.500	0.000	4.000	3247 N 550 W		1.000
103	0.500	0.000	4.000	3247 N 550 W	Cross Cut	1.000
104	0.750	0.000	4.000	3247 N 550 W	Cross Cut	1.500
105	1.125	0.000	4.000	3247 N 550 W	Cross Cut	2.250
106	0.500	0.250	4.000	3247 N 550 W		1.500
107	1.000	0.000	4.000	3247 N 550 W	Cross Cut	2.000
108	1.125	0.000	4.000	3247 N 550 W	Cross Cut	2.250
109	0.625	0.000	4.000	3247 N 550 W	Cross Cut	1.250
110	1.250	0.625	4.000	405 W Elberta Dr		3.750
111	1.000	0.000	4.000	405 W Elberta Dr		2.000
112	1.625	0.375	6.500	405 W Elberta Dr		6.500
113	1.750	0.875	4.000	405 W Elberta Dr		5.250
114	0.625	0.000	4.000	405 W Elberta Dr	Cross Cut	1.250
115	0.875	0.375	7.000	390 W Elberta Dr		4.375
116	0.500	0.375	4.000	390 W Elberta Dr		1.750
117	1.125	0.875	4.000	390 W Elberta Dr		4.000
118	0.875	0.000	4.000	390 W Elberta Dr		1.750
119	**Suggested for Replacement			390 W Elberta Dr	Cracks	-
120	**Suggested for Replacement			390 W Elberta Dr	Cracks	-
121	0.500	0.000	4.000	362 W Elberta Dr	Cross Cut	1.000
122	0.875	0.250	4.000	362 W Elberta Dr		2.250
123	0.500	0.125	4.000	362 W Elberta Dr		1.250
124	**Suggested for Replacement			362 W Elberta Dr	Out Of Spec	-
125	0.500	0.000	3.500	362 W Elberta Dr		0.875
126	**Suggested for Replacement			268 W Elberta Dr	Cracks	-
127	1.000	0.500	4.000	3333 N 300 W		3.000
128	1.125	0.750	4.000	3333 N 300 W		3.750
129	0.875	0.000	4.000	3333 N 300 W		1.750
130	0.500	0.000	4.000	3333 N 300 W	Cross Cut	1.000

131	0.625	0.000	4.000	3333 N 300 W	Cross Cut	1.250
132	1.875	1.125	4.000	3333 N 300 W		6.000
133	0.500	0.000	6.000	3333 N 300 W	Handicap Ramp	1.500
134	1.000	0.125	4.000	3333 N 300 W		2.250
135	1.250	1.125	4.000	3333 N 300 W		4.750
136	0.625	0.250	4.000	3333 N 300 W		1.750
137	0.500	0.000	3.000	318 W 3350 N		0.750
138	0.500	0.375	4.000	327 W 3350 N		1.750
139	0.750	0.125	4.000	327 W 3350 N		1.750
140	0.875	0.375	4.000	378 W 3450 N		2.500
141	0.625	0.250	4.000	378 W 3450 N		1.750
142	0.625	0.000	4.000	378 W 3450 N	Cross Cut	1.250
143	**Suggested for Replacement			366 W 3450 N	Cracks	-
144	**Suggested for Replacement			366 W 3450 N	Cracks	-
145	0.875	0.375	4.000	342 W 3450 N		2.500
146	0.500	0.375	4.000	342 W 3450 N		1.750
147	0.500	0.000	4.000	342 W 3450 N	Cross Cut	1.000
148	0.500	0.000	4.000	342 W 3450 N	Cross Cut	1.000
149	0.875	0.000	4.000	342 W 3450 N	Cross Cut	1.750
150	0.750	0.500	4.000	3474 N 300 W		2.500
151	**Suggested for Replacement			3475 N 300 W	Out Of Spec	-
152	0.500	0.125	4.000	298 W 3450 N		1.250
153	2.000	1.000	4.000	298 W 3450 N		6.000
154	0.500	0.000	6.500	298 W 3450 N	Handicap Ramp	1.625
155	1.750	1.500	4.000	298 W 3450 N		6.500
156	0.750	0.000	3.000	298 W 3450 N		1.125
157	0.750	0.125	4.000	298 W 3450 N		1.750
158	1.375	0.750	4.000	298 W 3450 N		4.250
159	0.500	0.250	4.000	298 W 3450 N		1.500
160	0.625	0.250	4.000	298 W 3450 N		1.750
161	0.625	0.125	4.000	228 W 3450 N		1.500
162	0.750	0.000	4.000	228 W 3450 N	Cross Cut	1.500
163	1.375	1.250	4.000	228 W 3450 N		5.250
164	0.750	0.375	4.000	228 W 3450 N		2.250
165	0.500	0.000	4.000	216 W 3450 N	Cross Cut	1.000
166	1.500	0.500	4.000	216 W 3450 N		4.000
167	1.375	0.875	4.000	216 W 3450 N		4.500
168	0.750	0.000	4.000	216 W 3450 N	Cross Cut	1.500
169	**Suggested for Replacement			216 W 3450 N	Cracks	-
170	0.750	0.000	4.000	630 W 3650 N	Cross Cut	1.500
171	1.125	0.000	4.000	630 W 3650 N	Cross Cut	2.250
172	0.500	0.000	4.000	630 W 3650 N		1.000
173	**Suggested for Replacement			630 W 3650 N	Cracks	-
174	0.625	0.000	4.000	630 W 3650 N	Cross Cut	1.250
175	**Suggested for Replacement			596 W 3750 N curb cut	Out Of Spec	-
176	1.875	0.000	4.000	577 W 3750 N		3.750
177	0.625	0.125	4.000	577 W 3750 N		1.500
178	0.625	0.000	2.500	577 W 3750 N		0.781



179	1.875	1.125	4.000	525 W 3750 N		6.000
180	0.500	0.000	4.000	525 W 3750 N		1.000
181	0.500	0.375	4.000	525 W 3750 N		1.750
182	0.875	0.250	4.000	525 W 3750 N		2.250
183	0.750	0.500	4.000	525 W 3750 N		2.500
184	1.000	0.000	4.000	554 W 3750 N	Cross Cut	2.000
185	0.875	0.000	4.000	554 W 3750 N	Cross Cut	1.750
186	0.625	0.375	4.000	554 W 3750 N		2.000
187	1.375	0.000	4.000	554 W 3750 N		2.750
188	0.625	0.000	4.000	554 W 3750 N	Cross Cut	1.250
189	0.750	0.625	6.000	554 W 3750 N		4.125
190	1.500	0.000	4.000	554 W 3750 N	Cross Cut	3.000
191	1.375	0.375	4.000	554 W 3750 N		3.500
192	0.500	0.000	4.000	554 W 3750 N	Cross Cut	1.000
193	0.625	0.000	4.000	554 W 3750 N		1.250
194	1.000	0.000	4.000	3760 N 550 W	Cross Cut	2.000
195	**Suggested for Replacement			3760 N 550 W	Out Of Spec	-
196	1.750	0.000	4.000	3760 N 550 W	Cross Cut	3.500
197	1.125	0.000	4.000	3760 N 550 W	Cross Cut	2.250
198	0.500	0.250	4.000	3760 N 550 W		1.500
199	0.625	0.375	4.000	3760 N 550 W		2.000
200	0.625	0.000	4.000	3760 N 550 W	Cross Cut	1.250
201	0.750	0.125	4.000	3760 N 550 W		1.750
202	0.750	0.250	4.000	3760 N 550 W		2.000
203	**Suggested for Replacement			535 W 3850 N	Out Of Spec	-
204	0.500	0.000	4.000	535 W 3850 N	Cross Cut	1.000
205	0.500	0.250	4.000	535 W 3850 N		1.500
206	0.625	0.125	4.000	535 W 3850 N		1.500
207	1.125	0.000	4.000	535 W 3850 N	Cross Cut	2.250
208	1.500	1.250	4.000	584 W 3850 N		5.500
209	0.500	0.000	4.000	584 W 3850 N	Cross Cut	1.000
210	1.375	0.000	4.000	584 W 3850 N	Cross Cut	2.750
211	1.500	0.000	4.000	584 W 3850 N	Cross Cut	3.000
212	0.625	0.500	4.000	301 W 3925 N		2.250
213	1.250	0.000	4.000	301 W 3925 N	Cross Cut	2.500
214	0.625	0.125	4.000	301 W 3925 N		1.500
215	0.500	0.250	4.000	301 W 3925 N		1.500
216	0.500	0.000	4.000	301 W 3925 N	Cross Cut	1.000
217	0.500	0.250	4.000	301 W 3925 N		1.500
218	1.000	0.000	4.000	331 W 3925 N		2.000
219	**Suggested for Replacement			331 W 3925 N	Out Of Spec	-
220	0.750	0.375	4.000	465 W 3925 N		2.250
221	0.750	0.000	4.000	475 W 3925 N	Cross Cut	1.500
222	0.500	0.000	2.500	475 W 3925 N		0.625
223	0.500	0.000	3.500	475 W 3925 N		0.875
224	0.875	0.000	4.000	475 W 3925 N	Cross Cut	1.750
225	0.500	0.125	4.000	475 W 3925 N		1.250
226	0.500	0.000	4.000	475 W 3925 N	Cross Cut	1.000


227	0.500	0.000	4.000	475 W 3925 N	Cross Cut	1.000
228	**Suggested for Replacement			475 W 3925 N	Cracks	-
229	0.750	0.125	4.000	498 W 3950 N		1.750
230	0.750	0.000	4.000	498 W 3950 N	Cross Cut	1.500
231	0.500	0.250	4.000	498 W 3950 N		1.500
232	0.750	0.000	3.000	498 W 3950 N		1.125
233	0.625	0.000	4.500	498 W 3950 N	Handicap Ramp	1.406
234	0.875	0.625	4.000	498 W 3950 N		3.000
235	0.500	0.125	4.000	498 W 3950 N		1.250
236	0.875	0.375	4.000	498 W 3950 N		2.500
237	0.500	0.500	4.000	498 W 3950 N		2.000
238	0.500	0.250	4.000	498 W 3950 N		1.500
239	**Suggested for Replacement			541 W 3950 N	Cracks	-
240	0.625	0.000	4.000	541 W 3950 N wooden spacer		1.250
241	0.625	0.125	4.000	541 W 3950 N		1.500
242	0.500	0.000	4.000	541 W 3950 N	Cross Cut	1.000
243	**Suggested for Replacement			541 W 3950 N	Cracks	-
244	**Suggested for Replacement			541 W 3950 N	Cracks	-
245	**Suggested for Replacement			3958 N 550 W	Out Of Spec	-
246	**Suggested for Replacement			3972 N 550 W	Out Of Spec	-
247	0.500	0.000	4.000	3972 N 550 W recut	Cross Cut	1.000
250	0.500	0.250	4.000	3972 N 550 W		1.500
251	0.500	0.380	4.000	3972 N 550 W		1.760
252	0.750	0.000	4.000	3972 N 550 W	Cross Cut	1.500
253	0.630	0.250	4.000	3972 N 550 W		1.760
254	0.630	0.000	4.000	3972 N 550 W	Cross Cut	1.260
255	1.500	0.000	4.000	3980 N 550 W		3.000
256	0.500	0.000	4.000	3980 N 550 W	Cross Cut	1.000
257	1.750	1.500	4.000	3980 N 550 W		6.500
258	0.880	0.130	4.000	3980 N 550 W		2.020
259	**Suggested for Replacement			3980 N 550 W	Cracks	-
260	0.500	0.000	4.000	3980 N 550 W		1.000
261	0.500	0.000	4.000	4028 N 550 W		1.000
262	0.750	0.750	4.000	4028 N 550 W		3.000
263	0.500	0.380	4.000	4028 N 550 W		1.760
264	0.500	0.000	3.500	4028 N 550 W		0.875
265	0.880	0.630	4.000	4028 N 550 W		3.020
266	1.250	0.500	4.000	4028 N 550 W		3.500
267	**Suggested for Replacement			3475 N 300 W	Out Of Spec	-
268	0.630	0.380	4.000	3475 N 300 W		2.020
269	0.500	0.000	4.000	3475 N 300 W	Cross Cut	1.000
270	0.630	0.250	4.000	3475 N 300 W		1.760
271	0.880	0.380	4.000	3475 N 300 W		2.520
272	0.500	0.000	4.000	3475 N 300 W	Cross Cut	1.000
273	1.000	0.880	4.000	128 W 4300 N		3.760
274	0.500	0.000	4.000	128 W 4300 N	Cross Cut	1.000
275	0.630	0.000	4.000	128 W 4300 N	Cross Cut	1.260
276	1.000	0.630	4.000	128 W 4300 N		3.260
277	0.500	0.000	4.000	128 W 4300 N	Cross Cut	1.000
278	1.130	0.000	4.000	128 W 4300 N	Cross Cut	2.260


279	2.000	0.000	4.000	128 W 4300 N	Cross Cut	4.000
280	0.500	0.000	4.000	128 W 4300 N	Cross Cut	1.000
281	0.630	0.000	4.000	128 W 4300 N	Cross Cut	1.260
282	**Suggested for Replacement			128 W 4300 N	Cracks	-
283	0.750	0.000	4.000	128 W 4300 N	Cross Cut	1.500
284	0.500	0.000	4.000	128 W 4300 N	Cross Cut	1.000
285	0.500	0.000	2.500	128 W 4300 N		0.625
286	0.750	0.000	4.000	128 W 4300 N	Cross Cut	1.500
		Totals:	999.5			521.056
Total Cost for Trip Hazard Repair:						\$24,229.10


**All Bids & Proposals from Precision Concrete Cutting are valid for 90 days from the date the bid was performed. After 90 days, please contact your sales rep for a new bid with current pricing.*

Precision Concrete Cutting has a minimum mobilization fee of \$1,000.00











Pleasant View City
Attn. Tyson Jackson
520 Elberta Drive
Pleasant View, UT 84414
(801) 668-6989
tjackson@pleasantviewcity.com

Date: July 20, 2022
Bid #: UT87281UM

Precision Concrete Cutting
3191 North Canyon Rd
Provo, Utah 84604
(801) 224-0025 - phone
(801) 855-7150 - fax
Federal ID #: 04-3800739
Andi Faulkner
(801) 310-5101 - cell

Panels for replacement

Total Ln. Ft.
0.0

Total In. Ft.
0.000


PRECISION CONCRETE CUTTING						
No.	Size	Size	Lineal Feet	Location	Map Pin	Inch Feet
3	**Suggested for Replacement			2710 N Parkland Blvd	Cracks	-
4	**Suggested for Replacement			2710 N Parkland Blvd	Cracks	-
5	**Suggested for Replacement			2710 N Parkland Blvd	Cracks	-
10	**Suggested for Replacement			3121 N 1375 W	Cracks	-
16	**Suggested for Replacement			1004 W Park Springs Cir handicap ramp	Cracks	-
21	**Suggested for Replacement			1004 W Park Springs Cir	Out Of Spec	-
26	**Suggested for Replacement			3011 N 1000 W	Out Of Spec	-
27	**Suggested for Replacement			3069 N 1000 W	Cracks	-
50	**Suggested for Replacement			3189 N 825 W	Cracks	-
52	**Suggested for Replacement			3141 N 700 W	Out Of Spec	-
62	**Suggested for Replacement			701 W Pleasant View Dr	Out Of Spec	-
64	**Suggested for Replacement			3518 N 575 W	Cracks	-
76	**Suggested for Replacement			541 W 3000 N	Cracks	-
83	**Suggested for Replacement			3004 N 550 W	Out Of Spec	-
119	**Suggested for Replacement			390 W Elberta Dr	Cracks	-
120	**Suggested for Replacement			390 W Elberta Dr	Cracks	-
124	**Suggested for Replacement			362 W Elberta Dr	Out Of Spec	-
126	**Suggested for Replacement			268 W Elberta Dr	Cracks	-
143	**Suggested for Replacement			366 W 3450 N	Cracks	-
144	**Suggested for Replacement			366 W 3450 N	Cracks	-
151	**Suggested for Replacement			3475 N 300 W	Out Of Spec	-
169	**Suggested for Replacement			216 W 3450 N	Cracks	-
173	**Suggested for Replacement			630 W 3650 N	Cracks	-
175	**Suggested for Replacement			596 W 3750 N curb cut	Out Of Spec	-
195	**Suggested for Replacement			3760 N 550 W	Out Of Spec	-
203	**Suggested for Replacement			535 W 3850 N	Out Of Spec	-
219	**Suggested for Replacement			331 W 3925 N	Out Of Spec	-
228	**Suggested for Replacement			475 W 3925 N	Cracks	-
239	**Suggested for Replacement			541 W 3950 N	Cracks	-
243	**Suggested for Replacement			541 W 3950 N	Cracks	-
244	**Suggested for Replacement			541 W 3950 N	Cracks	-
245	**Suggested for Replacement			3958 N 550 W	Out Of Spec	-

246	<i>**Suggested for Replacement</i>	3972 N 550 W	Out Of Spec	-
259	<i>**Suggested for Replacement</i>	3980 N 550 W	Cracks	-
267	<i>**Suggested for Replacement</i>	3475 N 300 W	Out Of Spec	-
282	<i>**Suggested for Replacement</i>	128 W 4300 N	Cracks	-











3191 N. Canyon Road Provo, UT 84604
P: (801) 224-0025 F: (801) 224-0062
www.SafeSidewalks.com

August 5, 2022

Pleasant View City
Attn: Tyson Jackson
520 Elberta Drive
Pleasant View, UT 84414

RE: Patent information

To Whom It May Concern:

Due to the nature of our business and our patented equipment and methods, frequently we have been asked to provide a letter stating that our technology relies upon patents that have been issued by the US Patent and Trademark office.

Precision Concrete Cutting is the only company authorized to use the patented equipment and method for removing sidewalk trip hazards as described by the following patent numbers:

U.S. Pat. No. 6,827,074

U.S. Pat. No. 6,896,604

U.S. Pat. No. 7,000,606

U.S. Pat. No. 7,143,760

U.S. Pat. No. 7,201,644

U.S. Pat. No. 7,402,095

U.S. Pat. No. 9,759,559

U.S. Pat. No. 9,494,407

U.S. Application Pat. No. 16/670,737

If you have any questions or comments, please feel free to give me a call.

Kind Regards,

Aaron Ollivier, CEO
Precision Concrete Cutting
3191 N. Canyon Rd
Provo, Utah 84604
(801) 373-6060

